Author index

ABDULLAH, A. see RAJPAR, S.F.

ABE, M. see MAYUZUMI, M.

ABECK, D. see FÖLSTER-HOLST, R.

ABEND, M. see MÜLLER, K.

ABRAHAM, S., BRAUN, R.P., MATTHES, T. & SAURAT, J-H. A follow-up: previously reported apparent lymphomatoid contact dermatitis, now followed by T-cell prolymphocytic leukaemia, 633

ACHENBACH, R.K. see BECHARA, F.G.

ACKERMAN, A.B. & MONES, J.M. Solar (actinic) keratosis is squamous cell carcinoma, 9

ADLY, M.A., ASSAF, H.A., HUSSEIN, M.R. & NEUBER, K. Age-associated decrease of CD1d protein production in normal human skin, 186

ADRIAANS, B. see GRIFFITHS, M.R.

AFFLECK, A.G. see ANGUS, J.E.

AGUILAR, A. see CUÉTARA, M.S.

AHLMANN, M. see BENOIT, S.

AHMAD, W. see NAEEM, M.

AIZU, T. see KAMBE, Y.

AKATSUKA, M. see HAYASHI, N.

AKIYAMA, M., SAKAI, K., WOLFF, G., HAUSSER, I., MCMILLAN, J.R., SAWAMURA, D. & SHIMIZU, H. A novel *ABCA12* mutation 3270delT causes harlequin ichthyosis, 1064

AKIYAMA, M. see MAYUZUMI, M.

AKMAN, A., SALLAKCI, N., COSKUN, M., BACANLI, A., YAVUZER, U., ALPSOY, E. & YEGIN, O. TNF-α gene 1031 T/C polymorphism in Turkish patients with Behet's disease, 350

ALAM, S. see SEATON, E.D.

ALAVI, A. see KUMAR, R.

ALDRIDGE, R.D. see KAVANAGH, G.M.

ALI, G. see NAEEM, M.

ALPSOY, E. see AKMAN, A.

ALTMEYER, P. see BECHARA, F.G.

ALTMEYER, P. see GAMBICHLER, T.

ALTMEYER, P. see KREUTER, A.

AMANTEA, A. see BELLEI, B.

AMARÙ, G.S. see BELFIORE, P.

AN, H-J. see LEE, H-S.

ANGUS, J.E., AFFLECK, A.G., LEACH, I.H. & MILLARD, L.G. Two cases of delayed granulomatous reactions to the cosmetic filler Dermalive®, a hyaluronic acid and acrylic hydrogel, 1077

ANNEMANS, L. see CAEKELBERGH, K.

ANSTEY, A.V. see HOLME, S.A.

ANSTEY, A.V. see OTMAN, S.G.H.

AOKI, V. see EMPINOTTI, J.C.

APFELBACHER, C. see WEISSHAAR, E.

APPELMAN, M. see GROOT, M.

ARASE, S. see MURAO, K.

ARDILOUZE, L. see CARIO-ANDRÉ, M.

ARGENYI, Z. see SHORS, A.R.

ARGENZIANO, G. see SEIDENARI, S.

ARGENZIANO, G. see ZALAUDEK, I.

ARMSTRONG, D.K.B. Atlas of Dermatology, 5th edn. Lionel Fry (editor). London: Taylor & Francis, 2005, 498

ARTAN, S. see MUSLUMANOGLU, M.H.

ASASHIMA, N., FUJIMOTO, M., WATANABE, R., NAKASHIMA, H., YAZAWA, N., OKOCHI, H. & TAMAKI, K. Serum levels of BAFF are increased in bullous pemphigoid but not in pemphigus vulgaris, 330

ASHCROFT, D.M., SESTON, E. & GRIFFITHS, C.E.M. Trade-offs between the benefits and risks of drug treatment for psoriasis: a discrete choice experiment with U.K. dermatologists, 1236

ASHOOR, G., MASSÉ, M., GARCÍA LUCIANO, L.M., SHEFFER, R., MARTINEZ-MIR, A., CHRISTIANO, A.M. & ZLOTOGORSKI, A. A novel mutation in the 12(R)-lipoxygenase (*ALOX12B*) gene underlies nonbullous congenital ichthyosiform erythroderma, 198

ASPIROZ, C. see CUÉTARA, M.S.

ASSAF, C., BAGOT, M., DUMMER, R., DUVIC, M., GNIADECKI, R., KNOBLER, R., RANKI, A., SCHWANDT, P. & WHITTAKER, S. Minimizing adverse side-effects of oral bexarotene in cutaneous T-cell lymphoma: an expert opinion, 261

ASSAF, C. see STEINHOFF, M.

ASSAF, H.A. see ADLY, M.A.

ATWAL, G.S.S., MANKU, L.K., GRIFFITHS, C.E.M. & POLSON, D.W. Striae gravidarum in primiparae, 965

AZADIAN, B.S. see SAHA, M.

BACANLI, A. see AKMAN, A.

BÄCK, B. see WACKERNAGEL, A.

BADEMCI, G. see MUSLUMANOGLU, M.H.

BADENAS, C. see STARK, M.

BADMINTON, M.N. see HOLME, S.A.

BAGOT, M. see ASSAF, C.

BALABANOVA, M. see PETROV, I.

BALLHAUSEN, W.G. see GOLDBERG, M.

BALME, B. see DALLE, S.

BALME, B. see PHAN, A.

BARAN, R., DAWBER, R.P.R., PERRIN, C. & DRAPE, J.L. Idiopathic polydactylous longitudinal erythronychia: a newly described entity, 219

BARBAUD, A. see CLAEYS, A.

BARDE, C., THIELEN, A-M., KUENZLI, S. & SAURAT, J-H. Treatment of plaque psoriasis by sequential therapy with two 'biologics': the 'hit and run' approach, a report of two cases, 211

BARDE, C. see THIELEN, A.M.

BARDE, C. see THIELEN, A-M.

BARKER, J.N.W.N. see SMITH, C.H.

BARLETTA, E. see CAPRONI, M.

BARNHILL, R.L. see SHORS, A.R.

BARTOLI, C. see BONO, A.

BARZILAI, A., TRAU, H., DAVID, M., FEINMESSER, M., BERGMAN, R., SHPIRO, D., SCHIBY, G., ROSENBLATT, K., OR, R. & HODAK, E. Mycosis fungoides associated with B-cell malignancies, 379

BASHIR, S.J. see SMITH, C.H.

BASMACI, T. see MUSLUMANOGLU, M.H.

BASTIAN, A. see KREUTER, A.

BASTUJI-GARIN, S. see JAGOU, M.

BÄTE, J. see STRAUSS, R.M.

BATEMAN, E.D. see KHUMALO, N.P.

BAUER, J., LEINWEBER, B., METZLER, G., BLUM, A., HOFMANN-WELLENHOF, R., LEITZ, N., DIETZ, K., SOYER, H.P. & GARBE, C. Correlation with digital dermoscopic images can help dermatopathologists to diagnose equivocal skin tumours, 546

BAUER, R. see HUBER, A.

BÄumlER, W., ULRICH, H., HARTL, A., LANDTHALER, M. & SHAFIRSTEIN, G. Optimal parameters for the treatment of leg veins using Nd:YAG lasers at 1064 nm, 364

BAZZA, M.A. see KAUR, M.R.

© 2006 British Association of Dermatologists

Author index

ABDULLAH, A. see RAJPAR, S.F.

ABE, M. see MAYUZUMI, M.

ABECK, D. see FÖLSTER-HOLST, R.

ABEND, M. see MÜLLER, K.

ABRAHAM, S., BRAUN, R.P., MATTHES, T. & SAURAT, J-H. A follow-up: previously reported apparent lymphomatoid contact dermatitis, now followed by T-cell prolymphocytic leukaemia, 633

ACHENBACH, R.K. see BECHARA, F.G.

ACKERMAN, A.B. & MONES, J.M. Solar (actinic) keratosis is squamous cell carcinoma, 9

ADLY, M.A., ASSAF, H.A., HUSSEIN, M.R. & NEUBER, K. Age-associated decrease of CD1d protein production in normal human skin, 186

ADRIAANS, B. see GRIFFITHS, M.R.

AFFLECK, A.G. see ANGUS, J.E.

AGUILAR, A. see CUÉTARA, M.S.

AHLMANN, M. see BENOIT, S.

AHMAD, W. see NAEEM, M.

AIZU, T. see KAMBE, Y.

AKATSUKA, M. see HAYASHI, N.

AKIYAMA, M., SAKAI, K., WOLFF, G., HAUSSER, I., MCMILLAN, J.R., SAWAMURA, D. & SHIMIZU, H. A novel *ABCA12* mutation 3270delT causes harlequin ichthyosis, 1064

AKIYAMA, M. see MAYUZUMI, M.

AKMAN, A., SALLAKCI, N., COSKUN, M., BACANLI, A., YAVUZER, U., ALPSOY, E. & YEGIN, O. TNF-α gene 1031 T/C polymorphism in Turkish patients with Behet's disease, 350

ALAM, S. see SEATON, E.D.

ALAVI, A. see KUMAR, R.

ALDRIDGE, R.D. see KAVANAGH, G.M.

ALI, G. see NAEEM, M.

ALPSOY, E. see AKMAN, A.

ALTMEYER, P. see BECHARA, F.G.

ALTMEYER, P. see GAMBICHLER, T.

ALTMEYER, P. see KREUTER, A.

AMANTEA, A. see BELLEI, B.

AMARÙ, G.S. see BELFIORE, P.

AN, H-J. see LEE, H-S.

ANGUS, J.E., AFFLECK, A.G., LEACH, I.H. & MILLARD, L.G. Two cases of delayed granulomatous reactions to the cosmetic filler Dermalive®, a hyaluronic acid and acrylic hydrogel, 1077

ANNEMANS, L. see CAEKELBERGH, K.

ANSTEY, A.V. see HOLME, S.A.

ANSTEY, A.V. see OTMAN, S.G.H.

AOKI, V. see EMPINOTTI, J.C.

APFELBACHER, C. see WEISSHAAR, E.

APPELMAN, M. see GROOT, M.

ARASE, S. see MURAO, K.

ARDILOUZE, L. see CARIO-ANDRÉ, M.

ARGENYI, Z. see SHORS, A.R.

ARGENZIANO, G. see SEIDENARI, S.

ARGENZIANO, G. see ZALAUDEK, I.

ARMSTRONG, D.K.B. Atlas of Dermatology, 5th edn. Lionel Fry (editor). London: Taylor & Francis, 2005, 498

ARTAN, S. see MUSLUMANOGLU, M.H.

ASASHIMA, N., FUJIMOTO, M., WATANABE, R., NAKASHIMA, H., YAZAWA, N., OKOCHI, H. & TAMAKI, K. Serum levels of BAFF are increased in bullous pemphigoid but not in pemphigus vulgaris, 330

ASHCROFT, D.M., SESTON, E. & GRIFFITHS, C.E.M. Trade-offs between the benefits and risks of drug treatment for psoriasis: a discrete choice experiment with U.K. dermatologists, 1236

ASHOOR, G., MASSÉ, M., GARCÍA LUCIANO, L.M., SHEFFER, R., MARTINEZ-MIR, A., CHRISTIANO, A.M. & ZLOTOGORSKI, A. A novel mutation in the 12(R)-lipoxygenase (*ALOX12B*) gene underlies nonbullous congenital ichthyosiform erythroderma, 198

ASPIROZ, C. see CUÉTARA, M.S.

ASSAF, C., BAGOT, M., DUMMER, R., DUVIC, M., GNIADECKI, R., KNOBLER, R., RANKI, A., SCHWANDT, P. & WHITTAKER, S. Minimizing adverse side-effects of oral bexarotene in cutaneous T-cell lymphoma: an expert opinion, 261

ASSAF, C. see STEINHOFF, M.

ASSAF, H.A. see ADLY, M.A.

ATWAL, G.S.S., MANKU, L.K., GRIFFITHS, C.E.M. & POLSON, D.W. Striae gravidarum in primiparae, 965

AZADIAN, B.S. see SAHA, M.

BACANLI, A. see AKMAN, A.

BÄCK, B. see WACKERNAGEL, A.

BADEMCI, G. see MUSLUMANOGLU, M.H.

BADENAS, C. see STARK, M.

BADMINTON, M.N. see HOLME, S.A.

BAGOT, M. see ASSAF, C.

BALABANOVA, M. see PETROV, I.

BALLHAUSEN, W.G. see GOLDBERG, M.

BALME, B. see DALLE, S.

BALME, B. see PHAN, A.

BARAN, R., DAWBER, R.P.R., PERRIN, C. & DRAPE, J.L. Idiopathic polydactylous longitudinal erythronychia: a newly described entity, 219

BARBAUD, A. see CLAEYS, A.

BARDE, C., THIELEN, A-M., KUENZLI, S. & SAURAT, J-H. Treatment of plaque psoriasis by sequential therapy with two 'biologics': the 'hit and run' approach, a report of two cases, 211

BARDE, C. see THIELEN, A.M.

BARDE, C. see THIELEN, A-M.

BARKER, J.N.W.N. see SMITH, C.H.

BARLETTA, E. see CAPRONI, M.

BARNHILL, R.L. see SHORS, A.R.

BARTOLI, C. see BONO, A.

BARZILAI, A., TRAU, H., DAVID, M., FEINMESSER, M., BERGMAN, R., SHPIRO, D., SCHIBY, G., ROSENBLATT, K., OR, R. & HODAK, E. Mycosis fungoides associated with B-cell malignancies, 379

BASHIR, S.J. see SMITH, C.H.

BASMACI, T. see MUSLUMANOGLU, M.H.

BASTIAN, A. see KREUTER, A.

BASTUJI-GARIN, S. see JAGOU, M.

BÄTE, J. see STRAUSS, R.M.

BATEMAN, E.D. see KHUMALO, N.P.

BAUER, J., LEINWEBER, B., METZLER, G., BLUM, A., HOFMANN-WELLENHOF, R., LEITZ, N., DIETZ, K., SOYER, H.P. & GARBE, C. Correlation with digital dermoscopic images can help dermatopathologists to diagnose equivocal skin tumours, 546

BAUER, R. see HUBER, A.

BÄumlER, W., ULRICH, H., HARTL, A., LANDTHALER, M. & SHAFIRSTEIN, G. Optimal parameters for the treatment of leg veins using Nd:YAG lasers at 1064 nm, 364

BAZZA, M.A. see KAUR, M.R.

© 2006 British Association of Dermatologists

BEATTIE, P.E. & LEWIS-JONES, M.S. A comparative study of impairment of quality of life in children with skin disease and children with other chronic childhood diseases, 145
BEATTIE, P.E. & LEWIS-JONES, M.S. An audit of the impact of a consultation with a paediatric dermatology team on quality of life in infants with atopic eczema and their families: further validation of the Infants' Dermatitis Quality of Life Index and Dermatitis Family Impact score, 1249
BECHARA, F.G., SAND, M., SAND, D., ACHENBACH, R.K., ALTMEYER, P. & HOFFMANN, K. Focal hyperhidrosis of the anal fold: a simple technique for diagnosis and evaluation of therapy, 858
BECK, M.H. see BRYDEN, A.M.
BECK, M.H. see MADAN, V.
BECK, M.H. see SINGH, M.N.
BEIER, C. see MEISSNER, M.
BEIGHTON, P. see KHUMALO, N.P.
BELFIORE, P., DI FEDE, O., CABIBI, D., CAMPISI, G., AMARÙ, G.S., DE CANTIS, S. & MARESI, E. Prevalence of vulval lichen planus in a cohort of women with oral lichen planus: an interdisciplinary study, 994
BELLEI, B., COTA, C., AMANTEA, A., MUSCARDIN, L. & PICARDO, M. Association of p53 Arg72Pro polymorphism and β-catenin accumulation in mycosis fungoides, 1223
BENOIT, S., TOKSOY, A., AHLMANN, M., SCHMIDT, M., SUNDERKÖTTER, C., FOELL, D., PASPARAKIS, M., ROTH, J. & GOEBELER, M. Elevated serum levels of calcium-binding S100 proteins A8 and A9 reflect disease activity and abnormal differentiation of keratinocytes in psoriasis, 62
BERGER, F. see DALLE, S.
BERGMAN, R. see BARZILAI, A.
BERNARD, P. see PERCEAU, G.
BERNARDS, R. see OOSTERKAMP, H.M.
BERTH-JONES, J., GROTZINGER, K., RAINVILLE, C., PHAM, B., HUANG, J., DALY, S., HERDMAN, M., FIRTH, P. & HOTCHKISS, K. A study examining inter- and intrarater reliability of three scales for measuring severity of psoriasis: Psoriasis Area and Severity Index, Physician's Global Assessment and Lattice System Physician's Global Assessment, 707
BESSIS, D., GIRAUD, S. & RICHARD, S. A novel familial germline mutation in the initiator codon of the *BHD* gene in a patient with Birt–Hogg–Dubé syndrome, 1067
BEWLEY, A. see FRIEDMANN, A.C.
BI, Z.G. see GONG, J.Q.
BIEBER, T. see HUBER, A.
BISSET, D. see MADAN, V.
BLATT, T. see ÜNVER, N.
BLAYAC, J-P. see PEYRIÈRE, H.
BLÖDORN-SCHLICHT, N. see BÖER, A.
BLUM, A. see BAUER, J.
BÖER, A., BLÖDORN-SCHLICHT, N., WIEBELS, D., STEINKRAUS, V. & FALK, T.M. Unusual histopathological features of cutaneous leishmaniasis identified by polymerase chain reaction specific for *Leishmania* on paraffin-embedded skin biopsies, 815
BONO, A., TOLOMIO, E., TRINCONE, S., BARTOLI, C., TOMATIS, S., CARBONE, A. & SANTINAMI, M. Micro-melanoma detection: a clinical study on 206 consecutive cases of pigmented skin lesions with a diameter ≤ 3 mm, 570
BORMANN, G., MARSCH, W.C., HAERTING, J. & HELMBOLD, P. Concomitant traumas influence prognosis in melanomas of the nail apparatus, 76
BOS, J.D. see DUBERTRET, L.
BOS, J.D. see GROOT, M.
BOS, J.D. see JAKASA, I.
BOULTER, A. see CHAUDHRY, S.I.
BOUMA, J. see VAN COEVORDEN, A.M.
BOURDON-LANOY, E. see JAGOU, M.
BOURKE, J. see BRYDEN, A.M.
BOUTHORS, J., VANTYGHEM, M-C., MANOUVRIER-HANU, S., SOUDAN, B., PROUST, E., HAPPLE, R. & PIETTE, F. Phacomatosis pigmentokeratotica associated with hypophosphataemic rickets, pheochromocytoma and multiple basal cell carcinomas, 225
BOVENSCHEN, H.J. see ERCEG, A.
BOWDEN, P.E. see HAN, S.
BRACHA, H.S., LENZE, S.M. & CHUNG, M.T.M. A surgical treatment for anxiety-triggered palmar hyperhidrosis is not unlike treating tearfulness in major depression by severing the nerves to the lacrimal glands, 1299
BRAMBLE, M.G. see RAJAN, N.
BRAUN, R.P. see ABRAHAM, S.
BRÄUNINGER, W. see VON STEBUT, E.
BREETVELD, M. see GIBBS, S.
BRESNIHAN, B. see MARKHAM, T.
BRETON, H. see PEYRIÈRE, H.
BRINKMEIER, T. see HENGGE, U.R.
BROSHTILOVA, V. see PETROV, I.
BROWN, S.J. & LAWRENCE, C.M. The management of skin malignancy: to what extent should we rely on clinical diagnosis?, 100
BRUCKNER, T. see WEISSHAAR, E.
BRUMMELKAMP, T.R. see OOSTERKAMP, H.M.
BRYDEN, A. see SMITH, G.
BRYDEN, A.M., MOSELEY, H., IBBOTSON, S.H., CHOWDHURY, M.M.U., BECK, M.H., BOURKE, J., ENGLISH, J., FARR, P., FOULDS, I.S., GAWKRODGER, D.J., GEORGE, S., ORTON, D.I., SHAW, S., MCFADDEN, J., NORRIS, P., PODMORE, P., POWELL, S., RHODES, L.E., SANSOM, J., WILKINSON, M. VAN WEELDEN, H. & FERGUSON, J. Photopatch testing of 1155 patients: results of the U.K. multicentre photopatch study group, 737
BU, D-F. see LIN, Z-M.
BUCCINI, P. see SEIDENARI, S.
BUCHANAN, J.A.G. see CHAUDHRY, S.I.
BUETTNER, P.G. see RAASCH, B.A.
BULL, R. see SHETH, N.
BUNKER, C.B. see SAHA, M.
BURGDORF, W. see RATZINGER, G.
BURGE, S. see CLAYTON, R.
BURKITT-WRIGHT, E. see SHARMA, A.
BURNS, C. see KAVANAGH, G.M.
BUSCH, J.O. see ULRICH, C.

CABIBI, D. see BELFIORE, P.
CAEKELBERGH, K., ANNEMANS, L., LAMBERT, J. & ROELANDTS, R. Economic evaluation of methyl aminolaevulinate-based photodynamic therapy in the management of actinic keratosis and basal cell carcinoma, 784
CALONJE, E. see FRASER-ANDREWS, E.A.
CALZAVARA PINTON, P.G. see MALERBA, M.
CAMP, R.D.R. Updates from the Fourth International Congress 'Psoriasis: from Gene to Clinic', The Royal College of Physicians, London, U.K., 1–3 December 2005, 1124
CAMPBELL, S. see MORTON, C.
CAMPISI, G. see BELFIORE, P.
CAPRONI, M., TORCHIA, D., SCHINCAGLIA, E., VOLPI, W., FREZZOLINI, A., SCHENA, D., MARZANO, A., QUAGLINO, P., DE SIMONE, C., PARODI, A., BARLETTA, E. & FABBRI, P. Expression of cytokines and chemokine receptors in the cutaneous

lesions of erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis, 722
CAPRONI, M., VOLPI, W., GIOMI, B., TORCHIA, D., DEL BIANCO, E. & FABBRI, P. Cellular adhesion molecules in chronic urticaria: modulation of serum levels occurs during levocetirizine treatment, 1270
CAPRONI, M. see TORCHIA, D.
CARBONE, A. see BONO, A.
CARBONE, M. see CARROZZO, M.
CARIO-ANDRÉ, M., ARDILOUZE, L., PAIN, C., GAUTHIER, Y., MAHON, F-X. & TAIEB, A. Imatinib mesilate inhibits melanogenesis *in vitro*, 493
CARLI, P. see SEIDENARI, S.
CARLSSON, C.P., SUNDLER, F. & WALLENGREN, J. Cutaneous innervation before and after one treatment period of acupuncture, 970
CARMICHAEL, A.J. see RAJAN, N.
CARRERA, C., FERRER, B., MASCARÓ JR, J.M. & PALOU, J. Compound blue naevus: a potential simulator of melanoma, 207
CARROZZO, M., CONROTTO, D., CARBONE, M. & GANDOLFO, S. No evidence for therapeutic effect of topical ciclosporin in oral lichen planus: reply from authors, 488
CASABONNE, D. see ISMAIL, F.
CATRICALÀ, C. see SEIDENARI, S.
CAVELIER-BALLOY, B. see LEMAÎTRE, G.
CERIO, R. see SHETH, N.
CHALMERS, R.J.G. see GRIFFITHS, C.E.M.
CHAN, S.Y., MADAN, V., LEAR, J.T. & HELBERT, M. Highly active antiretroviral therapy-induced regression of basal cell carcinomas in a patient with acquired immunodeficiency and Gorlin syndrome, 1079
CHANG, Y.T., CHOU, C.T., SHIAO, Y.M., LIN, M.W., YU, C.W., CHEN, C.C., HUANG, C.H., LEE, D.D., LIU, H.N., WANG, W.J. & TSAI, S.F. Psoriasis vulgaris in Chinese individuals is associated with *PSORS1C3* and *CDSN* genes, 663
CHANG, Y-T. see LEE, D-D.
CHARAKIDA, A. see SEATON, E.D.
CHARISSI, C. see RIGOPOULOS, D.
CHARNOCK, F.M. see FARRELL, A.M.
CHAUDHRY, S.I., BUCHANAN, J.A.G., BOULTER, A., HODGSON, T.A. & PORTER, S.R. Fungiform papillary glossitis: a 'new' diagnosis or a 'misdiagnosis'?, 642
CHAVE, T.A. see NG, S.H.
CHEN, C.C. see CHANG, Y.T.
CHEN, C-H. see CHEN, T-J.
CHEN, G-S. see LAN, C-C.
CHEN, I-C. see LEE, D-D.
CHEN, J.J. see ZHAO, X.Y.
CHEN, T-J., CHOU, Y-C., CHEN, C-H., KUO, T-T. & HONG, H-S. Genital porokeratosis: a series of 10 patients and review of the literature, 325
CHEN, W.R. see NAYLOR, M.F.
CHEW, A.L. see SMITH, C.H.
CHIMENTI, S. see DUBERTRET, L.
CHIMENTI, S. see ESPOSITO, M.
CHISHTI, M.S. see NAEEM, M.
CHO, B.K. see KIM, M.H.
CHO, D. see KIM, M.H.
CHO, K.H. see KIM, M-S.
CHO, K.H. see NA, J.I.
CHOI, C.W., KIM, B.J., PARK, E.S. & HUH, C.H. Alopecia areata associated with basal cell carcinoma developing within a naevus sebaceus, 1090
CHOI, H-M. see LEE, H-S.
CHOI, M-S. see LEE, H-S.
CHOI, Y.M. see KANG, H.Y.
CHOI, Y-L., KIM, J-A., JANG, K-T., KIM, D-S., KIM, W-S., LEE, J-H., YANG, J-M., LEE, E-S. & LEE, D-Y. Characteristics of cutaneous cytomegalovirus infection in non-acquired immune deficiency syndrome, immunocompromised patients, 977
CHOI, Y-L. see LEE, K-J.
CHOI, Y-L. see PARK, J-H.
CHONG, S.J. see KIM, M.H.
CHOU, C.T. see CHANG, Y.T.
CHOU, Y-C. see CHEN, T-J.
CHOWDHURY, M.M.U. see BRYDEN, A.M.
CHRISTEN-ZÄCH, S., HUBER, M., STRUK, B., LINDPAINTNER, K., MUNIER, F., PANIZZON, R.G. & HOHL, D. Pseudoxanthoma elasticum: evaluation of diagnostic criteria based on molecular data, 89
CHRISTIANO, A.M. see ASHOOR, G.
CHRISTOPHERS, E. see FÖLSTER-HOLST, R.
CHU, A.C. see SEATON, E.D.
CHUNG, J.H. see KIM, M-S.
CHUNG, K. see ROH, M.
CHUNG, M.T.M. see BRACHA, H.S.
CILINGIR, O. see MUSLUMANOGLU, M.H.
CLAEYS, A., WEBER-MULLER, F., TRECHOT, P., CUNY, J-F., GEORGES, M-Y., BARBAUD, A. & SCHMUTZ, J-L. Cutaneous, perivulvar and perianal ulcerations induced by nicorandil, 494
CLAYTON, P.E. see ELLISON, J.A.
CLAYTON, R., PERERA, R. & BURGE, S. Defining the dermatological content of the undergraduate medical curriculum: a modified Delphi study, 137
CLAYTON, T. see STRAUSS, R.M.
COAST, J., SALISBURY, C., DE BERKER, D., NOBLE, A., HORROCKS, S., PETERS, T.J. & FLYNN, T.N. Preferences for aspects of a dermatology consultation, 387
COCIGLIO, M. see PEYRIÈRE, H.
COCKCROFT, A. see FARRIMOND, H.
COENRAADS, P.J. see VAN COEVORDEN, A.M.
COLANARDI, M.C. see NETTIS, E.
COLLIER, A., HEILIG, L., SCHILLING, L., WILLIAMS, H. & DELLAVALLE, R.P. Cochrane Skin Group systematic reviews are more methodologically rigorous than other systematic reviews in dermatology, 1230
COLLIER, P.A. see GRIFFITHS, C.E.M.
COLLINS, S.I. see GRIFFITHS, C.E.M.
COLOMO, L. see SEGURA, S.
COMBER, H. see LAING, M.E.
COMRIE, M.M. see SMITH, G.
CONLON, P. see LAING, M.E.
CONROTTO, D. see CARROZZO, M.
CONSTABLE, S., FARRELL, J., NAISBITT, D., KING, C., LEONARD, N. & PIRMOHAMED, M. Systemic illness with skin eruption, fever and positive lymphocyte transformation test in a patient on irbesartan, 491
COOPER, D.N. see HAN, S.
COSKUN, M. see AKMAN, A.
COMANN, M. & WELZEL, J. Evaluation of the atrophogenic potential of different glucocorticoids using optical coherence tomography, 20-MHz ultrasound and profilometry; a double-blind, placebo-controlled trial, 700
COSSET, J.-M. see LEMAÎTRE, G.
COTA, C. see BELLEI, B.
COTTON, S. see TEHRANI, H.

COULSON, I.H. see HAFEJEE, A.
COWEN, E.W. see MCPHERSON, T.
COX, N.H., DAWN, G. & GANGOPADHYAY, M. 'The Scream' relocated by skin histopathology, 1304
COX, N.H. Oedema as a risk factor for multiple episodes of cellulitis/erysipelas of the lower leg: a series with community follow-up, 947
COZZANI, E. see TORCHIA, D.
CREAM, J.J. see SIDWELL, R.U.
CREAMER, D. see WHITE, J.M.L.
CRUCES, M.J. see GARCÍA-DOVAL, I.
CRUICKSHANK, D.J. see LONSDALE-ECCLES, A.A.
CUÉTARA, M.S., AGUILAR, A., MARTIN, L., ASPIROZ, C. & DEL PALACIO, A. Erlotinib associated with rosacea-like folliculitis and *Malassezia sympodialis* , 477
CULLUP, T. see RAJPAR, S.F.
CUNY, J-F. see CLAEYS, A.

DALLE, S., BALME, B., SEBBAN, C., PARISET, C., BERGER, F. & THOMAS, L. Schnitzler syndrome associated with systemic marginal zone B-cell lymphoma, 827
DALLE, S., PAULIN, C., LAPRAS, V., BALME, B., RONGER-SAVLE, S. & THOMAS, L. Fine-needle aspiration biopsy with ultrasound guidance in patients with malignant melanoma and palpable lymph nodes, 552
DALLE, S. see PHAN, A.
DALY, S. see BERTH-JONES, J.
DAMSTRA, R. see VAN DE KERKHOF, P.C.M.
DANG, C., GOTTSCHLING, M., ROEWERT, J., FORSCHNER, T., STOCKFLETH, E. & NINDL, I. Tenascin-C patterns and splice variants in actinic keratosis and cutaneous squamous cell carcinoma, 763
DANG, C., KOEHLER, A., FORSCHNER, T., SEHR, P., MICHAEL, K., PAWLITA, M., STOCKFLETH, E. & NINDL, I. E6/E7 expression of human papillomavirus types in cutaneous squamous cell dysplasia and carcinoma in immunosuppressed organ transplant recipients, 129
DANKÓ, K. see SZEGEDI, A.
DARLING, J.C. see STRAUSS, R.M.
DAVID, M. see BARZILAI, A.
DAVID, M. see SHOHAT, M.
DAVID, M. see ZEELI, T.
DAVID, T.J. see ELLISON, J.A.
DAVIES, S. & FINLAY, A.Y. Psoriasis management: considerations in women of childbearing age, 228
DAVIS, R.F., DUSANJH, P., MAJID, A., FLETCHER, A., WARDLAW, A., SIEBERT, R., DYER, M.J.S. & HARMAN, K.E. Eosinophilic cellulitis as a presenting feature of chronic eosinophilic leukaemia, secondary to a deletion on chromosome 4q12 creating the *FIP1L1–PDGFRA* fusion gene, 1087
DAWBER, R.P.R. see BARAN, R.
DAWE, R.S. see SMITH, G.
DAWN, G. see COX, N.H.
DE BERKER, D. see COAST, J.
DE BOER, E.M. see GIBBS, S.
DE CANTIS, S. see BELFIORE, P.
DE FELICE, C. see ESPOSITO, M.
DE GIORGI, V., TREZ, E., SALVINI, C., DUQUIA, R., DE VILLA, D., SESTINI, S., GERVINI, R. & LOTTI, T. Dermoscopy in black people, 695
DE GIORGI, V. see SEIDENARI, S.
DE JONGH, C.M. see JAKASA, I.
DE MORA, F., PUIGDEMONT, A. & TORRES, R. The role of mast cells in atopy: what can we learn from canine models? A thorough review of the biology of mast cells in canine and human systems, 1109
DE RIE, M.A. see GROOT, M.
DE RIE, M.A. see VAN DE KERKHOF, P.C.M.
DE SIMONE, C. see CAPRONI, M.
DE VILLA, D. see DE GIORGI, V.
DE VRIES, H.J.C. see VAN DE KERKHOF, P.C.M.
DEAN, D. see FARRELL, A.M.
DEĞIRMENCI, S. see YOSUNKAYA FENERCI, E.
DEL BIANCO, E. see CAPRONI, M.
DEL BIANCO, E. see TORCHIA, D.
DEL GIUDICE, P.D. Community-acquired methicillin-resistant *Staphylococcus aureus*: different populations, different results: reply from authors, 1299
DEL PALACIO, A. see CUÉTARA, M.S.
DELLAVALLE, R.P. see COLLIER, A.
DEMIR, S. see MUSLUMANOGLU, M.H.
DEMOLY, P. see PEYRIÈRE, H.
DERANCOURT, C. see PERCEAU, G.
DEREURE, O. see PEYRIÈRE, H.
DEVEREUX, S. see WHITE, J.M.L.
DEY, P. see GRIFFITHS, C.E.M.
DI FEDE, O. see BELFIORE, P.
DI STEFANI, A. see ZALAUDEK, I.
DIAZ, L.A. see EMPINOTTI, J.C.
DIEPGEN, T.L. see WEISSHAAR, E.
DIETZ, K. see BAUER, J.
DIRAC, A.M.G. see OOSTERKAMP, H.M.
DIRIS, N. see PERCEAU, G.
DOHERTY, D.C. see MOFFATT, C.J.
DORNAN, T.L. see FARRIMOND, H.
DRAPE, J.L. see BARAN, R.
DU VIVIER, A.W.P. see OSBORNE, G.E.N.
DU VIVIER, A.W.P. see WHITE, J.M.L.
DU, W.H. see ZHAO, X.Y.
DUBERTRET, L., MROWIETZ, U., RANKI, A., VAN DE KERKHOF, P.C.M., CHIMENTI, S., LOTTI, T. & SCHÄFER, G ON BEHALF OF THE EUROPSO PATIENT SURVEY. European patient perspectives on the impact of psoriasis: the EUROPSO patient membership survey, 729
DUBERTRET, L., STERRY, W., BOS, J.D., CHIMENTI, S., SHUMACK, S., LARSEN, C.G., SHEAR, N.H. & PAPP, K.A. CLinical experience acquired with the efalizumab (Raptiva®) (CLEAR) trial in patients with moderate-to-severe plaque psoriasis: results from a phase III international randomized, placebo-controlled trial, 170
DUMMER, R. see ASSAF, C.
DUNLAP, F.E. see TSCHEN, E.H.
DUQUIA, R. see DE GIORGI, V.
DURAY, P. see SHORS, A.R.
DUSANJH, P. see DAVIS, R.F.
DUVIC, M. see ASSAF, C.
DYER, M.J.S. see DAVIS, R.F.

EDWARDS, C. see OTMAN, S.G.H.
EEDY, D.J. Treatment of Skin Disease — Comprehensive Therapeutic Strategies, 2nd Edition, 863
EKEOWA-ANDERSON, A. see FRIEDMANN, A.C.
EL-DARS, L. see KHAN, S.
ELDER, G.H. see HOLME, S.A.
ELLERBROK, H. see SHOHAT, M.
ELLISON, J.A., PATEL, L., KECOJEVIC, T., FOSTER, P.J., DAVID, T.J. & CLAYTON, P.E. Pattern of growth and adiposity from infancy to adulthood in atopic dermatitis, 532

ELSÄSSER, H-P. see ÜNVER, N.
EMPINOTTI, J.C., AOKI, V., FILGUEIRA, A., SAMPAIO, S.A.P., RIVITTI, E.A., SANCHES JR, J.A., LI, N., HILARIO-VARGAS, J., DIAZ, L.A. & THE COOPERATIVE GROUP ON FOGO SELVAGEM RESEARCH, Clinical and serological follow-up studies of endemic pemphigus foliaceus (fogo selvagem) in Western Parana, Brazil (2001–2002), 446
ENGLISH, J. see BRYDEN, A.M.
ENGLISH, J. Latex Intolerance. Basic Science, Epidemiology, and Clinical Management. Mahbub M.U. Chowdhury and Howard I. Maibach (editors). Boca Raton: CRC Press, 2004, 498
ERCEG, A., BOVENSCHEN, H.J., VAN DE KERKHOF, P.C.M. & SEYGER, M.M.B. Efficacy of the pulsed dye laser in the treatment of localized recalcitrant plaque psoriasis: a comparative study, 110
ERICKSON, L. see SHORS, A.R.
ESPOSITO, M., MAZZOTTA, A., DE FELICE, C., PAPOUTSAKI, M. & CHIMENTI, S. Treatment of erythrodermic psoriasis with etanercept, 156
ESTINES, O. see PERCEAU, G.
ESTRACH, T. see SEGURA, S.
EUN, H.C. see NA, J.I.
EWALDS, E. see KLEINPENNING, M.M.

FABBRI, P. see CAPRONI, M.
FABBRI, P. see TORCHIA, D.
FALK, T.M. see BÖER, A.
FANG, F., ZHAO, L., JIANG, M-J., WANG, Y. & WANG, Q-Q. Epidermodysplasia verruciformis with severe hands and feet deformity successfully treated by surgical excision, 218
FARR, P. see BRYDEN, A.M.
FARRELL, A.M., DEAN, D., MILLARD, P.R., CHARNOCK, F.M. & WOJNAROWSKA, F. Cytokine alterations in lichen sclerosus: an immunohistochemical study, 931
FARRELL, J. see CONSTABLE, S.
FARRIMOND, H., DORNAN, T.L., COCKCROFT, A. & RHODES, L.E. Development and evaluation of an e-learning package for teaching skin examination. Action research, 592
FAWCETT, H.D. see SIDWELL, R.U.
FEARON, U. see MARKHAM, T.
FEINMESSER, M. see BARZILAI, A.
FEINMESSER, M. see ZEELI, T.
FERDON, M.B. see TSCHEN, E.H.
FERGUSON, J. see BRYDEN, A.M.
FERGUSON, J. see SMITH, G.
FERGUSSON-WOOD, L.A. see GRIFFITHS, M.R.
FERRANDO, J. see SEGURA, S.
FERRANNINI, A. see NETTIS, E.
FERRARI, A. see SEIDENARI, S.
FERREIRA, S. see FRASER-ANDREWS, E.A.
FERRER, B. see CARRERA, C.
FIGL, R. see UTIKAL, J.
FILGUEIRA, A. see EMPINOTTI, J.C.
FINLAY, A.Y. see DAVIES, S.
FINLAY, A.Y. see HOLME, S.A.
FIRTH, P. see BERTH-JONES, J.
FISHER, C. see SIDWELL, R.U.
FITZGERALD, O. see MARKHAM, T.
FLETCHER, A. see DAVIS, R.F.
FLYNN, T.N. see COAST, J.
FOELL, D. see BENOIT, S.
FÖLSTER-HOLST, R., MÜLLER, F., SCHNOPP, N., ABECK, D., KREISELMAIER, I., LENZ, T., VON RÜDEN, U., SCHREZENMEIR, J., CHRISTOPHERS, E. & WEICHENTHAL, M. Prospective, randomized controlled trial on *Lactobacillus rhamnosus* in infants with moderate to severe atopic dermatitis, 1256
FÖLSTER-HOLST, R. see RUETHER, A.
FORSCHNER, T. see DANG, C.
FÖRSTI, A. see WILKENING, S.
FOSTER, P.J. see ELLISON, J.A.
FOULDS, I.S. see BRYDEN, A.M.
FOUREUR, N., VANZO, B., MEAUME, S. & SENET, P. Prospective aetiological study of diaper dermatitis in the elderly, 941
FRANKS, P.J. see MOFFATT, C.J.
FRASER-ANDREWS, E.A., MITCHELL, T., FERREIRA, S., SEED, P.T., RUSSELL-JONES, R., CALONJE, E. & WHITTAKER, S.J. Molecular staging of lymph nodes from 60 patients with mycosis fungoides and Sézary syndrome: correlation with histopathology and outcome suggests prognostic relevance in mycosis fungoides, 756
FRENCH, L.E. see KERL, K.
FREYSCHMIDT-PAUL, P., MCELWEE, K.J., HOFFMANN, R., SUNDBERG, J.P., VITACOLONNA, M., KISSLING, S. & ZÖLLER, M. Interferon-γ-deficient mice are resistant to the development of alopecia areata, 515
FREYSCHMIDT-PAUL, P. see ÜNVER, N.
FREZZOLINI, A. see CAPRONI, M.
FRIEDMANN, A.C., EKEOWA-ANDERSON, A., TAYLOR, R. & BEWLEY, A. Delusional parasitosis presenting as folie à trois: successful treatment with risperidone, 841
FRITSCH, P. see HENGGE, U.R.
FROHM-NILSSON, M. see HÖRFELT, C.
FROSCH, P. see HENGGE, U.R.
FRYER, A.A. see MADAN, V.
FUJIMOTO, M. see ASASHIMA, N.
FUJISAWA, T. see SEISHIMA, M.
FUJIWARA, H. see SUZUKI, S.
FUNK, J. see HÖRFELT, C.
FURUE, M. see LIU, H.
FURUKAWA, F. see HIROI, A.

GÁL, M. see SZEGEDI, A.
GAMBICHLER, T., SKRYGAN, M., TOMI, N.S., ALTMEYER, P. & KREUTER, A. Changes of antimicrobial peptide mRNA expression in atopic eczema following phototherapy, 1275
GAMBICHLER, T. see KREUTER, A.
GAMBLES, B. see OTMAN, S.G.H.
GANDOLFO, S. see CARROZZO, M.
GANGOPADHYAY, M. see COX, N.H.
GARBE, C. see BAUER, J.
GARBE, C. see HOERSCH, B.
GARBE, C. see RAASCH, B.A.
GARCÍA LUCIANO, L.M. see ASHOOR, G.
GARCÍA-DOVAL, I., MAYO, E., NOGUEIRA FARIÑA, J. & CRUCES, M.J. Bullous pemphigoid triggered by influenza vaccination? Ecological study in Galicia, Spain, 820
GARG, V.K. see SARDANA, K.
GAUTHIER, Y. see CARIO-ANDRÉ, M.
GAWKRODGER, D.J. see BRYDEN, A.M.
GEILEN, C.C. see STEINHOFF, M.
GEORGALA, S. see RIGOPOULOS, D.
GEORGE, S. see BRYDEN, A.M.
GEORGES, M-Y. see CLAEYS, A.
GERRITSEN, M.J.P. see KLEINPENNING, M.M.
GERRITSEN, M-J.P. see SMITS, T.
GERVINI, R. see DE GIORGI, V.
GIACOMEL, J. see ZALAUDEK, I.

GIBBS, S., VAN DEN HOOGENBAND, H.M., KIRTSCHIG, G., RICHTERS, C.D., SPIEKSTRA, S.W., BREETVELD, M., SCHEPER, R.J. & DE BOER, E.M. Autologous full-thickness skin substitute for healing chronic wounds, 267
GILLE, J. see MEISSNER, M.
GIOMI, B. see CAPRONI, M.
GIRAUD, S. see BESSIS, D.
GIROLOMONI, G. see MALERBA, M.
GISONDI, P. see MALERBA, M.
GIUSTI, F. see SEIDENARI, S.
GNIADECKI, R. see ASSAF, C.
GOEBELER, M. see BENOIT, S.
GOERDT, S. see UTIKAL, J.
GOLDBERG, M., RUMMELT, C., LAERM, A., HELMBOLD, P., HOLBACH, L.M. & BALLHAUSEN, W.G. Epigenetic silencing contributes to frequent loss of the fragile histidine triad tumour suppressor in basal cell carcinomas, 1154
GOLDSMITH, P. see SHETH, N.
GOLLNICK, H. see HENGGE, U.R.
GOLLNICK, H. see WEISSHAAR, E.
GONG, J.Q., LIN, L., LIN, T., HAO, F., ZENG, F.Q., BI, Z.G., YI, D. & ZHAO, B. Skin colonization by *Staphylococcus aureus* in patients with eczema and atopic dermatitis and relevant combined topical therapy: a double-blind multicentre randomized controlled trial, 680
GOOI, J. see STRAUSS, R.M.
GOTO, J. see HATTORI, N.
GOTO, M. see YASUKAWA, K.
GOTTSCHLING, M. see DANG, C.
GREGORIOU, S. see RIGOPOULOS, D.
GRIFFITHS, C.E.M., TAYLOR, H., COLLINS, S.I., HOBSON, J.E., COLLIER, P.A., CHALMERS, R.J.G., STEWART, E.J.C. & DEY, P. The impact of psoriasis guidelines on appropriateness of referral from primary to secondary care: a randomized controlled trial, 393
GRIFFITHS, C.E.M. see ASHCROFT, D.M.
GRIFFITHS, C.E.M. see ATWAL, G.S.S.
GRIFFITHS, C.E.M. see SARACENO, R.
GRIFFITHS, M.R., MILNE, J.T. & PORTER, W.M. Penile argyria, 1074
GRIFFITHS, M.R., PORTER, W., FERGUSSON-WOOD, L.A. & ADRIAANS, B. Generalized pustular psoriasis complicated by acute respiratory distress syndrome, 496
GROOT, M., APPELMAN, M., SPULS, P.I., DE RIE, M.A. & BOS, J.D. Initial experience with routine administration of etanercept in psoriasis, 808
GROSS, G. see HENGGE, U.R.
GROSS, G.E. see ZOLLER, A.
GROTZINGER, K. see BERTH-JONES, J.
GUILLET, G. see WIERZBICKA, E.
GUITART, J. see SHORS, A.R.
GUL, A. see NAEEM, M.
GULATI, A. see ISMAIL, F.
GUPTA, G. see MORTON, C.
GURZAU, E. see WILKENING, S.
GYIMESI, E. see SZEGEDI, A.

HAERTING, J. see BORMANN, G.
HAERTLEIN, N.G.J. see VAN DE KERKHOF, P.C.M.
HAFEJEE, A. & COULSON, I.H. Community pharmacists' role in managing common skin problems, 1297
HALL, P. see TEHRANI, H.
HALLIDAY, G.M. see RUSSO, P.A.J.
HAN, J-B. see LEE, H-S.
HAN, M. see ROH, M.
HAN, S., COOPER, D.N. & BOWDEN, P.E. Utilization of a cryptic noncanonical donor splice site in the KRT14 gene causes a mild form of epidermolysis bullosa simplex, 201
HANADA, K. see KAMBE, Y.
HANADA, K. see KON, A.
HANDJISKI, B. see PLONKA, P.M.
HAO, F. see GONG, J.Q.
HAPPLE, R. see BOUTHORS, J.
HARA, E. see MURAO, K.
HARADA, K. see KAMBE, Y.
HARMAN, K.E. see DAVIS, R.F.
HARPER, J.I. see MAZEREEUW-HAUTIER, J.
HARPER, J.I. see PURVIS, D.J.
HARPER, J.I. see WEIBEL, L.
HARRIS, P. see MADAN, V.
HARTL, A. see BÄumlER, W.
HARTLEY, B.E. see PURVIS, D.J.
HARWOOD, C. see SHETH, N.
HARWOOD, C.A. see ISMAIL, F.
HASEGAWA, M., NAGAI, Y., TAMURA, A. & ISHIKAWA, O. Arteriographic evaluation of vascular changes of the extremities in patients with systemic sclerosis, 1159
HASHIMOTO, I. see KON, A.
HASHIMOTO, K. see SEISHIMA, M.
HASHIMOTO, T. see HATTORI, N.
HASHIMOTO, T. see MAYUZUMI, M.
HASSAN, M.J. see NAEEM, M.
HATTORI, N., KOMINE, M., KANEKO, T., SHIMAZU, K., TSUNEMI, Y., KOIZUMI, M., GOTO, J. & HASHIMOTO, T. A case of epidermolysis bullosa simplex with a newly found missense mutation and polymorphism in the highly conserved helix termination motif among type I keratins, which was previously reported as a pathogenic missense mutation, 1062
HAUSCHILD, A. see KRENGEL, S.
HAUSSER, I. see AKIYAMA, M.
HAWK, J.L.M. see MURPHY, G.M.
HAWK, J.L.M. see PALMER, R.A.
HAYASHI, N., WATANABE, H., YASUKAWA, H., URATSUJI, H., KANAZAWA, H., ISHIMARU, M., KOTERA, N., AKATSUKA, M. & KAWASHIMA, M. Comedolytic effect of topically applied active vitamin D_3 analogue on pseudocomedones in the rhino mouse, 895
HAYES, A.J. & THOMAS, J.M. Recurrence-free survival after sentinel node biopsy in melanoma?, 631
HAYWARD, N. see STARK, M.
HEALY, E. see REES, J.L.
HEES, C. see VAN DE KERKHOF, P.C.M.
HEILIG, L. see COLLIER, A.
HELBERT, M. see CHAN, S.Y.
HELLOT, M-F. see MARIE, I.
HELMBOLD, P. see BORMANN, G.
HELMBOLD, P. see GOLDBERG, M.
HEMMINKI, K. see WILKENING, S.
HENGGE, U.R., KRAUSE, W., HOFMANN, H., STADLER, R., GROSS, G., MEURER, M., BRINKMEIER, T., FROSCH, P., MOLL, I., FRITSCH, P., MÜLLER, K., MEYKADEH, N., MARINI, A., RUZICKA, T. & GOLLNICK, H. Multicentre, phase II trial on the safety and efficacy of topical tacrolimus ointment for the treatment of lichen sclerosus, 1021
HERDMAN, M. see BERTH-JONES, J.
HERVÉ, F. see MARIE, I.
HILARIO-VARGAS, J. see EMPINOTTI, J.C.

HILBERT, L.R. see JELLESEN, M.S.
HILDENBRAND, R. see UTIKAL, J.
HILLAIRE-BUYS, D. see PEYRIÈRE, H.
HIRAHARAS, K. see KANO, Y.
HIROI, A., ITO, T., SEO, N., UEDE, K., YOSHIMASU, T., ITO, M., NAKAMURA, K., ITO, N., PAUS, R. & FURUKAWA, F. Male New Zealand Black/KN mice: a novel model for autoimmune-induced permanent alopecia?, 437
HIRSCHFELD, G. see RAMPF, J.
HO, A. see OSBORNE, G.E.N.
HOBAN, P.R. see MADAN, V.
HOBSON, J.E. see GRIFFITHS, C.E.M.
HODAK, E. see BARZILAI, A.
HODAK, E. see SHOHAT, M.
HODGSON, T.A. see CHAUDHRY, S.I.
HOERSCH, B., LEITER, U. & GARBE, C. Is head and neck melanoma a distinct entity? A clinical registry-based comparative study in 5702 patients with melanoma, 771
HOFFMANN, K. see BECHARA, F.G.
HOFFMANN, R. see FREYSCHMIDT-PAUL, P.
HOFMANN, H. see HENGGE, U.R.
HOFMANN-WELLENHOF, R. see BAUER, J.
HOFMANN-WELLENHOF, R. see ZALAUDEK, I.
HOHL, D. see CHRISTEN-ZÄCH, S.
HOL, C.W. see VAN DE KERKHOF, P.C.M.
HOLBACH, L.M. see GOLDBERG, M.
HOLME, S.A., ANSTEY, A.V., FINLAY, A.Y., ELDER, G.H. & BADMINTON, M.N. Erythropoietic protoporphyria in the U.K.: clinical features and effect on quality of life, 574
HOLT, P.J. see KHAN, S.
HONG, H-S. see CHEN, T-J.
HORENSTEIN, M.G. see SHORS, A.R.
HÖRFELT, C., FUNK, J., FROHM-NILSSON, M., WIEGLEB EDSTRÖM, D. & WENNBERG, A-M. Topical methyl aminolaevulinate photodynamic therapy for treatment of facial acne vulgaris: results of a randomized, controlled study, 608
HORROCKS, S. see COAST, J.
HÖRSTER, S. see ÜNVER, N.
HOTCHKISS, K. see BERTH-JONES, J.
HOU, Y.X. see ZHAO, X.Y.
HOULIHAN, A. see TSCHEN, E.H.
HOWARD, S. see MADAN, V.
HOWELL, K.J. see WEIBEL, L.
HSIAO, Y-P. see SHIH, H-C.
HSU, S.M. see LIAO, Y.H.
HU, J-H. see LIU, J-Y.
HUANG, C.H. see CHANG, Y.T.
HUANG, C-Y. see LEE, D-D.
HUANG, J. see BERTH-JONES, J.
HUANG, Y.L. see LIAO, Y.H.
HUBER, A., TÜTING, T., BAUER, R., BIEBER, T. & WENZEL, J. Methotrexate treatment in cutaneous lupus erythematosus: subcutaneous application is as effective as intravenous administration, 861
HUBER, M. see CHRISTEN-ZÄCH, S.
HUDSON, M. see RAJAN, N.
HUH, C.H. see CHOI, C.W.
HUI, N. see WU, M.
HUNYADI, J. see SZEGEDI, A.
HURLEY, M.Y. see TOM, W.L.
HURST, E.A. see ISENSTEIN, A.L.
HUSSEIN, M.R. see ADLY, M.A.
HUTCHINSON, P.E. see SLADDEN, M.J.
HYUN, J. see KREUTER, A.
IANI, V. see JUZENIENE, A.
IBBOTSON, S.H. see BRYDEN, A.M.
IBBOTSON, S.H. see SMITH, G.
IDO, T., KIYOHARA, T., SAWAI, T., KUMAKIRI, M. & ISHIGURO, K. Fasciitis–panniculitis syndrome and advanced gastric adenocarcinoma in association with antibodies to single-stranded DNA, 640
iHN, H. see MUCHEMWA, F.C.
IKENAGA, S. see KAMBE, Y.
IMAFUKU, S. see LIU, H.
INGORDO, V. see SEIDENARI, S.
INOUE, T. see NAKAFUSA, J.
ION, L. see SAHA, M.
IRINYI, B. see SZEGEDI, A.
ISENSTEIN, A.L., HURST, E.A. & MAURER, T.A. Vaginal bleeding after initiation of isotretinoin in a female-to-male transsexual on testosterone, 227
ISHIDA, O. see KAMIYA, T.
ISHIGURO, K. see IDO, T.
ISHIKAWA, O. see HASEGAWA, M.
ISHIKAWA, O. see YASUDA, M.
ISHIMARU, M. see HAYASHI, N.
ISMAIL, F., MITCHELL, L., CASABONNE, D., GULATI, A., NEWTON, R., PROBY, C.M. & HARWOOD, C.A. Specialist dermatology clinics for organ transplant recipients significantly improve compliance with photoprotection and levels of skin cancer awareness, 916
ITO, M. see HIROI, A.
ITO, M. see SUZUKI, S.
ITO, N. see HIROI, A.
ITO, N. see KON, A.
ITO, T. see HIROI, A.
ITOH, M. see YAMADA, Y.
IZAKI, S. see TERAKI, Y.

JACKSON, K. see SMITH, C.H.
JÄGER, G. see WEISSHAAR, E.
JAGOU, M., BASTUJI-GARIN, S., BOURDON-LANOY, E., PENSO-ASSATHIANY, D. & ROUJEAU ON BEHALF OF THE RÉSEAV D'EPIDÉMIOLOGIE EN DERMATOLOGIE (RED), J-C. Poor agreement between self-reported and dermatologists' diagnoses for five common dermatoses, 1006
JAKASA, I., DE JONGH, C.M., VERBERK, M.M., BOS, J.D. & KEŽIĆ, S. Percutaneous penetration of sodium lauryl sulphate is increased in uninvolved skin of patients with atopic dermatitis compared with control subjects, 104
JANG, K-T. see CHOI, Y-L.
JANG, K-T. see LEE, K-J.
JEE, S.H. see LIAO, Y.H.
JELANI, M. see NAEEM, M.
JELLESEN, M.S., HILBERT, L.R., MENNÉ, T. & MØLLER, P. Nickel-containing coins: a health risk for nickel-sensitive individuals?, 1301
JIANG, M-J. see FANG, F.
JIMBOW, K. see KAMIYA, T.
JOHN, P. see NAEEM, M.
JUNG, S-Y. see YASUKAWA, K.
JUZENAS, P. see JUZENIENE, A.
JUZENIENE, A., JUZENAS, P., MA, L-W., IANI, V. & MOAN, J. Topical application of 5-aminolaevulinic acid, methyl 5-aminolaevulinate and hexyl 5-aminolaevulinate on normal human skin, 791

KAGESHITA, T. see MUCHEMWA, F.C.
KALIŃSKA-BIENIAS, A., ROGOZIŃSKI, T.T., WOŹNIAK, K. & KOWALEWSKI, C. Can pemphigoid be provoked by lisinopril? 854

KALOGEROMITROS, D. see RIGOPOULOS, D.
KAMBE, Y., NAKANO, H., KANEKO, T., AIZU, T., IKENAGA, S., HARADA, K., NAKAJIMA, N., MORITSUGU, R. & HANADA, K. Giant pilomatricoma associated with hypercalcaemia and elevated levels of parathyroid hormone-related protein, 208
KAMIYA, T., SAGA, K., YANAGISAWA, K., KANEKO, R., YAMASHITA, T., ISHIDA, O. & JIMBOW, K. Small cell variant of CD30+ primary cutaneous T-cell lymphoma with epidermotropism that completely regressed after incisional skin biopsy, 484
KANAZAWA, H. see HAYASHI, N.
KANEKO, R. see KAMIYA, T.
KANEKO, T. see HATTORI, N.
KANEKO, T. see KAMBE, Y.
KANG, H.Y. & CHOI, Y.M. FK506 increases pigmentation and migration of human melanocytes, 1037
KANO, Y., HIRAHARAS, K., SAKUMA, K. & SHIOHARA, T. Several herpesviruses can reactivate in a severe drug-induced multiorgan reaction in the same sequential order as in graft-versus-host disease, 301
KANO, Y., TERAKI, Y. & SHIOHARA, T. Dramatic improvement of psoriatic erythroderma after acute hepatitis: analysis of cytokine synthesis capability in peripheral blood T cells, 455
KANZAKI, T. see SAWAMURA, D.
KARIYA, N. see SUZUKI, S.
KATZ, K.A. see LOTT, J.P.
KAUFMANN, R. see MEISSNER, M.
KAUR, M.R., BAZZA, M.A. & RYATT, K.S. Neutrophilic dermatosis of the dorsal hands treated with indomethacin, 1089
KAVANAGH, G.M., BURNS, C. & ALDRIDGE, R.D. Topical glycopyrrolate should not be overlooked in treatment of focal hyperhidrosis, 487
KAWAKAMI, T., WATABE, H., MIZOGUCHI, M. & SOMA, Y. Elevated serum IgA anticardiolipin antibody levels in adult Henoch–Schönlein purpura, 983
KAWASHIMA, M. see HAYASHI, N.
KECOJEVIC, T. see ELLISON, J.A.
KELSELL, D.P. see RAJPAR, S.F.
KEMPF, W. see PETROV, I.
KENNEDY, C. see SAHA, M.
KEOHANE, S. see MORTON, C.
KERL, H. see WACKERNAGEL, A.
KERL, K., PRINS, C., SAURAT, J.H. & FRENCH, L.E. Intralesional and intravenous treatment of cutaneous B-cell lymphomas with the monoclonal anti-CD20 antibody rituximab: report and follow-up of eight cases, 1197
KERROUCHE, N. see MORTON, C.
KETABCHI, S. see TORCHIA, D.
KETTELHACK, C. see UTIKAL, J.
KEŽIĆ, S. see JAKASA, I.
KHAN, S., EL-DARS, L. & HOLT, P.J. Musculoskeletal and myotoxic side-effects in a patient treated for psoriasis, 481
KHUMALO, N.P., PILLAY, K., BEIGHTON, P., WAINWRIGHT, H., WALKER, B., SAXE, N., MAYOSI, B.M. & BATEMAN, E.D. Poikiloderma, tendon contracture and pulmonary fibrosis: a new autosomal dominant syndrome?, 1057
KIM, B.J. see CHOI, C.W.
KIM, B.J. see NA, J.I.
KIM, D. see ROH, M.
KIM, D.W. see NA, G.Y.
KIM, D-S. see CHOI, Y-L.
KIM, E-C. see LEE, H-S.
KIM, H.J. see KIM, M.H.
KIM, H-M. see LEE, H-S.
KIM, J.C. see NA, G.Y.
KIM, J-A. see CHOI, Y-L.
KIM, K.H. see NA, J.I.
KIM, M.H., CHO, D., KIM, H.J., CHONG, S.J., LEE, K.H., YU, D.S., PARK, C.J., LEE, J.Y., CHO, B.K. & PARK, H.J. Investigation of the corticotropin-releasing hormone–proopiomelanocortin axis in various skin tumours, 910
KIM, M.K. see NA, G.Y.
KIM, M-S., KIM, Y.K., CHO, K.H. & CHUNG, J.H. Infrared exposure induces an angiogenic switch in human skin that is partially mediated by heat, 1131
KIM, S. see SHORS, A.R.
KIM, S-C. see YASUKAWA, K.
KIM, S-K. see LEE, H-S.
KIM, W-S. see CHOI, Y-L.
KIM, W-S. see LEE, K-J.
KIM, W-S. see PARK, J-H.
KIM, Y.K. see KIM, M-S.
KING, C. see CONSTABLE, S.
KIRTSCHIG, G. see GIBBS, S.
KISS, E. see SZEGEDI, A.
KISSLING, S. see FREYSCHMIDT-PAUL, P.
KIYOHARA, T. see IDO, T.
KLEINPENNING, M.M., SMITS, T., EWALDS, E., VAN ERP, P.E.J., VAN DE KERKHOF, P.C.M. & GERRITSEN, M.J.P. Heterogeneity of fluorescence in psoriasis after application of 5-aminolaevulinic acid: an immunohistochemical study, 539
KLEINPENNING, M.M. see SMITS, T.
KLEYN, C.E. see SARACENO, R.
KLION, A.D. see MCPHERSON, T.
KNOBLER, R. see ASSAF, C.
KOEHLER, A. see DANG, C.
KOGA, T. see LIU, H.
KÖHN, F.-M. see MÜLLER, K.
KOIZUMI, M. see HATTORI, N.
KOKUBA, H. see LIU, H.
KOMINE, M. see HATTORI, N.
KON, A., ITO, N., KUDO, Y., NOMURA, K., YONEDA, K., HANADA, K., HASHIMOTO, I. & TAKAGAKI, K. L457F missense mutation within the 2B rod domain of keratin 9 in a Japanese family with epidermolytic palmoplantar keratoderma, 624
KONTOCHRISTOPOULOS, G. see RIGOPOULOS, D.
KOPPOVA, K. see WILKENING, S.
KÖRVER, J.E.M., VAN DUIJNHOVEN, M.W.F.M., PASCH, M.C., VAN ERP, P.E.J. & VAN DE KERKHOF, P.C.M. Assessment of epidermal subpopulations and proliferation in healthy skin, symptomless and lesional skin of spreading psoriasis, 688
KOTERA, N. see HAYASHI, N.
KOWALEWSKI, C. see KALIŃSKA-BIENIAS, A.
KRAUSE, W. see HENGGE, U.R.
KREISELMAIER, I. see FÖLSTER-HOLST, R.
KRENGEL, S., HAUSCHILD, A. & SCHÄFER, T. Melanoma risk in congenital melanocytic naevi: a systematic review, 1
KREUTER, A., HYUN, J., SKRYGAN, M., SOMMER, A., BASTIAN, A., ALTMEYER, P. & GAMBICHLER, T. Ultraviolet A1-induced downregulation of human β-defensins and interleukin-6 and interleukin-8 correlates with clinical improvement in localized scleroderma , 600
KREUTER, A. see GAMBICHLER, T.
KROISS, M. see MEYER, S.
KUBO, Y. see MURAO, K.
KUCHAREKOVA, M. see VAN DE KERKHOF, P.C.M.
KUDO, Y. see KON, A.

KUDVA, G. see TOM, W.L.
KUENZLI, S. see BARDE, C.
KUMAKIRI, M. see IDO, T.
KUMAR, R., XIU, Y., ZHUANG, H.M. & ALAVI, A. ^{18}F-fluorodeoxy-glucose–positron emission tomography in evaluation of primary cutaneous lymphoma, 357
KUMAR, R. see WILKENING, S.
KUNKELER, A.C.M. see VAN DE KERKHOF, P.C.M.
KUO, T-T. see CHEN, T-J.
KUROKAWA, I. see MURAKAMI, T.
KWON, O.S. see NA, J.I.

LACOUTURE, M.E. & LAI, S.E. The PRIDE (Papulopustules and/or paronychia, Regulatory abnormalities of hair growth, Itching, and Dryness due to Epidermal growth factor receptor inhibitors) syndrome, 852
LAERM, A. see GOLDBERG, M.
LAI, S.E. see LACOUTURE, M.E.
LAING, M.E., MOLONEY, F.J., COMBER, H., CONLON, P. & MURPHY, G.M. Malignant melanoma in renal transplant recipients, 857
LAMARTINE, J. see LEMAÎTRE, G.
LAMBERT, J. see CAEKELBERGH, K.
LAN, C-C., YU, H-S., WU, C-S. & CHEN, G-S. Immotile acral melanocytes?, 1300
LANDTHALER, M. see BÄumlER, W.
LANDTHALER, M. see MEYER, S.
LANGAN, S.M. & WILLIAMS, H.C. What causes worsening of eczema? A systematic review, 504
LAPRAS, V. see DALLE, S.
LARSEN, C.G. see DUBERTRET, L.
LARSSON, P., ÖLLINGER, K. & ROSDAHL, I. Ultraviolet (UV) A- and UVB-induced redox alterations and activation of nuclear factor-κB in human melanocytes—protective effects of α-tocopherol, 292
LAWRENCE, C.M. & LONSDALE ECCLES, A.A. Selective sweat gland removal with minimal skin excision in the treatment of axillary hyperhidrosis: a retrospective clinical and histological review of 15 patients, 115
LAWRENCE, C.M. see BROWN, S.J.
LAWRENCE, C.M. see WAHIE, S.
LEACH, I.H. see ANGUS, J.E.
LEAL, S.M. see NAEEM, M.
LEAR, J. see MORTON, C.
LEAR, J.T. see CHAN, S.Y.
LEAR, J.T. see MADAN, V.
LEE, D.D. see CHANG, Y.T.
LEE, D-D., LIN, M-W., CHEN, I-C., HUANG, C-Y., LIU, M-T., WANG, C-R., CHANG, Y-T., LIU, H-N., LIU, T-T., WONG, C-K. & TSAI, S-F. Genome-wide scan identifies a susceptibility locus for familial primary cutaneous amyloidosis on chromosome 5p13.1-q11.2, 1201
LEE, D-Y. see CHOI, Y-L.
LEE, D-Y. see LEE, K-J.
LEE, E-S. see CHOI, Y-L.
LEE, E-S. see LEE, K-J.
LEE, E-S. see PARK, J-H.
LEE, H-S., KIM, S-K., HAN, J-B., CHOI, H-M., PARK, J-H., KIM, E-C., CHOI, M-S., AN, H-J., UM, J-Y., KIM, H-M. & MIN, B-I. Inhibitory effects of *Rumex japonicus* Houtt. on the development of atopic dermatitis-like skin lesions in NC/Nga mice, 33
LEE, J.B. see PARK, G.T.
LEE, J.Y. see KIM, M.H.
LEE, J-H. see CHOI, Y-L.
LEE, J-H. see LEE, K-J.
LEE, J-H. see PARK, J-H.
LEE, K. see NAEEM, M.
LEE, K.H. see KIM, M.H.
LEE, K-J., CHOI, Y-L., KIM, W-S., LEE, J-H., YANG, J-M., LEE, E-S., LEE, D-Y. & JANG, K-T. CD10 is expressed in dermal sheath cells of the hair follicles in human scalp, 858
LEE, K-J., YANG, J-M., LEE, E-S., LEE, D-Y. & JANG, K-T. CD10 is expressed in dermatofibromas, 632
LEE, S.J. see NA, G.Y.
LEE, W.J. see NA, G.Y.
LEHMANN, A.R. see SIDWELL, R.U.
LEI, X-B. see LIU, Y.
LEINWEBER, B. see BAUER, J.
LEITER, U. see HOERSCH, B.
LEITZ, N. see BAUER, J.
LEMATRE, G., SIVAN, V., LAMARTINE, J., COSSET, J.-M., CAVELIER-BALLOY, B., SALOMON, D., WAKSMAN, G. & MARTIN, M.T. Connexin 30, a new marker of hyperproliferative epidermis, 844
LENZ, T. see FÖLSTER-HOLST, R.
LENZE, S.M. see BRACHA, H.S.
LEONARD, N. see CONSTABLE, S.
LEONARDI, C.L. see TOM, W.L.
LEVELL, N.J. No evidence for therapeutic effect of topical ciclosporin in oral lichen planus, 487
LEVESQUE, H. see MARIE, I.
LÉVY, S. see PERCEAU, G.
LEWIS-JONES, M.S. see BEATTIE, P.E.
LI, F-Q. see LIU, J-Y.
LI, H. see WU, M.
LI, N. see EMPINOTTI, J.C.
LI, X-L. see LIU, Y.
LI, Y. see LIU, Y.
LI, Y-P. see XIAO, R.
LIANG, Y.H. see ZHAO, X.Y.
LIANG, Y-S. see XIAO, R.
LIAO, Y.H., JEE, S.H., SHEU, B.C., HUANG, Y.L., TSENG, M.P., HSU, S.M. & TSAI, T-F. Increased expression of the natural killer cell inhibitory receptor CD94/NKG2A and CD158b on circulating and lesional T cells in patients with chronic plaque psoriasis, 318
LIJNEN, R.L.P. see VAN DE KERKHOF, P.C.M.
LIN, L. see GONG, J.Q.
LIN, M.W. see CHANG, Y.T.
LIN, M-W. see LEE, D-D.
LIN, T. see GONG, J.Q.
LIN, Z-M., XU, Z., BU, D-F. & YANG, Y. New mutations of *KIT* gene in two Chinese patients with piebaldism, 1303
LINDBERG, M. see MOBERG, C.
LINDPAINTNER, K. see CHRISTEN-ZÄCH, S.
LIU, F-Y. see XIAO, R.
LIU, H., MOROI, Y., YASUMOTO, S., KOKUBA, H., IMAFUKU, S., KOGA, T., MASUDA, T., TU, Y., FURUE, M. & URABE, K. Expression of insulin-like growth factor-1 receptor, p-AKT and p-ERK1/2 protein in extramammary Paget's disease, 586
LIU, H. see WU, M.
LIU, H.N. see CHANG, Y.T.
LIU, H-N. see LEE, D-D.
LIU, J. see WANG, C.Y.
LIU, J-Y., HU, J-H., ZHU, Q-G., LI, F-Q. & SUN, H-J. Substance P receptor expression in human skin keratinocytes and fibroblasts, 657

LIU, M-T. see LEE, D-D.
LIU, S. see WU, M.
LIU, T-T. see LEE, D-D.
LIU, Y., XIAO, S-X., PENG, Z-H., LEI, X-B., WANG, J-M., LI, Y. & LI, X-L. Two frameshift mutations of the double-stranded RNA-specific adenosine deaminase gene in Chinese pedigrees with dyschromatosis symmetrica hereditaria, 473
LOCKWOOD, D.N.J. see WALKER, S.L.
LONSDALE ECCLES, A.A. see LAWRENCE, C.M.
LONSDALE-ECCLES, A.A., MORGAN, J.M., NAGARAJAN, S. & CRUICKSHANK, D.J. Successful treatment of vulval melanoma in situ with topical 5% imiquimod cream, 215
LOTT, J.P. & KATZ, K.A. Pharmaceutical companies' policies and practices regarding prospective registration of dermatology-related clinical trials, 635
LOTTI, T. see DE GIORGI, V.
LOTTI, T. see DUBERTRET, L.
LOWE, L. see SHORS, A.R.
LUO, J-Y. see XIAO, R.

MA, L-W. see JUZENIENE, A.
MCBRIDE, S. see SAHA, M.
MCBURNEY, E. see MCPHERSON, T.
MCELWEE, K.J. see FREYSCHMIDT-PAUL, P.
MCFADDEN, J. see BRYDEN, A.M.
MCMILLAN, J.R. see AKIYAMA, M.
MCPHERSON, T., COWEN, E.W., MCBURNEY, E. & KLION, A.D. Platelet-derived growth factor receptor-α-associated hypereosinophilic syndrome and lymphomatoid papulosis, 824
MADAN, V. & BECK, M.H. Urinary retention caused by topical glycopyrrolate for hyperhidrosis, 634
MADAN, V., BISSET, D., HARRIS, P., HOWARD, S. & BECK, M.H. Phaeohyphomycosis caused by *Exophiala salmonis*, 1082
MADAN, V., HOBAN, P.R., STRANGE, R.C., FRYER, A.A. & LEAR, J.T. Prognostic factors for a subsequent basal cell carcinoma: implications for follow-up, 217
MADAN, V. see CHAN, S.Y.
MAGAN, N. see SAHGAL, N.
MAHON, F-X. see CARIO-ANDRÉ, M.
MAJID, A. see DAVIS, R.F.
MALERBA, M., GISONDI, P., RADAELI, A., SALA, R., CALZAVARA PINTON, P.G. & GIROLOMONI, G. Plasma homocysteine and folate levels in patients with chronic plaque psoriasis, 1165
MALVEHY, J. see STARK, M.
MANCHANDA, V. see SARDANA, K.
MANGANONI, A.M. see SEIDENARI, S.
MANIAS, E. see MOORE, E.
MANKU, L.K. see ATWAL, G.S.S.
MANOUVRIER-HANU, S. see BOUTHORS, J.
MARESI, E. see BELFIORE, P.
MARIE, I., MAUREY, G., HERVÉ, F., HELLOT, M-F. & LEVESQUE, H. Intravenous immunoglobulin-associated arterial and venous thrombosis; report of a series and review of the literature, 714
MARINI, A. see HENGGE, U.R.
MARKHAM, T., MATHEWS, C., ROGERS, S., MULLAN, R., BRESNIHAN, B., FITZGERALD, O., VEALE, D.J. & FEARON, U. Downregulation of the inhibitor of apoptosis protein survivin in keratinocytes and endothelial cells in psoriasis skin following infliximab therapy, 1191
MARKS, R. Who benefits from calling a solar keratosis a squamous cell carcinoma?, 23
MARSCH, W.C. see BORMANN, G.
MARSDEN, J.R. see RAJPAR, S.F.
MARTELLA, A. see SEIDENARI, S.
MARTIN, L. see CUÉTARA, M.S.
MARTIN, M.T. see LEMAÎTRE, G.
MARTIN, R. see MOFFATT, C.J.
MARTINEZ-MIR, A. see ASHOOR, G.
MARZANO, A. see CAPRONI, M.
MASCARÓ JR, J.M. see CARRERA, C.
MASCARÓ JR, J.M. see SEGURA, S.
MASSÉ, M. see ASHOOR, G.
MASSONE, C. & SOYER, H.P. Low-resolution teledermatology: reply from authors, 1093
MASUDA, T. see LIU, H.
MATEEV, G. see PETROV, I.
MATHEWS, C. see MARKHAM, T.
MATTHES, T. see ABRAHAM, S.
MAURER, T.A. see ISENSTEIN, A.L.
MAUREY, G. see MARIE, I.
MAYO, E. see GARCÍA-DOVAL, I.
MAYOSI, B.M. see KHUMALO, N.P.
MAYUZUMI, M., AKIYAMA, M., NISHIE, W., UKAE, S., ABE, M., SAWAMURA, D., HASHIMOTO, T. & SHIMIZU, H. Childhood epidermolysis bullosa acquisita with autoantibodies against the noncollagenous 1 and 2 domains of type VII collagen: case report and review of the literature, 1048
MAZEREEUW-HAUTIER, J., SYED, S. & HARPER, J.I. Sternal malformation/vascular dysplasia syndrome with linear hypopigmentation, 192
MAZZOTTA, A. see ESPOSITO, M.
MEAUME, S. see FOUREUR, N.
MEDING, B. see MOBERG, C.
MEINEKE, V. see MÜLLER, K.
MEISSNER, M., BEIER, C., WOLTER, M., KAUFMANN, R. & GILLE, J. Suberythrodermic pustular psoriasis induced by clopidogrel, 630
MENNÉ, T. see JELLESEN, M.S.
MESSENGER, A.G. & SINCLAIR, R. Follicular miniaturization in female pattern hair loss: clinicopathological correlations, 926
MESSINA, J. see SHORS, A.R.
METZLER, G. see BAUER, J.
MEURER, M. see HENGGE, U.R.
MEYER, S., KROISS, M., LANDTHALER, M. & VOGT, T. Thymoma, myasthenia gravis, eruptions of pemphigus vulgaris and a favourable course of relapsing melanoma: an immunological puzzle, 638
MEYER, T. see ULRICH, C.
MEYKADEH, N. see HENGGE, U.R.
MICANTONIO, T. see ZALAUDEK, I.
MICHAEL, K. see DANG, C.
MICHALCZYK, D. see PLONKA, P.M.
MILLARD, L.G. see ANGUS, J.E.
MILLARD, P.R. see FARRELL, A.M.
MILLER, M.D. see TOM, W.L.
MILLIGAN, P.J. see PALMER, R.A.
MILNE, J.T. see GRIFFITHS, M.R.
MIMOUNI, D. see SHOHAT, M.
MIN, B-I. see LEE, H-S.
MISAGO, N. see NAKAFUSA, J.
MITCHELL, L. see ISMAIL, F.
MITCHELL, T. see FRASER-ANDREWS, E.A.
MIYACHI, Y. see YASUDA, M.
MIZOGUCHI, M. see KAWAKAMI, T.
MIZUTANI, H. see MURAKAMI, T.
MOAN, J. see JUZENIENE, A.

MOBERG, C., MEDING, B., STENBERG, B., SVENSSON, Å. & LINDBERG, M. Remembering childhood atopic dermatitis as an adult: factors that influence recollection, 557
MOCHITOMI, Y. see SAWAMURA, D.
MOFFATT, C.J., FRANKS, P.J., DOHERTY, D.C., SMITHDALE, R. & MARTIN, R. Sociodemographic factors in chronic leg ulceration, 307
MOLL, I. see HENGGE, U.R.
MØLLER, P. see JELLESEN, M.S.
MOLLS, M. see MÜLLER, K.
MOLONEY, F.J. see LAING, M.E.
MONES, J.M. see ACKERMAN, A.B.
MONK, B. see SAHGAL, N.
MOOI, W.J. see OOSTERKAMP, H.M.
MOORE, E., WILLIAMS, A., MANIAS, E. & VARIGOS, G. Nurse-led clinics reduce severity of childhood atopic eczema: a review of the literature, 1242
MORGAN, J.M. see LONSDALE-ECCLES, A.A.
MORITSUGU, R. see KAMBE, Y.
MOROI, Y. see LIU, H.
MORTON, C., CAMPBELL, S., GUPTA, G., KEOHANE, S., LEAR, J., ZAKI, I., WALTON, S., KERROUCHE, N., THOMAS, G. & SOTO ON BEHALF OF THE AKTION INVESTIGATORS, P. Intraindividual, right–left comparison of topical methyl aminolaevulinate-photodynamic therapy and cryotherapy in subjects with actinic keratoses: a multicentre, randomized controlled study, 1029
MOSELEY, H. see BRYDEN, A.M.
MOSS, C. see RAJPAR, S.F.
MOSS, C. Atlas of Genodermatoses. Ruggero Caputo and Gianluca Tadini. London: Taylor and Francis, 2006, 643
MOUSER, P.E. see SEATON, E.D.
MROWIETZ, U. see DUBERTRET, L.
MUCHEMWA, F.C., NAKATSURA, T., IHN, H. & KAGESHITA, T. Heat shock protein 105 is overexpressed in squamous cell carcinoma and extramammary Paget disease but not in basal cell carcinoma, 582
MULLAN, R. see MARKHAM, T.
MÜLLER, F. see FÖLSTER-HOLST, R.
MÜLLER, K., KÖHN, F.-M., PORT, M., ABEND, M., MOLLS, M., RING, J. & MEINEKE, V. Intercellular adhesion molecule-1: a consistent inflammatory marker of the cutaneous radiation reaction both in vitro and in vivo, 670
MÜLLER, K. see HENGGE, U.R.
MUNIER, F. see CHRISTEN-ZÄCH, S.
MURAKAMI, T., YAMANAKA, K., TOKIME, K., KUROKAWA, I., TSUTSUI, H., NAKANISHI, K. & MIZUTANI, H. Topical suplatast tosilate (IPD) ameliorates Th2 cytokine-mediated dermatitis in caspase-1 transgenic mice by downregulating interleukin-4 and interleukin-5, 27
MURAO, K., KUBO, Y., OHTANI, N., HARA, E. & ARASE, S. Epigenetic abnormalities in cutaneous squamous cell carcinomas: frequent inactivation of the RB1/p16 and p53 pathways, 999
MURPHY, G.M. & HAWK, J.L.M. Erythropoietic protoporphyria advances today, with thanks also to the late Professor Ian Magnus, 501
MURPHY, G.M. see LAING, M.E.
MUSCARDIN, L. see BELLEI, B.
MUSLUMANOGLU, M.H., SARACOGLU, N., CILINGIR, O., BASMACI, T., URER, S., SABUNCU, I., DEMIR, S., BADEMCI, G. & ARTAN, S. A novel mutation in the ARS (component B) gene encoding SLURP-1 in a Turkish family with mal de Meleda, 467
NA, G.Y., PAEK, S.H., PARK, B.C., KIM, D.W., LEE, W.J., LEE, S.J., KIM, M.K. & KIM, J.C. Isolation and characterization of outer root sheath melanocytes of human hair follicles, 902
NA, J.I., KWON, O.S., KIM, B.J., PARK, W.S., OH, J.K., KIM, K.H., CHO, K.H. & EUN, H.C. Ethnic characteristics of eyelashes: a comparative analysis in Asian and Caucasian females, 1170
NAEEM, M., JELANI, M., LEE, K., ALI, G., CHISHTI, M.S., WALI, A., GUL, A., JOHN, P., HASSAN, M.J., LEAL, S.M. & AHMAD, W. Ectodermal dysplasia of hair and nail type: mapping of a novel locus to chromsome17p12-q21.2, 1184
NAGAI, Y. see HASEGAWA, M.
NAGARAJAN, S. see LONSDALE-ECCLES, A.A.
NAISBITT, D. see CONSTABLE, S.
NAKAFUSA, J., NARISAWA, Y., SHINOGI, T., TAIRA, K., TANAKA, T., INOUE, T. & MISAGO, N. Changes in the number of Merkel cells with the hair cycle in hair discs on rat back skin, 883
NAKAJIMA, N. see KAMBE, Y.
NAKAMURA, H. see SAWAMURA, D.
NAKAMURA, H. see YASUKAWA, K.
NAKAMURA, K. see HIROI, A.
NAKANISHI, K. see MURAKAMI, T.
NAKANO, H. see KAMBE, Y.
NAKASHIMA, H. see ASASHIMA, N.
NAKATSURA, T. see MUCHEMWA, F.C.
NAMAZI, M.R. Increased mortality in toxic epidermal necrolysis with thalidomide: corroborating or exonerating the pathogenetic role of TNF-αα, 842
NAMKUNG, J-H. see PARK, J-H.
NARDO, T. see SIDWELL, R.U.
NARISAWA, Y. see NAKAFUSA, J.
NAYLOR, M.F., CHEN, W.R., TEAGUE, T.K., PERRY, L.A. & NORDQUIST, R.E. In situ photoimmunotherapy: a tumour-directed treatment for melanoma, 1287
NEERING, H. see OOSTERKAMP, H.M.
NETTIS, E., COLANARDI, M.C., SOCCIO, A.L., FERRANNINI, A. & VACCA, A. Desloratadine in combination with montelukast suppresses the dermographometer challenge test papule, and is effective in the treatment of delayed pressure urticaria: a randomized, double-blind, placebo-controlled study, 1279
NEUBER, K. see ADLY, M.A.
NEWTON, R. see ISMAIL, F.
NEWTON-BISHOP, J.A. see STRAUSS, R.M.
NG, S.H. & CHAVE, T.A. Tumoral melanosis as a manifestation of a completely regressed primary melanoma with metastases, 627
NIJMAN, S.M.B. see OOSTERKAMP, H.M.
NINDL, I. see DANG, C.
NINDL, I. see ULRICH, C.
NISCHAL, K.K. see STRAUSS, R.M.
NISHIE, W. see MAYUZUMI, M.
NOBLE, A. see COAST, J.
NOGUEIRA FARIÑA, J. see GARCÍA-DOVAL, I.
NOMURA, K. see KON, A.
NORDQUIST, R.E. see NAYLOR, M.F.
NORRIS, P. see BRYDEN, A.M.

O'TOOLE, E. see SHETH, N.
OBADIAH, J.M. see TOM, W.L.
OH, J.K. see NA, J.I.
OHTANI, N. see MURAO, K.
OKOCHI, H. see ASASHIMA, N.
OLIVIERO, M. see ZALAUDEK, I.
ÖLLINGER, K. see LARSSON, P. ON FOGO SELVAGEM RESEARCH see EMPINOTTI, J.C.

OOSTERKAMP, H.M., NEERING, H., NIJMAN, S.M.B., DIRAC, A.M.G., MOOI, W.J., BERNARDS, R. & BRUMMELKAMP, T.R. An evaluation of the efficacy of topical application of salicylic acid for the treatment of familial cylindromatosis, 182
OR, R. see BARZILAI, A.
ORANJE, A.P. see VAN DE KERKHOF, P.C.M.
ORTON, D.I. see BRYDEN, A.M.
OSBORNE, G.E.N., PAGLIUCA, A., HO, A. & DU VIVIER, A.W.P. Novel treatment of Sézary-like syndrome due to adult T-cell leukaemia/lymphoma with daclizumab (humanized anti-interleukin-2 receptor α antibody), 617
OSBORNE, J.E. see SLADDEN, M.J.
OTMAN, S.G.H., EDWARDS, C., GAMBLES, B. & ANSTEY, A.V. Validation of a semiautomated method of minimal erythema dose testing for narrowband ultraviolet B phototherapy, 416

PAEK, S.H. see NA, G.Y.
PAGLIUCA, A. see OSBORNE, G.E.N.
PAGLIUCA, A. see WHITE, J.M.L.
PAIGE, D. see SHETH, N.
PAIN, C. see CARIO-ANDRÉ, M.
PALMER, R.A., VAN DE PAS, C.B., YOUNG, A.R., WALKER, S.L., MILLIGAN, P.J. & HAWK, J.L.M. Validation of the 'Polymorphic Light Eruption Severity Index', 482
PALOU, J. see CARRERA, C.
PANIZZON, R.G. see CHRISTEN-ZÄCH, S.
PAPOUTSAKI, M. see ESPOSITO, M.
PAPP, K.A. see DUBERTRET, L.
PARISER, D.M. see TSCHEN, E.H.
PARISET, C. see DALLE, S.
PARK, B.C. see NA, G.Y.
PARK, C.J. see KIM, M.H.
PARK, E.S. see CHOI, C.W.
PARK, G.T., QUAN, G. & LEE, J.B. Sera from patients with toxic epidermal necrolysis contain autoantibodies to periplakin, 337
PARK, H.J. see KIM, M.H.
PARK, H-J. see PARK, J-H.
PARK, J-H., CHOI, Y-L., NAMKUNG, J-H., KIM, W-S., LEE, J-H., PARK, H-J., LEE, E-S. & YANG, J-M. Characteristics of extrinsic vs. intrinsic atopic dermatitis in infancy: correlations with laboratory variables, 778
PARK, J-H. see LEE, H-S.
PARK, W.S. see NA, J.I.
PARODI, A. see CAPRONI, M.
PASCH, M.C. see KÖRVER, J.E.M.
PASPARAKIS, M. see BENOIT, S.
PATEL, L. see ELLISON, J.A.
PAULI, G. see SHOHAT, M.
PAULIN, C. see DALLE, S.
PAUS, R. see HIROI, A.
PAUS, R. see PLONKA, P.M.
PAWLITA, M. see DANG, C.
PELLACANI, G. see SEIDENARI, S.
PENG, Z-H. see LIU, Y.
PENSO-ASSATHIANY, D. see JAGOU, M.
PERCEAU, G., DIRIS, N., ESTINES, O., DERANCOURT, C., LÉVY, S. & BERNARD, P. Late lethal hepatitis B virus reactivation after rituximab treatment of low-grade cutaneous B-cell lymphoma, 1053
PERERA, R. see CLAYTON, R.
PEREZ, A. see SMITH, C.H.
PERIS, K. see SEIDENARI, S.
PERIS, K. see ZALAUDEK, I.
PERRIN, C. see BARAN, R.
PERRY, L.A. see NAYLOR, M.F.
PETERS, T.J. see COAST, J.
PETROV, I., KEMPF, W., STOILOVA, D., BROSHTILOVA, V., MATEEV, G. & BALABANOVA, M. Disseminated dermatophytic pseudomycetomas arising in an immunocompromised patient, 628
PEYRIÈRE, H., DEREURE, O., BRETON, H., DEMOLY, P., COCIGLIO, M., BLAYAC, J-P., HILLAIRE-BUYS, D. & THE FRENCH PHARMACOVIGILANCE CENTERS, Variability in the clinical pattern of cutaneous side-effects of drugs with systemic symptoms: does a DRESS syndrome really exist?, 422
PHAM, B. see BERTH-JONES, J.
PHAN, A., TOUZET, S., DALLE, S., RONGER-SAVLÉ, S., BALME, B. & THOMAS, L. Acral lentiginous melanoma: a clinicoprognostic study of 126 cases, 561
PICARDO, M. see BELLEI, B.
PICCOLO, D. see SEIDENARI, S.
PIEPKORN, M.W. see SHORS, A.R.
PIETTE, F. see BOUTHORS, J.
PILLAY, K. see KHUMALO, N.P.
PIRMOHAMED, M. see CONSTABLE, S.
PIZZICHETTA, M.A. see SEIDENARI, S.
PLONKA, P.M., HANDJISKI, B., MICHALCZYK, D., POPIK, M. & PAUS, R. Oral zinc sulphate causes murine hair hypopigmentation and is a potent inhibitor of eumelanogenesis *in vivo*, 39
PODMORE, P. see BRYDEN, A.M.
POLSON, D.W. see ATWAL, G.S.S.
POPIK, M. see PLONKA, P.M.
PORT, M. see MÜLLER, K.
PORTER, S.R. see CHAUDHRY, S.I.
PORTER, W. see GRIFFITHS, M.R.
PORTER, W.M. see GRIFFITHS, M.R.
POWELL, A.M. see SMITH, C.H.
POWELL, S. see BRYDEN, A.M.
PRICE, G. see TEHRANI, H.
PRINS, C. see KERL, K.
PROBY, C.M. see ISMAIL, F.
PROUST, E. see BOUTHORS, J.
PUIG, S. see STARK, M.
PUIG-BUTILLE, J.A. see STARK, M.
PUIGDEMONT, A. see DE MORA, F.
PURVIS, D.J., HARPER, J.I., HARTLEY, B.E. & SEBIRE, N.J. Absent/reduced glucose transporter-1 protein expression in infantile subglottic haemangiomas, 1041

QUAGLINO, P. see CAPRONI, M.
QUAN, G. see PARK, G.T.

RAASCH, B.A., BUETTNER, P.G. & GARBE, C. Basal cell carcinoma: histological classification and body-site distribution, 401
RABINOVITZ, H. see ZALAUDEK, I.
RABKIN, M.S. see SHORS, A.R.
RADAELI, A. see MALERBA, M.
RAINVILLE, C. see BERTH-JONES, J.
RAJAN, N., CARMICHAEL, A.J., BRAMBLE, M.G. & HUDSON, M. Cutaneous xanthomatosis: a novel presentation of hypercholesterolaemia in primary sclerosing cholangitis, 223
RAJPAR, S.F. & ABDULLAH, A. Management of onychomycosis and awareness of guidelines among dermatologists, 1080
RAJPAR, S.F. & MARSDEN, J.R. Imiquimod in the treatment of lentigo maligna, 653
RAJPAR, S.F., CULLUP, T., KELSELL, D.P. & MOSS, C. A novel *ABCA12* mutation underlying a case of Harlequin ichthyosis, 204

RAMPF, J., SUNDERKÖTTER, C., HIRSCHFELD, G., SCHARFFETTER-KOCHANEK, K. & WEISS, J.M. Methylenetetrahydrofolate reductase polymorphism associated with moderate hyperhomocysteinaemia in a patient with livedo vasculopathy: treatment with vitamin supplementation and low molecular weight heparin, 850
RANKI, A. see ASSAF, C.
RANKI, A. see DUBERTRET, L.
RATZINGER, G., BURGDORF, W. & ZELGER, B. Sweet syndrome: vasculitis or not?, 1099
REES, J.L. & HEALY, E. A 2005 survey of clinical academic staff in U.K. dermatology, 214
REN, Y.Q. see ZHAO, X.Y.
RHODES, L.E. see BRYDEN, A.M.
RHODES, L.E. see FARRIMOND, H.
RICHARD, S. see BESSIS, D.
RICHTERS, C.D. see GIBBS, S.
RIGOPOULOS, D., GREGORIOU, S., CHARISSI, C., KONTOCHRISTOPOULOS, G., KALOGEROMITROS, D. & GEORGALA, S. Tacrolimus ointment 0·1% in pityriasis alba: an open-label, randomized, placebo-controlled study, 152
RING, J. see MÜLLER, K.
RIVITTI, E.A. see EMPINOTTI, J.C.
ROELANDTS, R. see CAEKELBERGH, K.
ROEWERT, J. see DANG, C.
ROGERS, S. see MARKHAM, T.
ROGOZIŃSKI, T.T. see KALIŃSKA-BIENIAS, A.
ROH, M., HAN, M., KIM, D. & CHUNG, K. Sebum output as a factor contributing to the size of facial pores, 890
ROMERO, D. see SEGURA, S.
RONGER-SAVLE, S. see DALLE, S.
RONGER-SAVLÉ, S. see PHAN, A.
RONGIOLETTI, F., ZACCARIA, E. & VIGLIZZO, G. Failure of topical 01% alitretinoin gel for classic Kaposi sarcoma: first European experience, 856
ROSDAHL, I. see LARSSON, P.
ROSENBLATT, K. see BARZILAI, A.
ROSS, G. see SARKANY, R.P.E.
ROTH, J. see BENOIT, S.
ROUJEAU ON BEHALF OF THE RÉSEAV D'EPIDÉMIOLOGIE EN DERMATOLOGIE (RED), J-C. see JAGOU, M.
RUDNAI, P. see WILKENING, S.
RUETHER, A., STOLL, M., SCHWARZ, T., SCHREIBER, S. & FÖLSTER-HOLST, R. Filaggrin loss-of-function variant contributes to atopic dermatitis risk in the population of Northern Germany, 1093
RUMMELT, C. see GOLDBERG, M.
RUSSELL-JONES, R. see FRASER-ANDREWS, E.A.
RUSSO, P.A.J. & HALLIDAY, G.M. Inhibition of nitric oxide and reactive oxygen species production improves the ability of a sunscreen to protect from sunburn, immunosuppression and photocarcinogenesis, 408
RUSTOM, R. see SHARMA, A.
RUZICKA, T. see HENGGE, U.R.
RYATT, K.S. see KAUR, M.R.

SABUNCU, I. see MUSLUMANOGLU, M.H.
SAGA, K. see KAMIYA, T.
SAHA, M., AZADIAN, B.S., ION, L. & BUNKER, C.B. *Mycobacterium chelonae* infection complicating cosmetic facial surgery, 1097
SAHA, M., SHIPLEY, D., MCBRIDE, S., KENNEDY, C. & VEGA-LOPEZ, F. Atypical cutaneous leishmaniasis in two patients receiving low-dose methotrexate, 830
SAHGAL, N., MONK, B., WASIL, M. & MAGAN, N. *Trichophyton* species: use of volatile fingerprints for rapid identification and discrimination, 1209
SAKAI, K. see AKIYAMA, M.
SAKUMA, K. see KANO, Y.
SALA, R. see MALERBA, M.
SALISBURY, C. see COAST, J.
SALISBURY, J.R. see WHITE, J.M.L.
SALLAKCI, N. see AKMAN, A.
SALOMON, D. see LEMAÎTRE, G.
SALVINI, C. see DE GIORGI, V.
SAMPAIO, M.C. see WEIBEL, L.
SAMPAIO, S.A.P. see EMPINOTTI, J.C.
SANCHES JR, J.A. see EMPINOTTI, J.C.
SAND, D. see BECHARA, F.G.
SAND, M. see BECHARA, F.G.
SANDISON, A. see SIDWELL, R.U.
SANSOM, J. see BRYDEN, A.M.
SANTINAMI, M. see BONO, A.
SARACENO, R., KLEYN, C.E., TERENGHI, G. & GRIFFITHS, C.E.M. The role of neuropeptides in psoriasis, 876
SARACOGLU, N. see MUSLUMANOGLU, M.H.
SARDANA, K., MANCHANDA, V. & GARG, V.K. Community-acquired methicillin-resistant *Staphylococcus aureus*: different populations, different results, 1298
SARKANY, R.P.E., ROSS, G. & WILLIS, F. Acquired erythropoietic protoporphyria as a result of myelodysplasia causing loss of chromosome 18, 464
SASSOON, E. see TEHRANI, H.
SATO, Y. see TERAKI, Y.
SAURAT, J.H. see KERL, K.
SAURAT, J.H. see THIELEN, A.M.
SAURAT, J-H. see ABRAHAM, S.
SAURAT, J-H. see BARDE, C.
SAURAT, J-H. see THIELEN, A-M.
SAWAI, T. see IDO, T.
SAWAMURA, D., MOCHITOMI, Y., KANZAKI, T., NAKAMURA, H. & SHIMIZU, H. Glycine substitution mutations by different amino acids at the same codon in COL7A1 cause different modes of dystrophic epidermolysis bullosa inheritance, 834
SAWAMURA, D. see AKIYAMA, M.
SAWAMURA, D. see MAYUZUMI, M.
SAWAMURA, D. see YASUKAWA, K.
SAXE, N. see KHUMALO, N.P.
SCHÄD, S.G. see ZOLLER, A.
SCHADENDORF, D. see UTIKAL, J.
SCHÄFER, G. see DUBERTRET, L.
SCHÄFER, T. see KRENGEL, S.
SCHARFFETTER-KOCHANEK, K. see RAMPF, J.
SCHENA, D. see CAPRONI, M.
SCHEPER, R.J. see GIBBS, S.
SCHIBY, G. see BARZILAI, A.
SCHILLING, L. see COLLIER, A.
SCHINCAGLIA, E. see CAPRONI, M.
SCHMIDT, B. see SHORS, A.R.
SCHMIDT, M. see BENOIT, S.
SCHMOOK, T. see ULRICH, C.
SCHMUTZ, J-L. see CLAEYS, A.
SCHNOPP, N. see FÖLSTER-HOLST, R.
SCHREIBER, S. see RUETHER, A.
SCHREZENMEIR, J. see FÖLSTER-HOLST, R.
SCHWANDT, P. see ASSAF, C.
SCHWARZ, T. see RUETHER, A.

SEATON, E.D., MOUSER, P.E., CHARAKIDA, A., ALAM, S., SELDON, P.E. & CHU, A.C. Investigation of the mechanism of action of nonablative pulsed-dye laser therapy in photorejuvenation and inflammatory acne vulgaris, 748
SEBBAN, C. see DALLE, S.
SEBIRE, N.J. see PURVIS, D.J.
SEED, P.T. see FRASER-ANDREWS, E.A.
SEET, J-E. see SIDWELL, R.U.
SEGAL, R. see ZEELI, T.
SEGURA, S., ROMERO, D., MASCARÓ JR, J.M., COLOMO, L., FERRANDO, J. & ESTRACH, T. Eosinophilic ulcer of the oral mucosa: another histological simulator of CD30+ lymphoproliferative disorders, 460
SEHR, P. see DANG, C.
SEIDENARI, S., PELLACANI, G., MARTELLA, A., GIUSTI, F., ARGENZIANO, G., BUCCINI, P., CARLI, P., CATRICALÀ, C., DE GIORGI, V., FERRARI, A., INGORDO, V., MANGANONI, A.M., PERIS, K., PICCOLO, D. & PIZZICHETTA, M.A. Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study, 56
SEISHIMA, M., YAMANAKA, S., FUJISAWA, T., TOHYAMA, M. & HASHIMOTO, K. Reactivation of human herpesvirus (HHV) family members other than HHV-6 in drug-induced hypersensitivity syndrome, 344
SELDON, P.E. see SEATON, E.D.
SENET, P. see FOUREUR, N.
SEO, N. see HIROI, A.
SESTINI, S. see DE GIORGI, V.
SESTON, E. see ASHCROFT, D.M.
SEYGER, M.M.B. see ERCEG, A.
SHAFIRSTEIN, G. see BÄumlER, W.
SHARMA, A., BURKITT-WRIGHT, E. & RUSTOM, R. Cinacalcet as an adjunct in the successful treatment of calciphylaxis, 1295
SHAW, S. see BRYDEN, A.M.
SHEA, C.R. see SHORS, A.R.
SHEAR, N.H. see DUBERTRET, L.
SHEFFER, R. see ASHOOR, G.
SHETH, N., BULL, R., CERIO, R., HARWOOD, C., O'TOOLE, E., PAIGE, D. & GOLDSMITH, P. Fatal erosive lichen planus, 1075
SHEU, B.C. see LIAO, Y.H.
SHIAO, Y.M. see CHANG, Y.T.
SHIBUYA, M. see SUZUKI, S.
SHIH, H-C., HSIAO, Y-P., WU, M.F. & YANG, J-H. Gefitinib-induced acute generalized exanthematous pustulosis in two patients with advanced non-small-cell lung cancer, 1101
SHIMAZU, K. see HATTORI, N.
SHIMIZU, H. see AKIYAMA, M.
SHIMIZU, H. see MAYUZUMI, M.
SHIMIZU, H. see SAWAMURA, D.
SHIMIZU, H. see YASUKAWA, K.
SHIMOMURA, Y. see SUZUKI, S.
SHINOGI, T. see NAKAFUSA, J.
SHINOJIMA, Y., TOMA, Y. & TERUI, T. Sweet syndrome associated with intrahepatic cholangiocarcinoma producing granulocyte colony-stimulating factor, 1103
SHIOHARA, T. see KANO, Y.
SHIPLEY, D. see SAHA, M.
SHOHAT, B. see SHOHAT, M.
SHOHAT, M., SHOHAT, B., MIMOUNI, D., PAULI, G., ELLERBROK, H., DAVID, M. & HODAK, E. Human T-cell lymphotropic virus type 1 provirus and phylogenetic analysis in patients with mycosis fungoides and their family relatives, 372
SHORS, A.R., KIM, S., WHITE, E., ARGENYI, Z., BARNHILL, R.L., DURAY, P., ERICKSON, L., GUITART, J., HORENSTEIN, M.G., LOWE, L., MESSINA, J., RABKIN, M.S., SCHMIDT, B., SHEA, C.R., TROTTER, M.J. & PIEPKORN, M.W. Dysplastic naevi with moderate to severe histological dysplasia: a risk factor for melanoma, 988
SHPIRO, D. see BARZILAI, A.
SHUMACK, S. see DUBERTRET, L.
SIDWELL, R.U., SANDISON, A., WING, J., FAWCETT, H.D., SEET, J-E., FISHER, C., NARDO, T., STEFANINI, M., LEHMANN, A.R. & CREAM, J.J. A novel mutation in the *XPA* gene associated with unusually mild clinical features in a patient who developed a spindle cell melanoma, 81
SIEBERT, R. see DAVIS, R.F.
SINCLAIR, R. see MESSENGER, A.G.
SINGH, M.N. & BECK, M.H. *Parthenium* contact sensitivity travels to the U.K., 847
SIPKA, S. see SZEGEDI, A.
SIVAN, V. see LEMAÎTRE, G.
SKRYGAN, M. see GAMBICHLER, T.
SKRYGAN, M. see KREUTER, A.
SLADDEN, M.J., OSBORNE, J.E. & HUTCHINSON, P.E. Fumaric acid esters for severe psoriasis: the Leicestershire experience, 843
SMITH, C.H., JACKSON, K., BASHIR, S.J., PEREZ, A., CHEW, A.L., POWELL, A.M., WAIN, M. & BARKER, J.N.W.N. Infliximab for severe, treatment-resistant psoriasis: a prospective, open-label study, 160
SMITH, G., IBBOTSON, S.H., COMRIE, M.M., DAWE, R.S., BRYDEN, A., FERGUSON, J. & WOLF, C.R. Regulation of cutaneous drug-metabolizing enzymes and cytoprotective gene expression by topical drugs in human skin *in vivo*, 275
SMITHDALE, R. see MOFFATT, C.J.
SMITS, T., KLEINPENNING, M.M., VAN ERP, P.E.J., VAN DE KERKHOF, P.C.M. & GERRITSEN, M-J.P. A placebo-controlled randomized study on the clinical effectiveness, immunohistochemical changes and protoporphyrin IX accumulation in fractionated 5-aminolaevulinic acid-photodynamic therapy in patients with psoriasis, 429
SMITS, T. see KLEINPENNING, M.M.
SOCCIO, A.L. see NETTIS, E.
SOMA, Y. see KAWAKAMI, T.
SOMMER, A. see KREUTER, A.
SOTO ON BEHALF OF THE AKTION INVESTIGATORS, P. see MORTON, C.
SOUDAN, B. see BOUTHORS, J.
SOYER, H.P. see BAUER, J.
SOYER, H.P. see MASSONE, C.
SOYER, H.P. see ZALAUDEK, I.
SPIEKSTRA, S.W. see GIBBS, S.
SPULS, P.I. see GROOT, M.
STÄB, F. see ÜNVER, N.
STADLER, R. see HENGGE, U.R.
STARK, M., PUIG-BUTILLE, J.A., WALKER, G., BADENAS, C., MALVEHY, J., HAYWARD, N. & PUIG, S. Mutation of the tumour suppressor $p33^{ING1b}$ is rare in melanoma, 94
STEFANINI, M. see SIDWELL, R.U.
STEINHOFF, M., STEINHOFF-GEORGIEVA, J., GEILEN, C.C. & ASSAF, C. Wegener's granulomatosis presenting with granulomatous facial erythematous papules and plaques mimicking granulomatous rosacea, 221
STEINHOFF-GEORGIEVA, J. see STEINHOFF, M.
STEINKRAUS, V. see BÖER, A.
STENBERG, B. see MOBERG, C.
STERRY, W. see DUBERTRET, L.

STERRY, W. see ULRICH, C.
STEWART, E.J.C. see GRIFFITHS, C.E.M.
STOCKFLETH, E. see DANG, C.
STOCKFLETH, E. see ULRICH, C.
STOILOVA, D. see PETROV, I.
STOLL, M. see RUETHER, A.
STRANGE, R.C. see MADAN, V.
STRAUSS, R.M., BÄTE, J., NISCHAL, K.K., CLAYTON, T., GOOI, J., DARLING, J.C. & NEWTON-BISHOP, J.A. A child with laryngo-onychocutaneous syndrome partially responsive to treatment with thalidomide, 1283
STRAUSS, R.M. Low-resolution teledermatology, 1092
STRUK, B. see CHRISTEN-ZÄCH, S.
SU, Y-W. see XIAO, R.
SUN, H-J. see LIU, J-Y.
SUNDBERG, J.P. see FREYSCHMIDT-PAUL, P.
SUNDERKÖTTER, C. see BENOIT, S.
SUNDERKÖTTER, C. see RAMPF, J.
SUNDLER, F. see CARLSSON, C.P.
SUNEJA, T. see TOM, W.L.
SUZUKI, S., SHIMOMURA, Y., YAMAMOTO, Y., KARIYA, N., SHIBUYA, M., ITO, M. & FUJIWARA, H. A case of recessive dystrophic epidermolysis bullosa caused by compound heterozygous mutations in the *COL7A1* gene, 838
SVENSSON, Å. see MOBERG, C.
SWINKELS, O.Q.J. see VAN DE KERKHOF, P.C.M.
SYED, S. see MAZEREEUW-HAUTIER, J.
SZEGEDI, A., IRINYI, B., GÁL, M., HUNYADI, J., DANKÓ, K., KISS, E., SIPKA, S., SZEGEDI, G. & GYIMESI, E. Significant correlation between the CD63 assay and the histamine release assay in chronic urticaria, 67
SZEGEDI, G. see SZEGEDI, A.

TAIEB, A. see CARIO-ANDRÉ, M.
TAIRA, K. see NAKAFUSA, J.
TAKAGAKI, K. see KON, A.
TAKAHASHI, K. see YASUDA, M.
TAMAKI, K. see ASASHIMA, N.
TAMURA, A. see HASEGAWA, M.
TANAKA, T. see NAKAFUSA, J.
TAY, Y.K. see TEO, L.H.Y.
TAYLOR, H. see GRIFFITHS, C.E.M.
TAYLOR, R. see FRIEDMANN, A.C.
TEAGUE, T.K. see NAYLOR, M.F.
TEHRANI, H., WALLS, J., PRICE, G., COTTON, S., SASSOON, E. & HALL, P. A novel imaging technique as an adjunct to the *in vivo* diagnosis of nonmelanoma skin cancer, 1177
TEO, L.H.Y. & TAY, Y.K. *Ustilago* species infection in humans, 1096
TERAKI, Y., SATO, Y. & IZAKI, S. Successful treatment of stucco keratosis with maxacalcitol, 1085
TERAKI, Y. see KANO, Y.
TERENGHI, G. see SARACENO, R.
TERUI, T. see SHINOJIMA, Y. THE FRENCH PHARMACOVIGILANCE CENTERS, t.N.o. see PEYRIÈRE, H.
THIELEN, A.M., BARDE, C. & SAURAT, J.H. Infliximab- and methotrexate-resistant rebound of psoriasis after discontinuation of efalizumab (Raptiva®), 846
THIELEN, A-M., BARDE, C. & SAURAT, J-H. Long-term infliximab for severe hidradenitis suppurativa, 1105
THIELEN, A-M. see BARDE, C.
THOELKE, A. see UTIKAL, J.
THOMAS, G. see MORTON, C.
THOMAS, J.M. see HAYES, A.J.
THOMAS, L. see DALLE, S.
THOMAS, L. see PHAN, A.
TIAN, H.Q. see WANG, C.Y.
TOHYAMA, M. see SEISHIMA, M.
TOKIME, K. see MURAKAMI, T.
TOKSOY, A. see BENOIT, S.
TOLOMIO, E. see BONO, A.
TOM, W.L., MILLER, M.D., HURLEY, M.Y., SUNEJA, T., KUDVA, G., LEONARDI, C.L. & OBADIAH, J.M. Efalizumab-induced autoimmune pancytopenia, 1045
TOMA, Y. see SHINOJIMA, Y.
TOMATIS, S. see BONO, A.
TOMI, N.S. see GAMBICHLER, T.
TORCHIA, D., CAPRONI, M., DEL BIANCO, E., COZZANI, E., KETABCHI, S. & FABBRI, P. Linear IgA disease presenting as prurigo nodularis, 479
TORCHIA, D. see CAPRONI, M.
TORRES, R. see DE MORA, F.
TOURANI, J.M. see WIERZBICKA, E.
TOUZET, S. see PHAN, A.
TRAU, H. see BARZILAI, A.
TRECHOT, P. see CLAEYS, A.
TREZ, E. see DE GIORGI, V.
TRINCONE, S. see BONO, A.
TROTTER, M.J. see SHORS, A.R.
TSAI, S.F. see CHANG, Y.T.
TSAI, S-F. see LEE, D-D.
TSAI, T-F. see LIAO, Y.H.
TSCHEN, E.H., WONG, D.S., PARISER, D.M., DUNLAP, F.E., HOULIHAN, A. & FERDON, M.B. AND THE PHASE IV ALA-PDT ACTINIC KERATOSIS STUDY GROUP. Photodynamic therapy using aminolaevulinic acid for patients with nonhyperkeratotic actinic keratoses of the face and scalp: phase IV multicentre clinical trial with 12-month follow up, 1262
TSENG, M.P. see LIAO, Y.H.
TSUNEMI, Y. see HATTORI, N.
TSUTSUI, H. see MURAKAMI, T.
TU, Y. see LIU, H.
TÜTING, T. see HUBER, A.

UEDE, K. see HIROI, A.
UGUREL, S. see UTIKAL, J.
UKAE, S. see MAYUZUMI, M.
ULRICH, C., BUSCH, J.O., MEYER, T., NINDL, I., SCHMOOK, T., STERRY, W. & STOCKFLETH, E. Successful treatment of multiple actinic keratoses in organ transplant patients with topical 5% imiquimod: a report of six cases, 451
ULRICH, H. see BÄumlER, W.
UM, J-Y. see LEE, H-S.
ÜNVER, N., FREYSCHMIDT-PAUL, P., HÖRSTER, S., WENCK, H., STÄB, F., BLATT, T. & ELSÄSSER, H-P. Alterations in the epidermal–dermal melanin axis and factor XIIIa melanophages in senile lentigo and ageing skin, 119
URABE, K. see LIU, H.
URATSUJI, H. see HAYASHI, N.
URER, S. see MUSLUMANOGLU, M.H.
UTIKAL, J., ZIMPFER, A., THOELKE, A., FIGL, R., HILDENBRAND, R., KETTELHACK, C., GOERDT, S., SCHADENDORF, D. & UGUREL, S. Complete remission of multiple satellite and in-transit melanoma metastases after sequential treatment with isolated limb perfusion and topical imiquimod, 488

VACCA, A. see NETTIS, E.
VAN COEVORDEN, A.M., VAN SONDEREN, E., BOUMA, J. & COENRAADS, P.J. Assessment of severity of hand eczema: discrepancies between patient- and physician-rated scores, 1217
VAN DE KERKHOF, P.C.M., VAN DER VALK, P.G.M., SWINKELS, O.Q.J., KUCHAREKOVA, M., DE RIE, M.A., DE VRIES, H.J.C., DAMSTRA, R., ORANJE, A.P., WAARD-VAN DER SPEK, F.B., VAN NEER, P., LIJNEN, R.L.P., KUNKELER, A.C.M., HEES, C., HAERTLEIN, N.G.J. & HOL, C.W. A comparison of twice-daily calcipotriol ointment with once-daily short-contact dithranol cream therapy: a randomized controlled trial of supervised treatment of psoriasis vulgaris in a day-care setting, 800
VAN DE KERKHOF, P.C.M. see ERCEG, A.
VAN DE KERKHOF, P.C.M. see KÖRVER, J.E.M.
VAN DE KERKHOF, P.C.M. see KLEINPENNING, M.M.
VAN DE KERKHOF, P.C.M. see SMITS, T.
VAN DE KERKHOF, P.C.M. see DUBERTRET, L.
VAN DE PAS, C.B. see PALMER, R.A.
VAN DEN HOOGENBAND, H.M. see GIBBS, S.
VAN DER VALK, P.G.M. see VAN DE KERKHOF, P.C.M.
VAN DUIJNHOVEN, M.W.F.M. see KÖRVER, J.E.M.
VAN ERP, P.E.J. see KLEINPENNING, M.M.
VAN ERP, P.E.J. see KÖRVER, J.E.M.
VAN ERP, P.E.J. see SMITS, T.
VAN NEER, P. see VAN DE KERKHOF, P.C.M.
VAN SONDEREN, E. see VAN COEVORDEN, A.M.
VAN WEELDEN, H. see BRYDEN, A.M.
VANTYGHEM, M-C. see BOUTHORS, J.
VANZO, B. see FOUREUR, N.
VARIGOS, G. see MOORE, E.
VEALE, D.J. see MARKHAM, T.
VEGA-LOPEZ, F. see SAHA, M.
VEGA-LOPEZ, F. see WALKER, S.L.
VERBERK, M.M. see JAKASA, I.
VIGLIZZO, G. see RONGIOLETTI, F.
VISENTIN, M.T. see WEIBEL, L.
VITACOLONNA, M. see FREYSCHMIDT-PAUL, P.
VOGT, T. see MEYER, S.
VOLPI, W. see CAPRONI, M.
VON RÜDEN, U. see FÖLSTER-HOLST, R.
VON STEBUT, E. & BRÄUNINGER, W. Development of oil cysts after subcutaneous injection of interferon-α and interleukin-2, 848

WAARD-VAN DER SPEK, F.B. see VAN DE KERKHOF, P.C.M.
WACKERNAGEL, A., ZÖCHLING, N., BÄCK, B., KERL, H. & WOLF, P. Presence of herpes simplex virus DNA in erythema multiforme but not polymorphic light eruption, 1084
WAHIE, S. & LAWRENCE, C.M. Cutaneous signs as a presenting manifestation of alcohol excess, 195
WAIN, M. see SMITH, C.H.
WAINWRIGHT, H. see KHUMALO, N.P.
WAKSMAN, G. see LEMAÎTRE, G.
WALI, A. see NAEEM, M.
WALKER, B. see KHUMALO, N.P.
WALKER, G. see STARK, M.
WALKER, S.L., WHITTAM, L., VEGA-LOPEZ, F. & LOCKWOOD, D.N.J. Milia complicating successfully treated cutaneous leishmaniasis in three children, 860
WALKER, S.L. see PALMER, R.A.
WALLENGREN, J. see CARLSSON, C.P.
WALLS, J. see TEHRANI, H.
WALTON, S. see MORTON, C.
WANG, C.Y., ZHANG, P.Z., ZHANG, F.R., LIU, J., TIAN, H.Q. & YU, L. New compound heterozygous mutations in a Chinese family with lipoid proteinosis, 470
WANG, C-R. see LEE, D-D.
WANG, F. see WU, M.
WANG, J-M. see LIU, Y.
WANG, Q-Q. see FANG, F.
WANG, W.J. see CHANG, Y.T.
WANG, Y. see FANG, F.
WARDLAW, A. see DAVIS, R.F.
WASIL, M. see SAHGAL, N.
WATABE, H. see KAWAKAMI, T.
WATANABE, H. see HAYASHI, N.
WATANABE, R. see ASASHIMA, N.
WEBER-MULLER, F. see CLAEYS, A.
WEI, L. see ZHAO, X.Y.
WEIBEL, L., SAMPAIO, M.C., VISENTIN, M.T., HOWELL, K.J., WOO, P. & HARPER, J.I. Evaluation of methotrexate and corticosteroids for the treatment of localized scleroderma (morphoea) in children, 1013
WEICHENTHAL, M. see FÖLSTER-HOLST, R.
WEISS, J.M. see RAMPF, J.
WEISSHAAR, E., APFELBACHER, C., JÄGER, G., ZIMMERMANN, E., BRUCKNER, T., DIEPGEN, T.L. & GOLLNICK, H. Pruritus as a leading symptom: clinical characteristics and quality of life in German and Ugandan patients, 957
WELZEL, J. see COMANN, M.
WEN, H-Q. see XIAO, R.
WENCK, H. see ÜNVER, N.
WENNBERG, A-M. see HÖRFELT, C.
WENZEL, J. see HUBER, A.
WHITE, E. see SHORS, A.R.
WHITF, J.M.L., DEVEREUX, S., PAGLIUCA, A., SALISBURY, J.R., DU VIVIER, A.W.P. & CREAMER, D. Koebnerizing sclerodermatous graft-versus-host disease caused by donor lymphocyte infusion and interferon-α, 621
WHITTAKER, S. see ASSAF, C.
WHITTAKER, S.J. see FRASER-ANDREWS, E.A.
WHITTAM, L. see WALKER, S.L.
WIEBELS, D. see BÖER, A.
WIEGLEB EDSTRÖM, D. see HÖRFELT, C.
WIERZBICKA, E., TOURANI, J.M. & GUILLET, G. Improvement of psoriasis and cutaneous side-effects during tyrosine kinase inhibitor therapy for renal metastatic adenocarcinoma. A role for epidermal growth factor receptor (EGFR) inhibitors in psoriasis?, 213
WILKENING, S., HEMMINKI, K., RUDNAI, P., GURZAU, E., KOPPOVA, K., KUMAR, R. & FÖRSTI, A. Case–control study in basal cell carcinoma of the skin: single nucleotide polymorphisms in three interleukin promoters pre-analysed in pooled DNA, 1139
WILKINSON, M. see BRYDEN, A.M.
WILLIAMS, A. see MOORE, E.
WILLIAMS, H. see COLLIER, A.
WILLIAMS, H.C. see LANGAN, S.M.
WILLIS, F. see SARKANY, R.P.E.
WING, J. see SIDWELL, R.U.
WOJNAROWSKA, F. see FARRELL, A.M.
WOLF, C.R. see SMITH, G.
WOLF, P. see WACKERNAGEL, A.
WOLFF, G. see AKIYAMA, M.
WOLTER, M. see MEISSNER, M.
WONG, C-K. see LEE, D-D.
WONG, D.S. see TSCHEN, E.H.

WOO, P. see WEIBEL, L.
WOŹNIAK, K. see KALIŃSKA-BIENIAS, A.
WU, C-S. see LAN, C-C.
WU, M., YANG, L., LIU, S., LI, H., HUI, N., WANG, F. & LIU, H. Differentiation potential of human embryonic mesenchymal stem cells for skin-related tissue, 282
WU, M.F. see SHIH, H-C.
XIAO, R., LIU, F-Y., LUO, J-Y., YANG, X-J., WEN, H-Q., SU, Y-W., YAN, K-L., LI, Y-P. & LIANG, Y-S. Effect of small interfering RNA on the expression of connective tissue growth factor and type I and III collagen in skin fibroblasts of patients with systemic sclerosis, 1145
XIAO, S-X. see LIU, Y.
XIU, Y. see KUMAR, R.
XU, Z. see LIN, Z-M.

YAMADA, Y., ITOH, M. & YOSHIDA, M. Sensitive and rapid diagnosis of human parvovirus B19 infection by loop-mediated isothermal amplification, 50
YAMAMOTO, T. Bleomycin and the skin, 869
YAMAMOTO, Y. see SUZUKI, S.
YAMANAKA, K. see MURAKAMI, T.
YAMANAKA, S. see SEISHIMA, M.
YAMASHITA, T. see KAMIYA, T.
YAN, K-L. see XIAO, R.
YANAGISAWA, K. see KAMIYA, T.
YANG, J-H. see SHIH, H-C.
YANG, J-M. see CHOI, Y-L.
YANG, J-M. see LEE, K-J.
YANG, J-M. see PARK, J-H.
YANG, L. see WU, M.
YANG, S. see ZHAO, X.Y.
YANG, X-J. see XIAO, R.
YANG, Y. see LIN, Z-M.
YASUDA, M., MIYACHI, Y., ISHIKAWA, O. & TAKAHASHI, K. Spatial expressions of fibronectin and integrins by human and rodent dermal fibroblasts, 522
YASUKAWA, H. see HAYASHI, N.
YASUKAWA, K., SAWAMURA, D., GOTO, M., NAKAMURA, H., JUNG, S-Y., KIM, S-C. & SHIMIZU, H. Epidermolysis bullosa simplex in Japanese and Korean patients: genetic studies in 19 cases, 313
YASUMOTO, S. see LIU, H.
YAVUZER, U. see AKMAN, A.
YAZAWA, N. see ASASHIMA, N.
YEGIN, O. see AKMAN, A.
YEIL, G. see YOSUNKAYA FENERCI, E.
YI, D. see GONG, J.Q.
YONEDA, K. see KON, A.
YOSHIDA, M. see YAMADA, Y.
YOSHIMASU, T. see HIROI, A.
YOSUNKAYA FENERCI, E., DEĞIRMENCI, S., YESIL, G. & YÜKSEL, A. Proteus syndrome with agenesis of the rectus abdominis, 1094
YOUNG, A.R. see PALMER, R.A.
YU, C.W. see CHANG, Y.T.
YU, D.S. see KIM, M.H.
YU, H-S. see LAN, C-C.
YU, L. see WANG, C.Y.
YÜKSEL, A. see YOSUNKAYA FENERCI, E.

ZACCARIA, E. see RONGIOLETTI, F.
ZAKI, I. see MORTON, C.
ZALAUDEK, I., GIACOMEL, J., ARGENZIANO, G., HOFMANN-WELLENHOF, R., MICANTONIO, T., DI STEFANI, A., OLIVIERO, M., RABINOVITZ, H., SOYER, H.P. & PERIS, K. Dermoscopy of facial nonpigmented actinic keratosis, 951
ZEELI, T., FEINMESSER, M., SEGAL, R. & DAVID, M. Insect-bite-like Wells' syndrome in association with mantle-zone lymphoma, 614
ZELGER, B. see RATZINGER, G.
ZENG, F.Q. see GONG, J.Q.
ZHANG, F.R. see WANG, C.Y.
ZHANG, P.Z. see WANG, C.Y.
ZHANG, X.J. see ZHAO, X.Y.
ZHAO, B. see GONG, J.Q.
ZHAO, L. see FANG, F.
ZHAO, X.Y., YANG, S., ZHOU, H.L., ZHU, Y.G., WEI, L., DU, W.H., REN, Y.Q., LIANG, Y.H., HOU, Y.X., CHEN, J.J. & ZHANG, X.J. Two novel *TSC2* mutations in Chinese patients with tuberous sclerosis complex and a literature review of 20 patients reported in China, 1070
ZHOU, H.L. see ZHAO, X.Y.
ZHU, Q-G. see LIU, J-Y.
ZHU, Y.G. see ZHAO, X.Y.
ZHUANG, H.M. see KUMAR, R.
ZIMMERMANN, E. see WEISSHAAR, E.
ZIMPFER, A. see UTIKAL, J.
ZLOTOGORSKI, A. see ASHOOR, G.
ZÖCHLING, N. see WACKERNAGEL, A.
ZOLLER, A., SCHÄD, S.G. & GROSS, G.E. Erlotinib-associated skin reactions – case report and proposal for classification, 1293
ZÖLLER, M. see FREYSCHMIDT-PAUL, P.

Subject index

ABCA12 gene
  genetic and functional mechanisms in harlequin ichthyosis (Abstract), 236
  novel mutation in harlequin ichthyosis, 204, 1064
acidified nitrite, topical application to nail (Poster), 252
acne
  inflammatory, investigation of mechanism of action of laser therapy, 748
  photodynamic therapy, 608
  scarring infantile (Abstract), 647
acral lentiginous melanoma, 561
actinic keratoses
  facial nonpigmented, dermoscopy, 951
  multiple in transplant recipients, imiquimod therapy (Concise Communication), 451
  nonhyperkeratotic, photodynamic therapy, 1262
  photodynamic therapy
    comparison with cryotherapy, 1029
    economic evaluation, 784
  and squamous cell carcinoma, 9, 23
  tenascin-C patterns and splice variants, 763
acupuncture, cutaneous innervation before and after, 970
acute respiratory distress syndrome in generalized pustular psoriasis (Correspondence), 496
adenosine deaminase, frameshift mutations of double-stranded RNA-specific gene in Chinese pedigree with dyschromatosis symmetrica hereditaria, 473
adiposity pattern from infancy to adulthood in atopic dermatitis, 532
adult T-cell leukaemia/lymphoma, Sézary syndrome-like, daclizumab treatment (Case Report), 617
ageing
  alterations in epidermal–dermal melanin axis and factor XIIIa melanophages, 119
  decrease in CD1d protein in normal human skin associated (Concise Communication), 186
  deterioration in mechanical function of dermal fibrillin microfibrils related to (Abstract), 240
  and dissociation of cutaneous and systemic immunity (Abstract), 242
AIRE gene, effect of genetic variants on AIRE activity and downstream Aire-regulated genes (Poster), 250
Alagille syndrome, generalized pruritus and multiple cutaneous xanthomas in (Poster), 651
alcohol misuse presenting with cutaneous signs (Case Report), 195
alitretinoin, failure of topical gel in classical Kaposi sarcoma (Correspondence), 856
alopecia, autoimmune-induced permanent, male New Zealand Black/KN mice as model (Concise Communication), 437
alopecia areata
  with basal cell carcinoma, development within naevus sebaceus (Correspondence), 1090
  resistance of IFN-ã-deficient mice, 515
ALOX12B gene mutation in nonbullous congenital ichthyosiform erythroderma, 198
á-melanocyte stimulating hormone, peptoid modification to enhance skin penetration (Abstract), 237
á-tocopherol, protective effects against UV-induced redox alterations and NFêâ activation in human melanocytes, 292
5-aminolaevulinic acid, topical application on human skin, 791
amyloidosis, familial primary cutaneous, identification of susceptibility locus, 1201
anal fold, focal hyperhidrosis (Correspondence), 858
anonychia congenita, total (Abstract), 648
anticardiolipin antibody in Henoch–Schönlein purpura, 983
antimicrobial peptides, changes of mRNA expression following phototherapy in atopic dermatitis (Concise Communication), 1275
ARDS in generalized pustular psoriasis (Correspondence), 496
argyria, penile (Correspondence), 1074
ARS gene mutation in a Turkish family with mal de Meleda, 467
arteriographic evaluation of vascular changes of the extremities in systemic sclerosis, 1159
atopic dermatitis
  causes of worsening (Review), 504
  changes of antimicrobial peptide mRNA expression following phototherapy (Concise Communication), 1275
  childhood
    extrinsic vs. intrinsic, 778
    impact of consultation with paediatric dermatology team on quality of life, 1249
    and *Lactobacillus rhamnosus*, 1256
    nurse-led clinics and reduction in severity, 1242
    phototherapy (Abstract), 646
  and filaggrin loss-of-function variant (Correspondence), 1093
  inhibitory effects of *Rumex japonicus* on development of atopic dermatitis-like lesions in NC/Nga mice, 33
  moderate-to-severe, thioguanine nucleotides in patients treated with azathioprine (Abstract), 237
  pattern of growth and adiposity from infancy to adulthood, 532
  percutaneous penetration of sodium lauryl sulphate in uninvolved skin, 104
  remembrance of childhood disease by adults, 557
  skin colonization with *Staphylococcus aureus*, relevant combined topical therapy, 680
  systematic review of role of pets (Poster), 649
atopy, role of mast cells (Review), 1109

autoimmune bullous diseases, incidence in Oxfordshire (Poster), 250
autoimmune pancytopenia, efalizumab-induced (Case Report), 1045
autoimmune regulator gene, effect of genetic variants on AIRE activity and downstream Aire-regulated genes (Poster), 250
axillary hyperhidrosis, selective sweat gland removal with minimal skin excision, 115
Axl expression in keratinocytes and invasion with degradation of the basement membrane (Abstract), 243

B-cell malignancies associated with mycosis fungoides, 379
BAFF serum levels in bullous pemphigoid and pemphigus vulgaris, 330
basal cell carcinoma
with alopecia areata, development within naevus sebaceus (Correspondence), 1090
contribution of epigenetic silencing to frequent loss of fragile histidine triad tumour suppressor, 1154
economic evaluation of photodynamic therapy in management, 784
histological classification and body-site distribution, 401
multiple, with phakomatosis pigmentokeratotica, hypophosphataemic rickets and phaeochromocytoma (Correspondence), 225
prognostic factors for subsequent carcinomas and implications for follow-up (Correspondence), 217
regression in highly active antiretroviral therapy (Correspondence), 1079
single nucleotide polymorphisms in 3 interleukin promoters, 1139
topical photodynamic therapy, induction of COX-2 and PGE_2 receptor (Poster), 248
Behçet's disease, TNF-á gene 1031 T/C polymorphism in Turkish patients, 350
â-catenin, association of accumulation with p53 polymorphism in mycosis fungoides, 1223
â-defensins, UV-induced downregulation correlated with clinical improvement in localized scleroderma, 600
bexarotene, minimizing adverse side-effects in cutaneous T-cell lymphoma (Review), 261
BHD gene mutation in Birt–Hogg–Dubé syndrome, 1067
Birt–Hogg–Dubé syndrome, *BHD* gene mutation in, 1067
black people, dermoscopy, 695
bleomycin (Review), 869
British Epidermo-Epidemiology Society, Annual Meeting, 866
British Society for Investigative Dermatology, Annual Meeting, 231
British Society of Paediatric Dermatology, Annual Symposium, 645
bullous pemphigoid
incidence in Oxfordshire (Poster), 250
serum levels of BAFF, 330
triggered by influenza vaccination (Concise Communication), 820

calciphylaxis, cinacalcet as adjunct in successful treatment (Correspondence), 1302
calcipotriol, comparison of twice-daily calcipotriol with once-daily dithranol in psoriasis, 800
calcitonin gene-related peptide, effect of social stress on (Poster), 250
CASK, role in regulation of keratinocyte proliferation and differentiation (Abstract), 244
CD1d protein, age-associated decrease in normal human skin (Concise Communication), 186
CD10
expression in dermal sheath cells of human scalp hair follicles (Correspondence), 858
expression in dermatofibromas (Correspondence), 632
CD63, correlation between assay and histamine release assay in chronic urticaria, 67
CD94/NKG2A expression on circulating and lesional T cells in chronic plaque psoriasis, 318
CD158b expression on circulating and lesional T cells in chronic plaque psoriasis, 318
CDSN gene, association with psoriasis in Chinese individuals, 663
cellular adhesion molecules in chronic urticaria, 1270
cellulitis of the lower leg, oedema as risk factor, 947
chemokine receptor expression in erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis, 722
childhood
atopic dermatitis
extrinsic vs. intrinsic, 778
impact of consultation with paediatric dermatology team on quality of life, 1249
and *Lactobacillus rhamnosus*, 1256
nurse-led clinics and reduction in severity, 1242
phototherapy (Abstract), 646
collagen autoantibodies in epidermolysis bullosa acquisita (Case Report), 1048
comparative study of quality of life in skin disease and other chronic diseases, 145
corticosteroid and methotrexate in the treatment of localized scleroderma, 1013
cholangiocarcinoma, intrahepatic, with Sweet syndrome (Correspondence), 1103
chromium, low-dose effects on human keratinocytes (Abstract), 255
chronic eosinophilic leukaemia presenting as eosinophilic cellulitis (Correspondence), 1087
ciclosporin, topical therapy in oral lichen planus (Correspondence), 487, (Correspondence) 488
cinacalcet as adjunct in successful treatment of calciphylaxis (Correspondence), 1302
clinical trials, dermatology-related, pharmaceutical companies policies and practices (Correspondence), 635
clopidogrel-induced suberythrodermic pustular psoriasis (Correspondence), 630
Cochrane Skin Group, methodological rigour of systematic reviews, 1230

COL7A1 gene, compound heterozygous mutations in recessive dystrophic epidermolysis bullosa, 838
collagen
 autoantibodies against in childhood epidermolysis bullosa acquisita (Case Report), 1048
 effect of small interfering RNA on type I and II expression in skin fibroblasts in systemic sclerosis, 1145
 modulation of secretion in fibroblasts by pro-opiomelanocortin peptides and CRH (Abstract), 255
community pharmacists, role in managing common skin problems (Correspondence), 1297
compound blue naevus, potential simulation of melanoma (Correspondence), 207
congenital erythropoietic porphyria (Abstract), 646
congenital melanocytic naevi
 instrument-, age- and site-dependent variations of dermoscopic patterns, 56
 and risk of melanoma (Review), 1
congenital neurocristic hamartoma (Abstract), 645
connective tissue growth factor, effect of small interfering RNA on expression in skin fibroblasts in systemic sclerosis, 1145
connexin 30 as marker of hyperproliferative epidermis (Correspondence), 844
contact dermatitis, lymphomatoid, followed by T-cell prolymphocytic leukaemia (Correspondence), 633
corticosteroids
 evaluation of atrophogenic potential using optical coherence tomography, ultrasound and profilometry, 700
 and methotrexate in the treatment of localized scleroderma in childhood, 1013
corticotropin-releasing hormone
 CRH–pro-opiomelanocortin axis in skin tumours, 910
 modulation of collagen secretion in fibroblasts (Abstract), 255
 in psoriasis lesional skin (Poster), 254
corticotropin-releasing hormone receptor in psoriasis lesional skin (Poster), 254
cosmetic facial surgery complicated by *Mycobacterium chelonae* infection (Correspondence), 1097
cosmetic fillers, delayed granulomatous reactions to (Correspondence), 1077
cryotherapy compared with photodynamic therapy in treatment of solar keratosis, 1029
cutaneous atopic disease and superantigen–allergen synergy (Abstract), 238
cutaneous B-cell lymphoma
 intralesional and intravenous treatment with rituximab, 1197
 late lethal hepatitis B virus reactivation after rituximab treatment (Case Report), 1053
cutaneous innervation before and after acupuncture, 970
cutaneous leishmaniasis
 atypical, in methotrexate therapy (Case Report), 830
 milia complicating successful treatment (Correspondence), 860
 unusual histopathological features (Concise Communication), 815
cutaneous lupus erythematosus, methotrexate therapy (Correspondence), 861
cutaneous T-cell lymphoma
 minimizing adverse side-effects of oral bexarotene (Review), 261
 small cell variant with epidermotropism, regression after incisional skin biopsy (Correspondence), 484
cystatin A, synonymous single nucleotide polymorphism confers susceptibility to psoriasis (Abstract), 235
cytokines
 alterations in lichen sclerosus, 931
 cutaneous immune responses characterized by distinct secretion profiles (Abstract), 241
 effects of chemical contact and respiratory allergens on cutaneous secretory profiles (Abstract), 257
 expression in erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis, 722
cytomegalovirus, cutaneous, characteristics in non-AIDS immunocompromised patients, 977

daclizumab in treatment of Sézary syndrome-like adult T-cell leukaemia/lymphoma (Case Report), 617
delayed pressure urticaria, treatment with desloratidine and montelukast (Concise Communication), 1279
delusional parasitosis presenting as folie à trois (Correspondence), 841
dendritic cell development from M-CSF-conditioned precursors (Abstract), 242
Dermalive®, delayed granulomatous reactions to (Correspondence), 1077
Dermatitis Family Impact score, 1249
Dermatitis Quality of Life Index, 1249
dermatofibromas, CD10 expression (Correspondence), 632
dermatology
 2005 survey of clinical academic staff in the UK (Correspondence), 214
 defining the content of the undergraduate medical curriculum, 137
 methodological rigour of Cochrane Skin Group systematic reviews, 1230
 pharmaceutical companies policies and practices on clinical trials (Correspondence), 635
 preferences for aspects of consultation, 387
dermoscopy
 in black people, 695
 correlation with digital dermoscopic images as aid to diagnosis of equivocal skin tumours, 546
 facial nonpigmented solar keratoses, 951
 instrument-, age- and site-dependent variations of patterns of congenital melanocytic naevi, 56
desloratidine with montelukast in delayed pressure urticaria (Concise Communication), 1279
diagnosis, poor agreement between self-reported and dermatologists' for five common dermatoses, 1006

diaper dermatitis in the elderly, 941
dinitrochlorobenzene, skin-sensitizing potential and irritancy (Abstract), 258
dinitrothiocyanobenzene, skin-sensitizing potential and irritancy (Abstract), 258
dithranol, comparison of twice-daily calcipotriol with once-daily dithranol in psoriasis, 800
DRESS syndrome, 422
drug cutaneous side-effects, variability in clinical patterns, 422
drug-induced hypersensitivity syndrome, reactivation of human herpesviruses other than HHV-6, 344
dyschromatosis symmetrica hereditaria, frameshift mutations of double-stranded RNA-specific adenosine deaminase gene in Chinese pedigree, 473
dysplastic naevi, moderate to severe histological dysplasia as risk factor for melanoma, 988
dystrophic epidermolysis bullosa
glycine substitution mutations, 834
recessive, caused by compound heterozygous mutations in *COL7A1* gene, 838

E-cadherin, paradoxical maintenance following PTEN ablation in skin carcinogenesis (Poster), 247
ectodermal dysplasia of hair and nail type, gene mapping, 1184
efalizumab
autoimmune pancytopenia induced by (Case Report), 1045
infliximab- and methotrexate-resistant rebound of psoriasis after discontinuation (Correspondence), 846
in treatment of moderate-to-severe plaque psoriasis, 170
elderly people, diaper dermatitis, 941
eosinophilic cellulitis as presenting feature of chronic eosinophilic leukaemia (Correspondence), 1087
eosinophilic ulcer of the oral mucosa (Case Report), 460
epidermal growth factor receptor inhibitors in psoriasis (Correspondence), 213
epidermis
assessment of subpopulations and proliferation in healthy skin, symptomless and lesional skin of spreading psoriasis, 688
hyperproliferative, connexin 30 as marker (Correspondence), 844
epidermodysplasia verruciformis, severe hand and feet deformity, surgical excision (Correspondence), 218
epidermolysis bullosa, Herlitz junctional, preimplantation genetic diagnosis (Abstract), 235
epidermolysis bullosa acquisita, childhood, with autoantibodies against collagen (Case Report), 1048
epidermolysis bullosa simplex
genetic studies in Japanese and Korean patients, 313
mild form caused by cryptic noncanonical donor splice in *KRT14* gene, 201
missense mutation and polymorphism in type I keratins, 1062
epidermolytic palmoplantar keratoderma, keratin 9 missense mutation in Japanese family, 624
epitope spreading in dermal-binding linear IgA disease (Poster), 249
erlotinib
association with rosacea-like folliculitis and *Malassezia sympodialis* (Correspondence), 477
skin reactions associated (Correspondence), 1293
erysipelas of the lower leg, oedema as risk factor, 947
erythema multiforme
cytokine and chemokine receptor expression, 722
presence of herpes simplex virus DNA in (Correspondence), 1084
erythropoietic porphyria, congenital (Abstract), 646
erythropoietic protoporphyria
acquired as result of myelodysplasia (Case Report), 464
advances today, 501
clinical features and effect on quality of life in UK, 574
epidemiology (Abstract), 866
etanercept
initial experience with routine administration in psoriasis, 808
in treatment of erythrodermic psoriasis, 156
ethnic characteristics of eyelashes, 1170
eumelanogenesis, inhibition by oral zinc sulphate, 39
EUROPSO patient membership survey, 729
Exophiala salmonis, phaeohyphomycosis due to (Correspondence), 1082
eyelashes, ethnic characteristics, 1170

facial itch (Abstract), 646
facial pores, relationship of pore size and sebum output, 890
facultative pigmentary response predictors (Poster), 244
familial cylindromatosis, evaluation of efficacy of topical salicylic acid treatment (Concise Communication), 182
familial primary cutaneous amyloidosis, identification of susceptibility locus, 1201
fasciitis–panniculitis syndrome with advanced gastric adenocarcinoma, association with single-stranded DNA antibodies (Correspondence), 640
FDG-positron emission tomography in evaluation of primary cutaneous lymphoma, 357
female pattern hair loss, follicular miniaturization in, 926
fenretinide, apoptosis induced by (Abstract), 243
fibrillin, age-related deterioration in mechanical function of dermal microfibrils (Abstract), 240
fibroblasts
actin expression and cellular migration rates (Abstract), 256
human and rodent dermal, spatial expression of fibronectin and integrins, 522
migration, proliferation and collagen secretion following *in vitro* wounding (Abstract), 256
substance P receptor expression, 657
fibronectin, spatial expression in human and rodent dermal fibroblasts, 522
filaggrin
loss-of-function mutations and ichthyosis vulgaris (Abstract), 256

loss-of-function variant and atopic dermatitis (Correspondence), 1093
fine-needle aspiration biopsy with ultrasound guidance of palpable lymph nodes in melanoma, 552
FK506, effect on pigmentation and migration of human melanocytes (Concise Communication), 1037
focal hyperhidrosis
anal fold (Correspondence), 858
topical glycopyrrolate therapy (Correspondence), 487
fogo selvagem, clinical and serological follow-up studies in Brazil (Concise Communication), 446
folate plasma levels in chronic plaque psoriasis, 1165
folliculitis, rosacea-like, associated with erlotinib (Correspondence), 477
fragile histidine triad tumour suppressor, contribution of epigenetic silencing to frequent loss in basal cell carcinoma, 1154
fumaric acid esters in severe psoriasis (Correspondence), 843
fungiform papillary glossitis (Correspondence), 642

gastric adenocarcinoma with fasciitis–panniculitis syndrome, association with single-stranded DNA antibodies (Correspondence), 640
gefitinib-induced acute generalized exanthematous pustulosis in advanced non-small-cell lung cancer (Correspondence), 1101
genital porokeratosis, 325
giant pilomatricoma with hypercalcaemia and elevated levels of PTH-rP (Correspondence), 208
GLI oncoprotein overexpression-induced characteristics of senescent phenotype in keratinocytes (Abstract), 243
glossitis, fungiform papillary (Correspondence), 642
glucose transporter-1 protein, absent/reduced expression in infantile subglottic haemangioma (Concise Communication), 1041
glycine substitution mutations in dystrophic epidermolysis bullosa, 834
glycogen synthase kinase 3â, regulation of proliferation of keratinocytes (Abstract), 239
glycopyrrolate
in focal hyperhidrosis (Correspondence), 487
in hyperhidrosis, urinary retention due to (Correspondence), 634
GNAS1 gene mutation and osteoma cutis (Abstract), 649
graft-versus-host disease, Koebnerizing sclerodermatous, caused by donor lymphocyte infusion and IFN-á (Case Report), 621
granulomatous delayed reactions to cosmetic fillers (Correspondence), 1077
growth, pattern from infancy to adulthood in atopic dermatitis, 532
growth arrest lines secondary to Stevens–Johnson syndrome (Poster), 650

haemangioendothelioma, visceral kaposiform (Abstract), 645
hair, female pattern loss, follicular miniaturization in, 926
hair cycle, changes in number of Merkel cells in hair discs on rat back skin, 883
hair follicles
follicular miniaturization in female pattern hair loss, 926
human scalp, CD10 expression in dermal sheath cells (Correspondence), 858
isolation and characterization of outer root sheath melanocytes, 902
hamartoma, congenital neurocristic (Abstract), 645
hand eczema, assessment of severity, 1217
hands, dorsal neutrophilic dermatosis treated by indomethacin (Correspondence), 1089
harlequin ichthyosis
ABCA12-associated, genetic and functional mechanisms (Abstract), 236
novel *ABCA12* mutation, 204, 1064
head and neck melanoma, 771
heat shock proteins
HSP27 phosphorylation during differentiation of human epidermis and cultured keratinocytes (Abstract), 236
HSP105 overexpression in squamous cell carcinoma and extramammary pagenot's disease, 582
Henoch–Schönlein purpura, anticardiolipin antibody levels, 983
hepatitis, acute, improvement of psoriatic erythroderma following (Case Report), 455
hepatitis B virus, late lethal reactivation after rituximab treatment of cutaneous B-cell lymphoma (Case Report), 1053
Herlitz junctional epidermolysis bullosa, preimplantation genetic diagnosis (Abstract), 235
herpes simplex virus, presence of DNA in erythema multiforme but not polymorphic light eruption (Correspondence), 1084
hexyl 5-aminolaevulinic acid, topical application on human skin, 791
hidradenitis suppurativa, severe, long-term infliximab therapy (Correspondence), 1105
highly active antiretroviral therapy and regression in basal cell carcinoma (Correspondence), 1079
histamine, correlation between release assay and CD63 assay in chronic urticaria, 67
histiocytoses, benign cutaneous, spectrum in the young (Abstract), 647
homocysteine plasma levels in chronic plaque psoriasis, 1165
HTLV-1, provirus and phylogenetic analysis in patients with mycosis fungoides and their relatives, 372
human herpesviruses
reactivation in drug-induced hypersensitivity syndrome, 344
reactivation in severe drug-induced multiorgan reaction, 301
human papillomaviruses, E6/E7 expression in cutaneous squamous cell dysplasia/carcinoma in transplant recipients, 129
human parvovirus B19, sensitive and rapid diagnosis of infection by loop-mediated isothermal amplification, 50
human T-cell lymphotropic virus type-1, provirus and phylogenetic analysis in patients with mycosis fungoides and their relatives, 372

hypercalcaemia with giant pilomatricoma (Correspondence), 208
hypercholesterolaemia in primary sclerosing cholangitis presenting as cutaneous xanthomatosis (Correspondence), 223
hypereosinophilic syndrome associated with platelet-derived growth factor receptor-á (Case Report), 824
hyperhidrosis
 axillary, selective sweat gland removal with minimal skin excision, 115
 focal
  anal fold (Correspondence), 858
  topical glycopyrrolate therapy (Correspondence), 487
 palmar, anxiety-triggered, surgical treatment (Correspondence), 1299
 topical glycopyrrolate therapy, urinary retention due to (Correspondence), 634
hypomelanosis of Ito caused by trisomy 20 mosaicism (Abstract), 649
hypopigmentation
 linear, and sternal malformation/vascular dysplasia syndrome (Case Report), 192
 murine hair, due to oral zinc sulphate, 39

ichthyosiform erythroderma, nonbullous congenital, *ALOX12B* gene mutation in, 198
ichthyosis vulgaris and loss-of-function mutations in filaggrin gene (Abstract), 256
imatinib mesilate inhibition of melanogenesis (Correspondence), 493
imiquimod
 and isolated limb perfusion, in treatment of melanoma metastases (Correspondence), 488
 preceding photodynamic therapy in vulval intraepithelial neoplasia (Poster), 247
 in treatment of lentigo maligna (Review), 653
 treatment of multiple solar keratosis in transplant recipients (Concise Communication), 451
immune responses, cutaneous, characterized by distinct cutaneous cytokine secretion profiles (Abstract), 241
immunity, dissociation of cutaneous and systemic with ageing (Abstract), 242
indomethacin treatment of neutrophilic dermatosis of the dorsal hands (Correspondence), 1089
infliximab
 downregulation of survivin in keratinocytes and endothelial cells in psoriasis treatment, 1191
 long-term therapy in severe hidradenitis suppurativa (Correspondence), 1105
 in severe treatment-resistant psoriasis, 160
influenza vaccination, bullous pemphigoid triggered by (Concise Communication), 820
infrared-induced angiogenic switch in human skin, 1131
insulin-like growth factor-1 receptor expression in extramammary pagenot's disease, 586
integrins, spatial expression in human and rodent dermal fibroblasts, 522
intercellular adhesion molecule-1 as consistent inflammatory marker of cutaneous radiation reaction, 670
interferons
 oil cyst development after subcutaneous IFN-á injection (Correspondence), 848
 resistance of IFN-ã-deficient mice to alopecia areata, 515
interleukins
 oil cyst development after subcutaneous IL-2 injection (Correspondence), 848
 single nucleotide polymorphisms in 3 interleukin promoters in basal cell carcinoma, 1139
 UV-induced downregulation correlated with clinical improvement in localized scleroderma, 600
intravenous immunoglobulin-associated arterial and venous thrombosis, 714
IPD, topical, in Th2 cytokine-mediated dermatitis, 27
irbesartan, systemic illness associated (Correspondence), 491
isolated limb perfusion and topical imiquimod in treatment of melanoma metastases (Correspondence), 488
itch
 facial (Abstract), 646
 generalized pruritus and multiple cutaneous xanthomas in Alagille syndrome (Poster), 651
 as a leading symptom, clinical characteristics and quality of life in German and Ugandan patients, 957
 quantification (Poster), 251

juvenile myelomonocytic leukaemia presenting with chilblain-like lesions and urticaria (Abstract), 646

Kaposi sarcoma, classical, failure of topical alitretinoin gel (Correspondence), 856
keratinocytes
 abnormal differentiation in psoriasis, 62
 Axl expression and invasion with degradation of the basement membrane (Abstract), 243
 characteristics of senescent phenotype induced by GLI oncoprotein overexpression (Abstract), 243
 expression of TRANCE and its receptor (Poster), 249
 low-dose effect of chromium (Poster), 255
 regulation of proliferation by lithium and glycogen synthase kinase 3â (Abstract), 239
 role of syndecans and CASK in regulation of proliferation and differentiation (Abstract), 244
 substance P receptor expression, 657
 transcriptional responses to cytokines of innate and adaptive immune systems (Abstract), 238
keratins
 keratin 9 missense mutation in Japanese family with epidermolytic palmoplantar keratoderma, 624
 missense mutation and polymorphism in type I keratins in epidermolysis bullosa simplex, 1062
KIT gene mutations in two Chinese patients with piebaldism (Correspondence), 1309

KRT14 gene, mild form of epidermolysis bullosa simplex caused by cryptic noncanonical donor splice, 201

Lactobacillus rhamnosus in moderate to severe childhood atopic dermatitis, 1256
lamellar ichthyosis, novel mutation in transglutaminase 1 gene (Poster), 650
Langerhans cells
comparison of migration in mice and men (Poster), 251
effects of acute social stress on frequency (Abstract), 238
regulation of migration by lipopolysaccharide (Abstract), 257
laryngo-onychocutaneous syndrome, partial response to thalidomide (Case Report), 1283
laser therapy
efficacy in localized recalcitrant plaque psoriasis, 110
investigation of mechanism of action in photorejuvenation and inflammatory acne, 748
optimal parameters for treatment of leg veins, 364
Lattice System Physician's Global Assessment, 707
leg oedema as risk factor for cellulitis/erysipelas of the lower leg, 947
leg ulcers, chronic, sociodemographic factors, 307
leg veins, optimal parameters for treatment using Nd:YAG lasers, 364
lentigo maligna, imiquimod treatment (Review), 653
lichen planus
fatal erosive (Correspondence), 1075
oral cavity
and prevalence of vulval lichen planus, 994
topical ciclosporin therapy (Correspondence), 487, 488
lichen sclerosus
cytokine alterations in, 931
safety and efficacy of topical tacrolimus treatment, 1021
linear IgA disease
dermal-binding, epitope spreading in (Poster), 249
presentation as prurigo nodularis (Correspondence), 479
lipoid proteinosis, new compound heterozygous mutations in Chinese family, 470
lisinopril and pemphigoid (Correspondence), 854
lithium regulation of proliferation of keratinocytes (Abstract), 239
livedo vasculopathy, methylenetetrahydrofolate reductase polymorphism associated with moderate hyperhomocysteinaemia (Correspondence), 850
lomefloxacin, triplet properties (Poster), 246
lung cancer, advanced non-small-cell, gefitinib-induced acute generalized exanthematous pustulosis in (Correspondence), 1101
lymphomatoid contact dermatitis followed by T-cell prolymphocytic leukaemia (Correspondence), 633
lymphomatoid papulosis associated with platelet-derived growth factor receptor-á (Case Report), 824

mal de Meleda, novel mutation in ARS gene encoding SLURP-1 in a Turkish family, 467
Malassezia sympodialis associated with erlotinib (Correspondence), 477
mantle-zone lymphoma with insect-bite-like Wells' syndrome (Case Report), 614
marginal zone B-cell lymphoma with Schnitzler syndrome (Case Report), 827
mast cells, role in atopy (Review), 1109
maxacalcitol in treatment of stucco keratosis (Correspondence), 1085
melanocortin 1 receptor genotype
effect on cyclobutane pyrimidine dimer formation and p53 upregulation in murine skin following UVR exposure (Abstract), 240
influence on erythemal sensitivity and treatment response in PUVA therapy (Abstract), 240
melanocytes
effect of FK506 on migration (Concise Communication), 1037
immotile acral (Correspondence), 1300
isolation and characterization in outer root sheath of human hair follicles, 902
UV-induced redox alterations and NFêâ activation, protective effects of á-tocopherol, 292
melanocytic naevi, congenital
instrument-, age- and site-dependent variations of dermoscopic patterns, 56
and risk of melanoma (Review), 1
melanocytoma, pigmented epithelioid (Abstract), 648
melanogenesis inhibited by imatinib mesilate (Correspondence), 493
melanoma
acral lentiginous, 561
completely regressed primary with metastases, tumoral melanosis as manifestation (Correspondence), 627
compound blue naevus as potential simulator (Correspondence), 207
dysplastic naevi with histological dysplasia as risk factor, 988
fine-needle aspiration biopsy with ultrasound guidance of palpable lymph nodes, 552
head and neck, 771
in situ photoimmunotherapy (Case Report), 1287
micro-melanoma detection, 570
nail apparatus, effect of concomitant trauma on prognosis, 76
new drug targets (Abstract), 243
$p33^{ING1b}$ mutation in, 94
recurrence-free survival after sentinel-node biopsy (Correspondence), 631
relapsing, and thymoma, myasthenia gravis and pemphigus vulgaris (Correspondence), 638
remission of metastases after sequential treatment with isolated limb perfusion and topical imiquimod (Correspondence), 488
in renal transplant recipients (Correspondence), 857
risk in congenital melanocytic naevi (Review), 1

spindle cell, novel mutation of *XPA* gene associated with unusually mild clinical features, 81
treatment of vulval melanoma *in situ* with imiquimod (Correspondence), 215
Merkel cells, changes in number with hair cycle in hair discs on rat back skin, 883
mesenchymal stem cells, human embryonic, differentiation potential for skin-related tissue, 282
methicillin-resistant *Staphylococcus aureus*, community-acquired (Correspondence), 1298, 1299
methotrexate
atypical cutaneous leishmaniasis in patients receiving low-dose therapy (Case Report), 830
and corticosteroids in the treatment of localized scleroderma in childhood, 1013
in cutaneous lupus erythematosus (Correspondence), 861
in psoriasis, predictors of clinical response (Poster), 255
methyl 5-aminolaevulinic acid, topical application on human skin, 791
methylenetetrahydrofolate reductase polymorphism associated with moderate hyperhomocysteinaemia in livedo vasculopathy (Correspondence), 850
microscale photogrammetry of skin lesions (Poster), 253
milia complicating successful treatment of cutaneous leishmaniasis (Correspondence), 860
minimal erythema dose, validation of semiautomated method of testing in phototherapy, 416
mitochondria, photoageing-associated DNA mutation (Abstract), 241
montelukast with desloratidine in delayed pressure urticaria (Concise Communication), 1278
MRSA, community-acquired (Correspondence), 1298, 1299
Munch, Edvard, 'The Scream' (Correspondence), 1305
myasthenia gravis with thymoma and pemphigus vulgaris in relapsing melanoma (Correspondence), 638
Mycobacterium chelonae infection complicating cosmetic facial surgery (Correspondence), 1097
mycosis fungoides
association with B-cell malignancies, 379
association of p53 polymorphism and â-catenin accumulation, 1223
HTLV-1 provirus and phylogenetic analysis in patients and their relatives, 372
molecular staging of lymph nodes, 756
myelodysplasia and acquired erythropoietic protoporphyria (Case Report), 464

naevus sebaceus, development of basal cell carcinoma with alopecia areata within (Correspondence), 1090
nails
idiopathic polydactylous longitudinal erythronychia (Correspondence), 219
management of onychomycosis and awareness of guidelines among dermatologists (Correspondence), 1080
melanoma of the nail apparatus, effect of concomitant trauma on prognosis, 76
topical application of acidified nitrite (Poster), 252
total anonychia congenita (Abstract), 648
neuropeptides, role in psoriasis (Review), 876
neutrophilic dermatosis of the dorsal hands, indomethacin treatment (Correspondence), 1089
New Zealand Black/KN mouse as model for autoimmune-induced permanent alopecia (Concise Communication), 437
nickel
dermal occupational exposure measured with finger immersion method (Poster), 248
nickel-containing coins as health risk for sensitive individuals (Correspondence), 1301
nicorandil-induced cutaneous, perivulvar and perianal ulceration (Correspondence), 494
nitric oxide (NO)
effects of UVR on stores in human skin (Poster), 245
inhibition of production and protective abilities of sunscreen, 408
noninflammatory nature in human skin (Abstract), 239
nitroso species, development of quantitative technique for determination in human epidermis (Poster), 251
NO *see* nitric oxide
NURR1 in psoriasis lesional skin (Poster), 254

oedema as risk factor for cellulitis/erysipelas of the lower leg, 947
oil cyst development after subcutaneous IFN-á and IL-2 injection (Correspondence), 848
onychomycosis management and awareness of guidelines among dermatologists (Correspondence), 1080
oral cavity
lichen planus
and prevalence of vulval lichen planus, 994
topical ciclosporin therapy (Correspondence), 487, 488
mucosal eosinophilic ulcer (Case Report), 460
osteoma cutis, *GNAS1* gene mutation (Abstract), 649

p-AKT expression in extramammary pagenot's disease, 586
p-ERK1/2 expression in extramammary pagenot's disease, 586
$p33^{ING1b}$ mutation, rarity in melanoma, 94
p53 polymorphism and â-catenin accumulation in mycosis fungoides, 1223
pachyonychia congenita, effects of type I mutations on keratinocyte migration (Abstract), 235
pagenot's disease, extramammary
expression of ILGF-1 receptor, p-AKT and p-ERK1/2, 586
heat shock protein HSP105 overexpression, 582
palmar hyperhidrosis, anxiety-triggered, surgical treatment (Correspondence), 1299
pancytopenia, autoimmune, efalizumab-induced (Case Report), 1045
para-phenylenediamine, allergenic component accumulation in skin with repeated exposure (Poster), 249
parasitosis, delusional, presentation as folie à trois (Correspondence), 841

parathyroid hormone-related protein levels and giant pilomatricoma (Correspondence), 208
parsnip-induced phyophotodermatitis (Poster), 651
Parthenium contact sensitivity in UK (Correspondence), 847
pemphigoid and lisinopril (Correspondence), 854
pemphigus foliaceus, endemic, clinical and serological follow-up studies in Brazil (Concise Communication), 446
pemphigus vulgaris
 serum levels of BAFF, 330
 with thymoma and myasthenia gravis in relapsing melanoma (Correspondence), 638
penile argyria (Correspondence), 1074
periplakin
 autoantibodies in serum from patients with toxic epidermal necrolysis, 337
 role in cornified envelope assembly and reorganization of keratin cytoskeleton (Abstract), 259
pets, systematic review of role in atopic dermatitis (Poster), 649
phaeohyphomycosis due to *Exophiala salmonis* (Correspondence), 1082
phakomatosis pigmentokeratotica associated with hypophosphataemic rickets, phaeochromocytoma and multiple basal cell carcinomas (Correspondence), 225
photoageing
 effect of ultrasound on delivery of repair agents (Poster), 245
 mitochondrial DNA mutation associated (Abstract), 241
photodermatoses, prevalence of chronic idiopathic and metabolic in Scotland (Abstract), 866
photodynamic therapy
 basal cell carcinoma, induction of COX-2 and PGE_2 receptor (Poster), 248
 comparison with cryotherapy in treatment of solar keratosis, 1029
 economic evaluation in management of actinic keratosis and basal cell carcinoma, 784
 facial acne vulgaris, 608
 following imiquimod in vulval intraepithelial neoplasia (Poster), 247
 nonhyperkeratotic solar keratoses, 1261
 psoriasis, study of clinical effectiveness, immunohistochemical changes and protoporphyrin IX accumulation, 429
photogrammetry, microscale, skin lesions (Poster), 253
photoimmunotherapy in melanoma (Case Report), 1286
photopatch testing, results of UK multicentre study group, 737
photorejuvenation, investigation of mechanism of action of laser therapy, 748
phototherapy
 changes of antimicrobial peptide mRNA expression following in atopic dermatitis (Concise Communication), 1274
 in childhood atopic dermatitis (Abstract), 646
 high-dose, lack of patient review (Abstract), 867
 skin cancer risk (Abstract), 866
 validation of semiautomated method of minimal erythema dose testing, 416
phyophotodermatitis, parsnip-induced (Poster), 651
Physician's Global Assessment, 707
piebaldism, new mutations of *KIT* gene in two Chinese patients (Correspondence), 1303
pigmentation, effect of FK506 on (Concise Communication), 1037
pigmented epithelioid melanocytoma (Abstract), 648
pilomatricoma, giant, with hypercalcaemia and elevated levels of PTH-rP (Correspondence), 208
pityriasis alba, tacrolimus ointment in, 152
platelet-derived growth factor receptor-á associated with hypereosinophilic syndrome and lymphomatoid papulosis (Case Report), 824
poikiloderma with tendon contracture and pulmonary fibrosis (Case Report), 1057
polydactylous longitudinal erythronychia, idiopathic (Correspondence), 219
polymorphic light eruption, abnormal interleukin secretion and phototherapy (Poster), 245
Polymorphic Light Eruption Severity Index, validation (Correspondence), 482
porokeratosis, genital, 325
PRIDE syndrome (Correspondence), 852
primary cutaneous lymphoma, FDG-positron emission tomography in evaluation, 357
primiparae, striae gravidarum, 965
pro-opiomelanocortin
 corticotropin-releasing hormone–pro-opiomelanocortin axis in skin tumours, 910
 modulation of collagen secretion in fibroblasts (Abstract), 255
Proteus syndrome with agenesis of rectus abdominis (Correspondence), 1094
prurigo nodularis, linear IgA disease presenting as (Correspondence), 479
pruritus *see* itch
pseudocomedones, comedolytic effect of vitamin D_3 analogue in rhino mouse, 895
pseudomycetoma, disseminated dermatophytic arising in immunocompromised patient (Correspondence), 628
pseudoxanthoma elasticum, evaluation of diagnostic criteria based on molecular data, 89
psoriasis
 assessment of epidermal subpopulations and proliferation in symptomless and lesional skin of spreading psoriasis, 688
 association with *PSORS1C3* and *CDSN* genes in Chinese individuals, 663
 chronic plaque
  increased CD94/NKG2A and CD158b expression on circulating and lesional T cells, 318
  plasma homocysteine and folate levels, 1165
  squamous cell carcinoma antigen family in (Abstract), 259

clopidogrel-induced suberythrodermic pustular (Correspondence), 630
comparison of twice-daily calcipotriol with once-daily dithranol, 800
CRH, CRHR and NURR1 in lesional skin (Poster), 254
cutaneous innervation and neurogenic inflammation (Poster), 253
elevated levels of S100 proteins reflect disease activity and abnormal keratinocyte differentiation, 62
erythrodermic, treatment with etanercept, 156
European patient perspectives on the impact of, 729
fumaric acid esters in severe disease (Correspondence), 843
generalized pustular, complicated by acute respiratory distress syndrome (Correspondence), 496
heterogeneity of fluorescence after application of 5-aminolaevulinic acid, 539
impact of guidelines on appropriateness of referral from primary to secondary care, 393
improvement during tyrosine kinase inhibitor therapy for renal metastatic adenocarcinoma (Correspondence), 213
infliximab therapy, downregulation of survivin in keratinocytes and endothelial cells, 1191
infliximab- and methotrexate-resistant rebound after discontinuation of efalizumab (Correspondence), 846
initial experience with routine administration of etanercept, 808
inter- and intrarater reliability of scales for severity measurement, 707
inter- and intrasubject variation in cytoprotective gene expression (Poster), 254
management considerations in women of childbearing age (Correspondence), 228
methotrexate therapy, predictors of clinical response (Poster), 255
moderate-to-severe plaque, efalizumab therapy, 170
musculoskeletal and myotoxic side-effects of treatment (Correspondence), 481
photodynamic therapy, study of clinical effectiveness, immunohistochemical changes and protoporphyrin IX accumulation, 429
photosensitive, histological abnormalities following low-dose UVA challenge (Abstract), 258
plaque, treatment by sequential therapy with twp biologics (Correspondence), 211
'Psoriasis: from Gene to Clinic', updates from 4th International Congress, 1124
recalcitrant plaque, efficacy of pulsed dye laser, 110
role of neuropeptides (Review), 876
severe treatment-resistant, infliximab therapy, 160
susceptibility conferred by synonymous single nucleotide polymorphism in cystatin A (Abstract), 235
trade-offs between benefits and risks of drug treatment, 1236
Psoriasis Area and Severity Index, 707
psoriatic erythroderma, improvement after acute hepatitis (Case Report), 455
PSORS1C3 gene associated with psoriasis in Chinese individuals, 663
PTEN, paradoxical maintenance of E-cadherin following ablation in skin carcinogenesis (Poster), 247
PTH-rP levels and giant pilomatricoma (Correspondence), 208
pulmonary fibrosis with poikiloderma and tendon contracture (Case Report), 1057
PUVA, effect of melanocortin 1 receptor genotype on erythemal sensitivity and treatment response (Abstract), 240

quality of life
comparative study in children with skin disease and other chronic diseases, 145
Dermatitis Family Impact score, 1249
Dermatitis Quality of Life Index, 1249
in erythropoietic protoporphyria, 574

Raptiva® *see* efalizumab
reactive oxygen species, inhibition of production and protective abilities of sunscreen, 408
rectus abdominis agenesis with Proteus syndrome (Correspondence), 1094
retinoid receptor stable overexpression in IIC9 cell line (Poster), 248
rituximab
intralesional and intravenous treatment of cutaneous B-cell lymphoma, 1197
late lethal hepatitis B virus reactivation after treatment of cutaneous B-cell lymphoma (Case Report), 1053
Rumex japonicus, inhibitory effects on development of atopic dermatitis-like lesions in NC/Nga mice, 33

S100 proteins, elevated levels reflecting disease activity and abnormal keratinocyte differentiation in psoriasis, 62
salicylic acid, evaluation of efficacy of topical treatment in familial cylindromatosis (Concise Communication), 182
Schnitzler syndrome with systemic marginal zone B-cell lymphoma (Case Report), 827
scleroderma *see* systemic sclerosis
Scotland, prevalence of chronic idiopathic and metabolic photodermatoses (Abstract), 866
'Scream, The' (Munch), location by skin histopathology (Correspondence), 1304
sebum output and size of facial pores, 890
senile lentigo, alterations in epidermal–dermal melanin axis and factor XIIIa melanophages, 119
sentinel-node biopsy and recurrence-free survival in melanoma (Correspondence), 631
Sézary syndrome, molecular staging of lymph nodes, 756
skin cancer
corticotropin-releasing hormone–pro-opiomelanocortin axis in skin tumours, 910
nonmelanoma, novel imaging technique as adjunct to *in vivo* diagnosis, 1177
reliance on clinical diagnosis in management, 100
risk with phototherapy (Abstract), 866

skin examination, development and evaluation of e-learning package, 592
skin immune responses characterized by distinct cutaneous cytokine secretion profiles (Abstract), 241
skin substitutes, autologous full-thickness for healing chronic wounds, 267
skin tumours, equivocal, correlation with digital dermoscopic images as aid to diagnosis, 546
social stress
effect on calcitonin gene-related peptide (Poster), 250
and epidermal Langerhans cell frequency (Abstract), 238
sociodemographic factors in chronic leg ulceration, 307
sodium lauryl sulphate, percutaneous penetration in uninvolved skin in atopic dermatitis, 104
solar keratoses *see* actinic keratoses
spindle cell melanoma, novel mutation of *XPA* gene associated with unusually mild clinical features, 81
squamous cell carcinoma
epigenetic abnormalities in, 999
heat shock protein HSP105 overexpression, 582
human papillomavirus E6/E7 expression in transplant recipients, 129
signalling mechanisms in an *in vitro* model (Abstract), 237
and solar keratosis, 9, 23
tenascin-C patterns and splice variants, 763
squamous cell carcinoma antigen family in chronic plaque psoriasis (Abstract), 259
squamous cell dysplasia, human papillomavirus E6/E7 expression in transplant recipients, 129
Staphylococcus aureus
community-acquired methicillin-resistant (Correspondence), 1298, (Correspondence) 1299
skin colonization in atopic dermatitis, relevant combined topical therapy, 680
sternal malformation/vascular dysplasia syndrome with linear hypopigmentation (Case Report), 192
Stevens–Johnson syndrome
cytokine and chemokine receptor expression, 722
growth arrest lines secondary to (Poster), 650
striae gravidarum in primiparae, 965
stucco keratosis, treatment with maxacalcitol (Correspondence), 1085
subglottic haemangioma, infantile, absent/reduced glucose transporter-1 protein expression (Concise Communication), 1041
substance P receptor expression in fibroblasts and keratinocytes, 657
sunscreens, NO and reactive oxygen species inhibition and protective abilities, 408
superantigen–allergen synergy (Abstract), 238
suplatast tosilate, topical, in Th2 cytokine-mediated dermatitis, 27
survivin downregulation in keratinocytes and endothelial cells after infliximab therapy in psoriasis, 1191
sweat glands, selective removal with minimal skin excision in axillary hyperhidrosis, 115
Sweet syndrome (Correspondence), 1099
with intrahepatic cholangiocarcinoma (Correspondence), 1103
syndecans, role in regulation of keratinocyte proliferation and differentiation (Abstract), 244
systemic sclerosis
arteriographic evaluation of vascular changes of the extremities, 1159
clinical improvement correlated with UV-induced downregulation of â-defensins and interleukins, 600
effect of small interfering RNA in expression of CTGF and collagens in skin fibroblasts, 1145
methotrexate and corticosteroid treatment for localized disease in childhood, 1013
telangiectasia in, dual-wavelength laser Doppler imaging (Poster), 252

T-cell prolymphocytic leukaemia, following lymphomatoid contact dermatitis (Correspondence), 633
T cells, in chronic plaque psoriasis, increased CD94/NKG2A and CD158b expression, 318
tacrolimus
in pityriasis alba, 152
safety and efficacy of topical treatment in lichen sclerosus, 1021
tanning response, predictors (Poster), 244
telangiectasia in systemic sclerosis, dual-wavelength laser Doppler imaging (Poster), 252
teledermatology, low-resolution (Correspondence), 1092, 1093
tenascin-C patterns and splice variants in squamous cell carcinoma and actinic keratosis, 763
tendon contracture with pulmonary fibrosis and poikiloderma (Case Report), 1057
TGM1 gene mutation in lamellar ichthyosis (Poster), 650
Th2 cytokine-mediated dermatitis ameliorated by topical suplatast tosilate, 27
thalidomide
and increased mortality in toxic epidermal necrolysis (Correspondence), 841
partial response to in laryngo-onychocutaneous syndrome (Case Report), 1282
thrombosis, intravenous immunoglobulin-associated arterial and venous, 714
thymoma with myasthenia gravis and pemphigus vulgaris in relapsing melanoma (Correspondence), 638
topical drugs, regulation of cutaneous drug-metabolizing enzymes and cytoprotective gene expression, 275
total anonychia congenita (Abstract), 648
toxic epidermal necrolysis
autoantibodies to periplakin in serum, 337
cytokine and chemokine receptor expression, 722
increased mortality with thalidomide (Correspondence), 841
TRANCE expression by keratinocytes (Poster), 249
transglutaminase 1 gene mutation in lamellar ichthyosis (Poster), 650

transplant recipients
human papillomavirus E6/E7 expression in squamous cell dysplasia/carcinoma, 129
imiquimod treatment of multiple solar keratosis (Concise Communication), 451
renal
melanoma (Correspondence), 857
point prevalence of cutaneous disease (Poster), 253
specialist dermatology clinics, 916
transsexual, female-to-male, vaginal bleeding after initiation of isotretinoin (Correspondence), 227
Trichophyton species, rapid identification and discrimination, 1209
trisomy 20 mosaicism and hypomelanosis of Ito (Abstract), 649
TSC2 gene mutations in Chinese patients with tuberous sclerosis complex, 1070
tuberous sclerosis complex, novel *TSC2* mutations in Chinese patients, 1070
tumoral melanosis as manifestation of completely regressed primary melanoma with metastases (Correspondence), 627
tumour necrosis factor-á gene 1031 T/C polymorphism in Turkish patients with Behçet's disease, 350
tyrosine kinase inhibitor therapy in renal metastatic adenocarcinoma, psoriasis improvement during (Correspondence), 213

ulceration, cutaneous, perivulvar and perianal, induced by nicorandil (Correspondence), 494
ultrasound, effect on delivery of photoageing repair agents (Poster), 245
ultraviolet radiation
effect on nitric oxide stores in human skin (Poster), 245
histological abnormalities following low-dose UVA challenge in photosensitive psoriasis (Abstract), 258
murine skin exposure, effect of melanocortin 1 receptor genotype on cyclobutane pyrimidine dimer formation and p53 upregulation (Abstract), 240
sensitivity in vitiligo and adjacent normal skin (Poster), 246
undergraduate medical curriculum, defining dermatological content, 137
urinary retention due to topical glycopyrrolate therapy in hyperhidrosis (Correspondence), 634
urticaria
chronic
cellular adhesion molecules in, 1270
correlation between CD63 assay and histamine release assay, 67
delayed pressure, treatment with desloratidine and montelukast (Concise Communication), 1279
in juvenile myelomonocytic leukaemia (Abstract), 646
Ustilago species infection (Correspondence), 1096

vaginal bleeding after initiation of isotretinoin in female-to-male transsexual in testosterone (Correspondence), 227
visceral kaposiform haemangioendothelioma (Abstract), 645
vitamin D_3 analogue, comedolytic effect on pseudocomedones in rhino mouse, 895
vitiligo, UVR sensitivity in lesions and normal skin (Poster), 246
vulva
lichen planus, prevalence in women with oral lichen planus, 994
treatment of melanoma *in situ* with imiquimod (Correspondence), 215
vulval intraepithelial neoplasia, sequential therapy of imiquimod and photodynamic therapy (Poster), 247

Wegener's granulomatosis presenting with granulomatous facial erythematous papules and plaques mimicking granulomatous rosacea (Correspondence), 221
Wells' syndrome, insect-bite-like, with mantle-zone lymphoma (Case Report), 614
wounds, chronic, autologous full-thickness skin substitutes, 267

xanthomatosis
generalized pruritus and multiple cutaneous xanthomas in Alagille syndrome (Poster), 651
as presentation of hypercholesterolaemia in primary sclerosing cholangitis (Correspondence), 223
XPA gene mutation associated with unusually mild clinical features in spindle cell melanoma, 81

zinc sulphate, oral, murine hair hypopigmentation due to and inhibition of eumelanogenesis, 39

British Journal of Dermatology

Volume 155

July–December 2006

Blackwell
Publishing

Published for the
British Association of Dermatologists
by Blackwell Publishing

British Journal of Dermatology

The *British Journal of Dermatology* is owned by and is the official organ of the British Association of Dermatologists.

EDITORS
DR D.J.EEDY
DR J.ENGLISH

© 2006 British Association of Dermatologists

Blackwell Publishing Ltd:
9600 Garsington Road, Oxford, OX4 2DQ, UK

Blackwell Publishing, Inc.:
Commerce Place, 350 Main Street, Malden, Massachusetts 02148-5018, USA

Blackwell Publishing Asia:
550 Swanston Street, Carlton South, Victoria 3053, Australia

Blackwell Verlag:
Kurfürstendamm 58, 10707 Berlin, Germany

Blackwell Munksgaard:
1 Rosenørns Allè, PO Box 227, DK-1502 Copenhagen V, Denmark

Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office:
5F, GS Chiyoda Building, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan

Blackwell Publishing Professional:
2121 State Avenue, Ames, IA 50014-8300, USA

Contents

Volume 155, Number 1, July

Snippets
Research Snippets
Clinical Snippets

Review article
1 Melanoma risk in congenital melanocytic naevi: a systematic review
S.KRENGEL, A.HAUSCHILD AND T.SCHÄFER

Original articles
Controversies in Dermatology
9 Solar (actinic) keratosis is squamous cell carcinoma
A.B.ACKERMAN AND J.M.MONES
23 Who benefits from calling a solar keratosis a squamous cell carcinoma?
R.MARKS

Cutaneous Biology
27 Topical suplatast tosilate (IPD) ameliorates Th2 cytokine-mediated dermatitis in caspase-1 transgenic mice by downregulating interleukin-4 and interleukin-5
T.MURAKAMI, K.YAMANAKA, K.TOKIME, I.KUROKAWA, H.TSUTSUI, K.NAKANISHI AND H.MIZUTANI
33 Inhibitory effects of *Rumex japonicus* Houtt. on the development of atopic dermatitis-like skin lesions in NC/Nga mice
H-S.LEE, S-K.KIM, J-B.HAN, H-M.CHOI, J-H.PARK, E-C.KIM, M-S.CHOI, H-J.AN, J-Y.UM, H-M.KIM AND B-I.MIN
39 Oral zinc sulphate causes murine hair hypopigmentation and is a potent inhibitor of eumelanogenesis *in vivo*
P.M.PLONKA, B.HANDJISKI, D.MICHALCZYK, M.POPIK AND R.PAUS
50 Sensitive and rapid diagnosis of human parvovirus B19 infection by loop-mediated isothermal amplification
Y.YAMADA, M.ITOH AND M.YOSHIDA

Clinical and Laboratory Investigations
56 Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study
S.SEIDENARI, G.PELLACANI, A.MARTELLA, F.GIUSTI, G.ARGENZIANO, P.BUCCINI, P.CARLI, C.CATRICALÀ, V.DE GIORGI, A.FERRARI, V.INGORDO, A.M.MANGANONI, K.PERIS, D.PICCOLO AND M.A.PIZZICHETTA

Clinical and laboratory investigations
62 Elevated serum levels of calcium-binding S100 proteins A8 and A9 reflect disease activity and abnormal differentiation of keratinocytes in psoriasis
S.BENOIT, A.TOKSOY, M.AHLMANN, M.SCHMIDT, C.SUNDERKÖTTER, D.FOELL, M.PASPARAKIS, J.ROTH AND M.GOEBELER
67 Significant correlation between the CD63 assay and the histamine release assay in chronic urticaria
A.SZEGEDI, B.IRINYI, M.GÁL, J.HUNYADI, K.DANKÓ, E.KISS, S.SIPKA, G.SZEGEDI AND E.GYIMESI
76 Concomitant traumas influence prognosis in melanomas of the nail apparatus
G.BORMANN, W.C.MARSCH, J.HAERTING AND P.HELMBOLD
81 A novel mutation in the *XPA* gene associated with unusually mild clinical features in a patient who developed a spindle cell melanoma
R.U.SIDWELL, A.SANDISON, J.WING, H.D.FAWCETT, J-E.SEET, C.FISHER, T.NARDO, M.STEFANINI, A.R.LEHMANN AND J.J.CREAM
89 Pseudoxanthoma elasticum: evaluation of diagnostic criteria based on molecular data
S.CHRISTEN-ZÄCH, M.HUBER, B.STRUK, K.LINDPAINTNER, F.MUNIER, R.G.PANIZZON AND D.HOHL
94 Mutation of the tumour suppressor $p33^{ING1b}$ is rare in melanoma
M.STARK, J.A.PUIG-BUTILLE, G.WALKER, C.BADENAS, J.MALVEHY, N.HAYWARD AND S.PUIG
100 The management of skin malignancy: to what extent should we rely on clinical diagnosis?
S.J.BROWN AND C.M.LAWRENCE

Contact dermatitis and allergy
100 Percutaneous penetration of sodium lauryl sulphate is increased in uninvolved skin of patients with atopic dermatitis compared with control subjects
I.JAKASA, C.M.DE JONGH, M.M.VERBERK, J.D.BOS AND S.KEŽIĆ

Dermatological surgery and lasers
110 Efficacy of the pulsed dye laser in the treatment of localized recalcitrant plaque psoriasis: a comparative study
A.ERCEG, H.J.BOVENSCHEN, P.C.M.VAN DE KERKHOF AND M.M.B.SEYGER
115 Selective sweat gland removal with minimal skin excision in the treatment of axillary hyperhidrosis: a retrospective clinical and histological review of 15 patients
C.M.LAWRENCE AND A.A.LONSDALE ECCLES

Dermatopathology
119 Alterations in the epidermal–dermal melanin axis and factor XIIIa melanophages in senile lentigo and ageing skin
N.ÜNVER, P.FREYSCHMIDT-PAUL, S.HÖRSTER, H.WENCK, F.STÄB, T.BLATT AND H-P.ELSÄSSER
129 E6/E7 expression of human papillomavirus types in cutaneous squamous cell dysplasia and carcinoma in immunosuppressed organ transplant recipients
C.DANG, A.KOEHLER, T.FORSCHNER, P.SEHR, K.MICHAEL, M.PAWLITA, E.STOCKFLETH AND I.NINDL

Epidemiology and health services research
137 Defining the dermatological content of the undergraduate medical curriculum: a modified Delphi study
R.CLAYTON, R.PERERA AND S.BURGE

Paediatric dermatology
145 A comparative study of impairment of quality of life in children with skin disease and children with other chronic childhood diseases
P.E.BEATTIE AND M.S.LEWIS-JONES

Therapeutics
152 Tacrolimus ointment 0·1% in pityriasis alba: an open-label, randomized, placebo-controlled study
D.RIGOPOULOS, S.GREGORIOU, C.CHARISSI, G.KONTOCHRISTOPOULOS, D.KALOGEROMITROS AND S.GEORGALA

156 Treatment of erythrodermic psoriasis with etanercept
M.ESPOSITO, A.MAZZOTTA, C.DE FELICE, M.PAPOUTSAKI AND S.CHIMENTI

160 Infliximab for severe, treatment-resistant psoriasis: a prospective, open-label study
C.H.SMITH, K.JACKSON, S.J.BASHIR, A.PEREZ, A.L.CHEW, A.M.POWELL, M.WAIN AND J.N.W.N.BARKER

170 CLinical experience acquired with the efalizumab (Raptiva®) (CLEAR) trial in patients with moderate-to-severe plaque psoriasis: results from a phase III international randomized, placebo-controlled trial
L.DUBERTRET, W.STERRY, J.D.BOS, S.CHIMENTI, S.SHUMACK, C.G.LARSEN, N.H.SHEAR AND K.A.PAPP

Concise communications

182 An evaluation of the efficacy of topical application of salicylic acid for the treatment of familial cylindromatosis
H.M.OOSTERKAMP, H.NEERING, S.M.B.NIJMAN, A.M.G.DIRAC, W.J.MOOI, R.BERNARDS AND T.R.BRUMMELKAMP

186 Age-associated decrease of CD1d protein production in normal human skin
M.A.ADLY, H.A.ASSAF, M.R.HUSSEIN AND K.NEUBER

Case reports

192 Sternal malformation/vascular dysplasia syndrome with linear hypopigmentation
J.MAZEREEUW-HAUTIER, S.SYED AND J.I.HARPER

195 Cutaneous signs as a presenting manifestation of alcohol excess
S.WAHIE AND C.M.LAWRENCE

Gene corner

198 A novel mutation in the 12(R)-lipoxygenase (*ALOX12B*) gene underlies nonbullous congenital ichthyosiform erythroderma
G.ASHOOR, M.MASSÉ, L.M.GARCÍA LUCIANO, R.SHEFFER, A.MARTINEZ-MIR, A.M.CHRISTIANO AND A.ZLOTOGORSKI

201 Utilization of a cryptic noncanonical donor splice site in the *KRT14* gene causes a mild form of epidermolysis bullosa simplex
S.HAN, D.N.COOPER AND P.E.BOWDEN

204 A novel *ABCA12* mutation underlying a case of Harlequin ichthyosis
S.F.RAJPAR, T.CULLUP, D.P.KELSELL AND C.MOSS

Correspondence

207 Compound blue naevus: a potential simulator of melanoma
C.CARRERA, B.FERRER, J.M.MASCARÓ JR AND J.PALOU

208 Giant pilomatricoma associated with hypercalcaemia and elevated levels of parathyroid hormone-related protein
Y.KAMBE, H.NAKANO, T.KANEKO, T.AIZU, S.IKENAGA, K.HARADA, N.NAKAJIMA, R.MORITSUGU AND K.HANADA

211 Treatment of plaque psoriasis by sequential therapy with two 'biologics': the 'hit and run' approach, a report of two cases
C.BARDE, A-M.THIELEN, S.KUENZLI AND J-H.SAURAT

213 Improvement of psoriasis and cutaneous side-effects during tyrosine kinase inhibitor therapy for renal metastatic adenocarcinoma. A role for epidermal growth factor receptor (EGFR) inhibitors in psoriasis?
E.WIERZBICKA, J.M.TOURANI AND G.GUILLET

214 A 2005 survey of clinical academic staff in U.K. dermatology
J.L.REES AND E.HEALY

215 Successful treatment of vulval melanoma in situ with topical 5% imiquimod cream
A.A.LONSDALE-ECCLES, J.M.MORGAN, S.NAGARAJAN AND D.J.CRUICKSHANK

217 Prognostic factors for a subsequent basal cell carcinoma: implications for follow-up
V.MADAN, P.R.HOBAN, R.C.STRANGE, A.A.FRYER AND J.T.LEAR

218 Epidermodysplasia verruciformis with severe hands and feet deformity successfully treated by surgical excision
F.FANG, L.ZHAO, M-J.JIANG, Y.WANG AND Q-Q.WANG

219 Idiopathic polydactylous longitudinal erythronychia: a newly described entity
R.BARAN, R.P.R.DAWBER, C.PERRIN AND J.L.DRAPE

221 Wegener's granulomatosis presenting with granulomatous facial erythematous papules and plaques mimicking granulomatous rosacea
M.STEINHOFF, J.STEINHOFF-GEORGIEVA, C.C.GEILEN AND C.ASSAF

223 Cutaneous xanthomatosis: a novel presentation of hypercholesterolaemia in primary sclerosing cholangitis
N.RAJAN, A.J.CARMICHAEL, M.G.BRAMBLE AND M.HUDSON

225 Phacomatosis pigmentokeratotica associated with hypophosphataemic rickets, pheochromocytoma and multiple basal cell carcinomas
J.BOUTHORS, M-C.VANTYGHEM, S.MANOUVRIER-HANU, B.SOUDAN, E.PROUST, R.HAPPLE AND F.PIETTE

227 Vaginal bleeding after initiation of isotretinoin in a female-to-male transsexual on testosterone
A.L.ISENSTEIN, E.A.HURST AND T.A.MAURER

228 Psoriasis management: considerations in women of childbearing age
S.DAVIES AND A.Y.FINLAY

228 **News and Notices**

231 **BSID Abstracts**

Volume 155, Number 2, August

Snippets
Research Snippets
Clinical Snippets

Review article

261 Minimizing adverse side-effects of oral bexarotene in cutaneous T-cell lymphoma: an expert opinion
C.ASSAF, M.BAGOT, R.DUMMER, M.DUVIC, R.GNIADECKI, R.KNOBLER, A.RANKI, P.SCHWANDT AND S.WHITTAKER

Original articles

Cutaneous Biology

267 Autologous full-thickness skin substitute for healing chronic wounds
S.GIBBS, H.M.VAN DEN HOOGENBAND, G.KIRTSCHIG, C.D.RICHTERS, S.W.SPIEKSTRA, M.BREETVELD, R.J.SCHEPER AND E.M.DE BOER

275 Regulation of cutaneous drug-metabolizing enzymes and cytoprotective gene expression by topical drugs in human skin *in vivo*
G.SMITH, S.H.IBBOTSON, M.M.COMRIE, R.S.DAWE, A.BRYDEN, J.FERGUSON AND C.R.WOLF

282 Differentiation potential of human embryonic mesenchymal stem cells for skin-related tissue
M.WU, L.YANG, S.LIU, H.LI, N.HUI, F.WANG AND H.LIU

292 Ultraviolet (UV) A- and UVB-induced redox alterations and activation of nuclear factor-κB in human melanocytes—protective effects of α-tocopherol
P.LARSSON, K.ÖLLINGER AND I.ROSDAHL

Clinical and Laboratory Investigations

301 Several herpesviruses can reactivate in a severe drug-induced multiorgan reaction in the same sequential order as in graft-versus-host disease
Y.KANO, K.HIRAHARAS, K.SAKUMA AND T.SHIOHARA

307 Sociodemographic factors in chronic leg ulceration
C.J.MOFFATT, P.J.FRANKS, D.C.DOHERTY, R.SMITHDALE AND R.MARTIN

313 Epidermolysis bullosa simplex in Japanese and Korean patients: genetic studies in 19 cases
K.YASUKAWA, D.SAWAMURA, M.GOTO, H.NAKAMURA, S-Y.JUNG, S-C.KIM AND H.SHIMIZU

318 Increased expression of the natural killer cell inhibitory receptor CD94/NKG2A and CD158b on circulating and lesional T cells in patients with chronic plaque psoriasis
Y.H.LIAO, S.H.JEE, B.C.SHEU, Y.L.HUANG, M.P.TSENG, S.M.HSU AND T-F.TSAI

325 Genital porokeratosis: a series of 10 patients and review of the literature
T-J.CHEN, Y-C.CHOU, C-H.CHEN, T-T.KUO AND H-S.HONG

330 Serum levels of BAFF are increased in bullous pemphigoid but not in pemphigus vulgaris
N.ASASHIMA, M.FUJIMOTO, R.WATANABE, H.NAKASHIMA, N.YAZAWA, H.OKOCHI AND K.TAMAKI

337 Sera from patients with toxic epidermal necrolysis contain autoantibodies to periplakin
G.T.PARK, G.QUAN AND J.B.LEE

344 Reactivation of human herpesvirus (HHV) family members other than HHV-6 in drug-induced hypersensitivity syndrome
M.SEISHIMA, S.YAMANAKA, T.FUJISAWA, M.TOHYAMA AND K.HASHIMOTO

350 TNF-α gene 1031 T/C polymorphism in Turkish patients with Behçet's disease
A.AKMAN, N.SALLAKCI, M.COSKUN, A.BACANLI, U.YAVUZER, E.ALPSOY AND O.YEGIN

Dermatological Surgery and Lasers

357 ^{18}F-fluorodeoxyglucose–positron emission tomography in evaluation of primary cutaneous lymphoma
R.KUMAR, Y.XIU, H.M.ZHUANG AND A.ALAVI

364 Optimal parameters for the treatment of leg veins using Nd:YAG lasers at 1064 nm
W.BÄUMLER, H.ULRICH, A.HARTL, M.LANDTHALER AND G.SHAFIRSTEIN

Dermatopathology

372 Human T-cell lymphotropic virus type 1 provirus and phylogenetic analysis in patients with mycosis fungoides and their family relatives
M.SHOHAT, B.SHOHAT, D.MIMOUNI, G.PAULI, H.ELLERBROK, M.DAVID AND E.HODAK

379 Mycosis fungoides associated with B-cell malignancies
A.BARZILAI, H.TRAU, M.DAVID, M.FEINMESSER, R.BERGMAN, D.SHPIRO, G.SCHIBY, K.ROSENBLATT, R.OR AND E.HODAK

Epidemiology and Health Services Research

387 Preferences for aspects of a dermatology consultation
J.COAST, C.SALISBURY, D.DE BERKER, A.NOBLE, S.HORROCKS, T.J.PETERS AND T.N.FLYNN

393 The impact of psoriasis guidelines on appropriateness of referral from primary to secondary care: a randomized controlled trial
C.E.M.GRIFFITHS, H.TAYLOR, S.I.COLLINS, J.E.HOBSON, P.A.COLLIER, R.J.G.CHALMERS, E.J.C.STEWART AND P.DEY

401 Basal cell carcinoma: histological classification and body-site distribution
B.A.RAASCH, P.G.BUETTNER AND C.GARBE

Photobiology

408 Inhibition of nitric oxide and reactive oxygen species production improves the ability of a sunscreen to protect from sunburn, immunosuppression and photocarcinogenesis
P.A.J.RUSSO AND G.M.HALLIDAY

416 Validation of a semiautomated method of minimal erythema dose testing for narrowband ultraviolet B phototherapy
S.G.H.OTMAN, C.EDWARDS, B.GAMBLES AND A.V.ANSTEY

Therapeutics

422 Variability in the clinical pattern of cutaneous side-effects of drugs with systemic symptoms: does a DRESS syndrome really exist?
H.PEYRIÈRE, O.DEREURE, H.BRETON, P.DEMOLY, M.COCIGLIO, J-P.BLAYAC, D.HILLAIRE-BUYS AND THE NETWORK OF THE FRENCH PHARMACOVIGILANCE CENTERS

429 A placebo-controlled randomized study on the clinical effectiveness, immunohistochemical changes and protoporphyrin IX accumulation in fractionated 5-aminolaevulinic acid-photodynamic therapy in patients with psoriasis
T.SMITS, M.M.KLEINPENNING, P.E.J.VAN ERP, P.C.M.VAN DE KERKHOF AND M-J.P.GERRITSEN

Concise communications

437 Male New Zealand Black/KN mice: a novel model for autoimmune-induced permanent alopecia?
A.HIROI, T.ITO, N.SEO, K.UEDE, T.YOSHIMASU, M.ITO, K.NAKAMURA, N.ITO, R.PAUS AND F.FURUKAWA

446 Clinical and serological follow-up studies of endemic pemphigus foliaceus (fogo selvagem) in Western Parana, Brazil (2001–2002)
J.C.EMPINOTTI, V.AOKI, A.FILGUEIRA, S.A.P.SAMPAIO, E.A.RIVITTI, J.A.SANCHES JR, N.LI, J.HILARIO-VARGAS, L.A.DIAZ AND THE COOPERATIVE GROUP ON FOGO SELVAGEM RESEARCH

451 Successful treatment of multiple actinic keratoses in organ transplant patients with topical 5% imiquimod: a report of six cases
C.ULRICH, J.O.BUSCH, T.MEYER, I.NINDL, T.SCHMOOK, W.STERRY AND E.STOCKFLETH

Case reports

455 Dramatic improvement of psoriatic erythroderma after acute hepatitis: analysis of cytokine synthesis capability in peripheral blood T cells
Y.KANO, Y.TERAKI AND T.SHIOHARA

460 Eosinophilic ulcer of the oral mucosa: another histological simulator of CD30+ lymphoproliferative disorders
S.SEGURA, D.ROMERO, J.M.MASCARÓ JR, L.COLOMO, J.FERRANDO AND T.ESTRACH

464 Acquired erythropoietic protoporphyria as a result of myelodysplasia causing loss of chromosome 18
R.P.E.SARKANY, G.ROSS AND F.WILLIS

Gene corner

467 A novel mutation in the ARS (component B) gene encoding SLURP-1 in a Turkish family with mal de Meleda
M.H.MUSLUMANOGLU, N.SARACOGLU, O.CILINGIR, T.BASMACI, S.URER, I.SABUNCU, S.DEMIR, G.BADEMCI AND S.ARTAN

470 New compound heterozygous mutations in a Chinese family with lipoid proteinosis
C.Y.WANG, P.Z.ZHANG, F.R.ZHANG, J.LIU, H.Q.TIAN AND L.YU

473 Two frameshift mutations of the double-stranded RNA-specific adenosine deaminase gene in Chinese pedigrees with dyschromatosis symmetrica hereditaria
Y.LIU, S-X.XIAO, Z-H.PENG, X-B.LEI, J-M.WANG, Y.LI AND X-L.LI

Correspondence

477 Erlotinib associated with rosacea-like folliculitis and *Malassezia sympodialis*
M.S.CUÉTARA, A.AGUILAR, L.MARTIN, C.ASPIROZ AND A.DEL PALACIO

479 Linear IgA disease presenting as prurigo nodularis
D.TORCHIA, M.CAPRONI, E.DEL BIANCO, E.COZZANI, S.KETABCHI AND P.FABBRI

481 Musculoskeletal and myotoxic side-effects in a patient treated for psoriasis
S.KHAN, L.EL-DARS AND P.J.HOLT

482 Validation of the 'Polymorphic Light Eruption Severity Index'
R.A.PALMER, C.B.VAN DE PAS, A.R.YOUNG, S.L.WALKER, P.J.MILLIGAN AND J.L.M.HAWK

484 Small cell variant of CD30+ primary cutaneous T-cell lymphoma with epidermotropism that completely regressed after incisional skin biopsy
T.KAMIYA, K.SAGA, K.YANAGISAWA, R.KANEKO, T.YAMASHITA, O.ISHIDA AND K.JIMBOW

487 Topical glycopyrrolate should not be overlooked in treatment of focal hyperhidrosis
G.M.KAVANAGH, C.BURNS AND R.D.ALDRIDGE

487 No evidence for therapeutic effect of topical ciclosporin in oral lichen planus
N.J.LEVELL

488 No evidence for therapeutic effect of topical ciclosporin in oral lichen planus: reply from authors
M.CARROZZO, D.CONROTTO, M.CARBONE AND S.GANDOLFO

488 Complete remission of multiple satellite and in-transit melanoma metastases after sequential treatment with isolated limb perfusion and topical imiquimod
J.UTIKAL, A.ZIMPFER, A.THOELKE, R.FIGL, R.HILDENBRAND, C.KETTELHACK, S.GOERDT, D.SCHADENDORF AND S.UGUREL

491 Systemic illness with skin eruption, fever and positive lymphocyte transformation test in a patient on irbesartan
S.CONSTABLE, J.FARRELL, D.NAISBITT, C.KING, N.LEONARD AND M.PIRMOHAMED

493 Imatinib mesilate inhibits melanogenesis *in vitro*
M.CARIO-ANDRÉ, L.ARDILOUZE, C.PAIN, Y.GAUTHIER, F-X.MAHON AND A.TAIEB

494 Cutaneous, perivulvar and perianal ulcerations induced by nicorandil
A.CLAEYS, F.WEBER-MULLER, P.TRECHOT, J-F.CUNY, M-Y.GEORGES, A.BARBAUD AND J-L.SCHMUTZ

496 Generalized pustular psoriasis complicated by acute respiratory distress syndrome
M.R.GRIFFITHS, W.PORTER, L.A.FERGUSSON-WOOD AND B.ADRIAANS

Book reviews

498 Atlas of Dermatology, 5th edn. Lionel Fry (editor). London: Taylor & Francis, 2005
D.K.B.ARMSTRONG

498 Latex Intolerance. Basic Science, Epidemiology, and Clinical Management. Mahbub M.U. Chowdhury and Howard I. Maibach (editors). Boca Raton: CRC Press, 2004
J.ENGLISH

499 **News and Notices**

500 **Erratum**

Volume 155, Number 3, September

Snippets

Research Snippets
Clinical Snippets

Editorial

501 Erythropoietic protoporphyria advances today, with thanks also to the late Professor Ian Magnus
G.M.MURPHY AND J.L.M.HAWK

Review article

504 What causes worsening of eczema? A systematic review
S.M.LANGAN AND H.C.WILLIAMS

Original articles

Cutaneous biology

515 Interferon-γ-deficient mice are resistant to the development of alopecia areata
P.FREYSCHMIDT-PAUL, K.J.MCELWEE, R.HOFFMANN, J.P.SUNDBERG, M.VITACOLONNA, S.KISSLING AND M.ZÖLLER

522 Spatial expressions of fibronectin and integrins by human and rodent dermal fibroblasts
M.YASUDA, Y.MIYACHI, O.ISHIKAWA AND K.TAKAHASHI

532 Pattern of growth and adiposity from infancy to adulthood in atopic dermatitis
J.A.ELLISON, L.PATEL, T.KECOJEVIC, P.J.FOSTER, T.J.DAVID AND P.E.CLAYTON

Clinical and laboratory investigations

539 Heterogeneity of fluorescence in psoriasis after application of 5-aminolaevulinic acid: an immunohistochemical study
M.M.KLEINPENNING, T.SMITS, E.EWALDS, P.E.J.VAN ERP, P.C.M.VAN DE KERKHOF AND M.J.P.GERRITSEN

546 Correlation with digital dermoscopic images can help dermatopathologists to diagnose equivocal skin tumours
J.BAUER, B.LEINWEBER, G.METZLER, A.BLUM, R.HOFMANN-WELLENHOF, N.LEITZ, K.DIETZ, H.P.SOYER AND C.GARBE

552 Fine-needle aspiration biopsy with ultrasound guidance in patients with malignant melanoma and palpable lymph nodes
S.DALLE, C.PAULIN, V.LAPRAS, B.BALME, S.RONGER-SAVLE AND L.THOMAS

557 Remembering childhood atopic dermatitis as an adult: factors that influence recollection
C.MOBERG, B.MEDING, B.STENBERG, Å.SVENSSON AND M.LINDBERG

561 Acral lentiginous melanoma: a clinicoprognostic study of 126 cases
A.PHAN, S.TOUZET, S.DALLE, S.RONGER-SAVLÉ, B.BALME AND L.THOMAS

570 Micro-melanoma detection: a clinical study on 206 consecutive cases of pigmented skin lesions with a diameter ≤ 3 mm
A.BONO, E.TOLOMIO, S.TRINCONE, C.BARTOLI, S.TOMATIS, A.CARBONE AND M.SANTINAMI

574 Erythropoietic protoporphyria in the U.K.: clinical features and effect on quality of life
S.A.HOLME, A.V.ANSTEY, A.Y.FINLAY, G.H.ELDER AND M.N.BADMINTON

Dermatopathology

582 Heat shock protein 105 is overexpressed in squamous cell carcinoma and extramammary Paget disease but not in basal cell carcinoma
F.C.MUCHEMWA, T.NAKATSURA, H.IHN AND T.KAGESHITA

586 Expression of insulin-like growth factor-1 receptor, p-AKT and p-ERK1/2 protein in extramammary Paget's disease
H.LIU, Y.MOROI, S.YASUMOTO, H.KOKUBA, S.IMAFUKU, T.KOGA, T.MASUDA, Y.TU, M.FURUE AND K.URABE

Epidemiology and health services research

592 Development and evaluation of an e-learning package for teaching skin examination. Action research
H.FARRIMOND, T.L.DORNAN, A.COCKCROFT AND L.E.RHODES

Photobiology

600 Ultraviolet A1-induced downregulation of human β-defensins and interleukin-6 and interleukin-8 correlates with clinical improvement in localized scleroderma
A.KREUTER, J.HYUN, M.SKRYGAN, A.SOMMER, A.BASTIAN, P.ALTMEYER AND T.GAMBICHLER

Therapeutics

608 Topical methyl aminolaevulinate photodynamic therapy for treatment of facial acne vulgaris: results of a randomized, controlled study
C.HORFELT, J.FUNK, M.FROHM-NILSSON, D.WIEGLEB EDSTRÖM AND A-M.WENNBERG

Case reports

614 Insect-bite-like Wells' syndrome in association with mantle-zone lymphoma
T.ZEELI, M.FEINMESSER, R.SEGAL AND M.DAVID

617 Novel treatment of Sézary-like syndrome due to adult T-cell leukaemia/lymphoma with daclizumab (humanized anti-interleukin-2 receptor α antibody)
G.E.N.OSBORNE, A.PAGLIUCA, A.HO AND A.W.P.DU VIVIER

621 Koebnerizing sclerodermatous graft-versus-host disease caused by donor lymphocyte infusion and interferon-α
J.M.L.WHITE, S.DEVEREUX, A.PAGLIUCA, J.R.SALISBURY, A.W.P.DU VIVIER AND D.CREAMER

Gene corner

624 L457F missense mutation within the 2B rod domain of keratin 9 in a Japanese family with epidermolytic palmoplantar keratoderma
A.KON, N.ITO, Y.KUDO, K.NOMURA, K.YONEDA, K.HANADA, I.HASHIMOTO AND K.TAKAGAKI

Correspondence

627 Tumoral melanosis as a manifestation of a completely regressed primary melanoma with metastases
S.H.NG AND T.A.CHAVE

628 Disseminated dermatophytic pseudomycetomas arising in an immunocompromised patient
I.PETROV, W.KEMPF, D.STOILOVA, V.BROSHTILOVA, G.MATEEV AND M.BALABANOVA

630 Suberythrodermic pustular psoriasis induced by clopidogrel
M.MEISSNER, C.BEIER, M.WOLTER, R.KAUFMANN AND J.GILLE

631 Recurrence-free survival after sentinel node biopsy in melanoma?
A.J.HAYES AND J.M.THOMAS

632 CD10 is expressed in dermatofibromas
K-J.LEE, J-M.YANG, E-S.LEE, D-Y.LEE AND K-T.JANG

633 A follow-up: previously reported apparent lymphomatoid contact dermatitis, now followed by T-cell prolymphocytic leukaemia
S.ABRAHAM, R.P.BRAUN, T.MATTHES AND J-H.SAURAT

634 Urinary retention caused by topical glycopyrrolate for hyperhidrosis
V.MADAN AND M.H.BECK

635 Pharmaceutical companies' policies and practices regarding prospective registration of dermatology-related clinical trials
J.P.LOTT AND K.A.KATZ

638 Thymoma, myasthenia gravis, eruptions of pemphigus vulgaris and a favourable course of relapsing melanoma: an immunological puzzle
S.MEYER, M.KROISS, M.LANDTHALER AND T.VOGT

640 Fasciitis–panniculitis syndrome and advanced gastric adenocarcinoma in association with antibodies to single-stranded DNA
T.IDO, T.KIYOHARA, T.SAWAI, M.KUMAKIRI AND K.ISHIGURO

642 Fungiform papillary glossitis: a 'new' diagnosis or a 'misdiagnosis'?
S.I.CHAUDHRY, J.A.G.BUCHANAN, A.BOULTER, T.A.HODGSON AND S.R.PORTER

Book review

643 Atlas of Genodermatoses. Ruggero Caputo and Gianluca Tadini. London: Taylor and Francis, 2006
C.MOSS

644 **News and Notices**

Abstracts

645 20th Annual Symposium of the British Society of Paediatric Dermatology, 11–12 November 2005, Newcastle upon Tyne, U.K.

Volume 155, Number 4, October

Snippets
Research Snippets
Clinical Snippets

Review article

653 Imiquimod in the treatment of lentigo maligna
S.F.RAJPAR AND J.R.MARSDEN

Original articles

Cutaneous biology

657 Substance P receptor expression in human skin keratinocytes and fibroblasts
J-Y.LIU, J-H.HU, Q-G.ZHU, F-Q.LI AND H-J.SUN

663 Psoriasis vulgaris in Chinese individuals is associated with *PSORS1C3* and *CDSN* genes
Y.T.CHANG, C.T.CHOU, Y.M.SHIAO, M.W.LIN, C.W.YU, C.C.CHEN, C.H.HUANG, D.D.LEE, H.N.LIU, W.J.WANG AND S.F.TSAI

670 Intercellular adhesion molecule-1: a consistent inflammatory marker of the cutaneous radiation reaction both in vitro and in vivo
K.MÜLLER, F.-M.KÖHN, M.PORT, M.ABEND, M.MOLLS, J.RING AND V.MEINEKE

Clinical and laboratory investigations

680 Skin colonization by *Staphylococcus aureus* in patients with eczema and atopic dermatitis and relevant combined topical therapy: a double-blind multicentre randomized controlled trial
J.Q.GONG, L.LIN, T.LIN, F.HAO, F.Q.ZENG, Z.G.BI, D.YI AND B.ZHAO

688 Assessment of epidermal subpopulations and proliferation in healthy skin, symptomless and lesional skin of spreading psoriasis
J.E.M.KÖRVER, M.W.F.M.VAN DUIJNHOVEN, M.C.PASCH, P.E.J.VAN ERP AND P.C.M.VAN DE KERKHOF

695 Dermoscopy in black people
V.DE GIORGI, E.TREZ, C.SALVINI, R.DUQUIA, D.DE VILLA, S.SESTINI, R.GERVINI AND T.LOTTI

700 Evaluation of the atrophogenic potential of different glucocorticoids using optical coherence tomography, 20-MHz ultrasound and profilometry; a double-blind, placebo-controlled trial
M.COßMANN AND J.WELZEL

707 A study examining inter- and intrarater reliability of three scales for measuring severity of psoriasis: Psoriasis Area and Severity Index, Physician's Global Assessment and Lattice System Physician's Global Assessment
J.BERTH-JONES, K.GROTZINGER, C.RAINVILLE, B.PHAM, J.HUANG, S.DALY, M.HERDMAN, P.FIRTH AND K.HOTCHKISS

714 Intravenous immunoglobulin-associated arterial and venous thrombosis; report of a series and review of the literature
I.MARIE, G.MAUREY, F.HERVÉ, M.-F.HELLOT AND H.LEVESQUE

722 Expression of cytokines and chemokine receptors in the cutaneous lesions of erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis
M.CAPRONI, D.TORCHIA, E.SCHINCAGLIA, W.VOLPI, A.FREZZOLINI, D.SCHENA, A.MARZANO, P.QUAGLINO, C.DE SIMONE, A.PARODI, E.BARLETTA AND P.FABBRI

729 European patient perspectives on the impact of psoriasis: the EUROPSO patient membership survey
L.DUBERTRET, U.MROWIETZ, A.RANKI, P.C.M.VAN DE KERKHOF, S.CHIMENTI, T.LOTTI AND G.SCHÄFER ON BEHALF OF THE EUROPSO PATIENT SURVEY

Contact dermatitis and allergy

737 Photopatch testing of 1155 patients: results of the U.K. multicentre photopatch study group
A.M.BRYDEN, H.MOSELEY, S.H.IBBOTSON, M.M.U.CHOWDHURY, M.H.BECK, J.BOURKE, J.ENGLISH, P.FARR, I.S.FOULDS, D.J.GAWKRODGER, S.GEORGE, D.I.ORTON, S.SHAW, J.MCFADDEN, P.NORRIS, P.PODMORE, S.POWELL, L.E.RHODES, J.SANSOM, M.WILKINSON, H.VAN WEELDEN AND J.FERGUSON

Dermatological surgery and lasers

748 Investigation of the mechanism of action of nonablative pulsed-dye laser therapy in photorejuvenation and inflammatory acne vulgaris
E.D.SEATON, P.E.MOUSER, A.CHARAKIDA, S.ALAM, P.E.SELDON AND A.C.CHU

Dermatopathology

756 Molecular staging of lymph nodes from 60 patients with mycosis fungoides and Sézary syndrome: correlation with histopathology and outcome suggests prognostic relevance in mycosis fungoides
E.A.FRASER-ANDREWS, T.MITCHELL, S.FERREIRA, P.T.SEED, R.RUSSELL-JONES, E.CALONJE AND S.J.WHITTAKER

763 Tenascin-C patterns and splice variants in actinic keratosis and cutaneous squamous cell carcinoma
C.DANG, M.GOTTSCHLING, J.ROEWERT, T.FORSCHNER, E.STOCKFLETH AND I.NINDL

Epidemiology and health services research

771 Is head and neck melanoma a distinct entity? A clinical registry-based comparative study in 5702 patients with melanoma
B.HOERSCH, U.LEITER AND C.GARBE

Paediatric dermatology

778 Characteristics of extrinsic vs. intrinsic atopic dermatitis in infancy: correlations with laboratory variables
J.-H.PARK, Y.-L.CHOI, J.-H.NAMKUNG, W.-S.KIM, J.-H.LEE, H.-J.PARK, E.-S.LEE AND J.-M.YANG

Photobiology

784 Economic evaluation of methyl aminolaevulinate-based photodynamic therapy in the management of actinic keratosis and basal cell carcinoma
K.CAEKELBERGH, L.ANNEMANS, J.LAMBERT AND R.ROELANDTS

791 Topical application of 5-aminolaevulinic acid, methyl 5-aminolaevulinate and hexyl 5-aminolaevulinate on normal human skin
A.JUZENIENE, P.JUZENAS, L.-W.MA, V.IANI AND J.MOAN

Therapeutics

800 A comparison of twice-daily calcipotriol ointment with once-daily short-contact dithranol cream therapy: a randomized controlled trial of supervised treatment of psoriasis vulgaris in a day-care setting
P.C.M.VAN DE KERKHOF, P.G.M.VAN DER VALK, O.Q.J.SWINKELS, M.KUCHAREKOVA, M.A.DE RIE, H.J.C.DE VRIES, R.DAMSTRA, A.P.ORANJE, F.B.WAARD-VAN DER SPEK, P.VAN NEER, R.L.P.LIJNEN, A.C.M.KUNKELER, C.HEES, N.G.J.HAERTLEIN AND C.W.HOL

808 Initial experience with routine administration of etanercept in psoriasis
M.GROOT, M.APPELMAN, P.I.SPULS, M.A.DE RIE AND J.D.BOS

Concise communications

815 Unusual histopathological features of cutaneous leishmaniasis identified by polymerase chain reaction specific for *Leishmania* on paraffin-embedded skin biopsies
A.BOER, N.BLODORN-SCHLICHT, D.WIEBELS, V.STEINKRAUS AND T.M.FALK

820 Bullous pemphigoid triggered by influenza vaccination? Ecological study in Galicia, Spain
I.GARCÍA-DOVAL, E.MAYO, J.NOGUEIRA FARIÑA AND M.J.CRUCES

Case reports

824 Platelet-derived growth factor receptor-α-associated hypereosinophilic syndrome and lymphomatoid papulosis
T.MCPHERSON, E.W.COWEN, E.MCBURNEY AND A.D.KLION

827 Schnitzler syndrome associated with systemic marginal zone B-cell lymphoma
S.DALLE, B.BALME, C.SEBBAN, C.PARISET, F.BERGER AND L.THOMAS

830 Atypical cutaneous leishmaniasis in two patients receiving low-dose methotrexate
M.SAHA, D.SHIPLEY, S.MCBRIDE, C.KENNEDY AND F.VEGA-LOPEZ

Gene corner

834 Glycine substitution mutations by different amino acids at the same codon in COL7A1 cause different modes of dystrophic epidermolysis bullosa inheritance
D.SAWAMURA, Y.MOCHITOMI, T.KANZAKI, H.NAKAMURA AND H.SHIMIZU

838 A case of recessive dystrophic epidermolysis bullosa caused by compound heterozygous mutations in the *COL7A1* gene
S.SUZUKI, Y.SHIMOMURA, Y.YAMAMOTO, N.KARIYA, M.SHIBUYA, M.ITO AND H.FUJIWARA

Correspondence

841 Delusional parasitosis presenting as folie à trois: successful treatment with risperidone
A.C.FRIEDMANN, A.EKEOWA-ANDERSON, R.TAYLOR AND A.BEWLEY

842 Increased mortality in toxic epidermal necrolysis with thalidomide: corroborating or exonerating the pathogenetic role of TNF-αα
M.R.NAMAZI

843 Fumaric acid esters for severe psoriasis: the Leicestershire experience
M.J.SLADDEN, J.E.OSBORNE AND P.E.HUTCHINSON

844 Connexin 30, a new marker of hyperproliferative epidermis
G.LEMAÎTRE, V.SIVAN, J.LAMARTINE, J.-M.COSSET, B.CAVELIER-BALLOY, D.SALOMON, G.WAKSMAN AND M.T.MARTIN

846 Infliximab- and methotrexate-resistant rebound of psoriasis after discontinuation of efalizumab (Raptiva®)
A.M.THIELEN, C.BARDE AND J.H.SAURAT

847 *Parthenium* contact sensitivity travels to the U.K.
M.N.SINGH AND M.H.BECK

848 Development of oil cysts after subcutaneous injection of interferon-α and interleukin-2
E.VON STEBUT AND W.BRÄUNINGER

850 Methylenetetrahydrofolate reductase polymorphism associated with moderate hyperhomocysteinaemia in a patient with livedo vasculopathy: treatment with vitamin supplementation and low molecular weight heparin
J.RAMPF, C.SUNDERKÖTTER, G.HIRSCHFELD, K.SCHARFFETTER-KOCHANEK AND J.M.WEISS

852 The PRIDE (Papulopustules and/or paronychia, Regulatory abnormalities of hair growth, Itching, and Dryness due to Epidermal growth factor receptor inhibitors) syndrome
M.E.LACOUTURE AND S.E.LAI

854 Can pemphigoid be provoked by lisinopril?
A.KALIŃSKA-BIENIAS, T.T.ROGOZIŃSKI, K.WOŹNIAK AND C.KOWALEWSKI

856 Failure of topical 01% alitretinoin gel for classic Kaposi sarcoma: first European experience
F.RONGIOLETTI, E.ZACCARIA AND G.VIGLIZZO

857 Malignant melanoma in renal transplant recipients
M.E.LAING, F.J.MOLONEY, H.COMBER, P.CONLON AND G.M.MURPHY

858 Focal hyperhidrosis of the anal fold: a simple technique for diagnosis and evaluation of therapy
F.G.BECHARA, M.SAND, D.SAND, R.K.ACHENBACH, P.ALTMEYER AND K.HOFFMANN

858 CD10 is expressed in dermal sheath cells of the hair follicles in human scalp
K-J.LEE, Y-L.CHOI, W-S.KIM, J-H.LEE, J-M.YANG, E-S.LEE, D-Y.LEE AND K-T.JANG

860 Milia complicating successfully treated cutaneous leishmaniasis in three children
S.L.WALKER, L.WHITTAM, F.VEGA-LOPEZ AND D.N.J.LOCKWOOD

861 Methotrexate treatment in cutaneous lupus erythematosus: subcutaneous application is as effective as intravenous administration
A.HUBER, T.TUTING, R.BAUER, T.BIEBER AND J.WENZEL

Book review

863 Treatment of Skin Disease — Comprehensive Therapeutic Strategies, 2nd Edition
DAVID J.EEDY

864 **News and Notices**

865 **Corrigendum**

Abstracts

866 British Epidermo-Epidemiology Society BEES) Annual Meeting, St Andrew's, 30 March 2006

Volume 155, Number 5, November

Snippets
Research Snippets
Clinical Snippets

Review articles

869 Bleomycin and the skin
T.YAMAMOTO

876 The role of neuropeptides in psoriasis
R.SARACENO, C.E.KLEYN, G.TERENGHI AND C.E.M.GRIFFITHS

Original articles

Cutaneous biology

883 Changes in the number of Merkel cells with the hair cycle in hair discs on rat back skin
J.NAKAFUSA, Y.NARISAWA, T.SHINOGI, K.TAIRA, T.TANAKA, T.INOUE AND N.MISAGO

890 Sebum output as a factor contributing to the size of facial pores
M.ROH, M.HAN, D.KIM AND K.CHUNG

895 Comedolytic effect of topically applied active vitamin D_3 analogue on pseudocomedones in the rhino mouse
N.HAYASHI, H.WATANABE, H.YASUKAWA, H.URATSUJI, H.KANAZAWA, M.ISHIMARU, N.KOTERA, M.AKATSUKA AND M.KAWASHIMA

902 Isolation and characterization of outer root sheath melanocytes of human hair follicles
G.Y.NA, S.H.PAEK, B.C.PARK, D.W.KIM, W.J.LEE, S.J.LEE, M.K.KIM AND J.C.KIM

Clinical and laboratory investigations

910 Investigation of the corticotropin-releasing hormone–proopiomelanocortin axis in various skin tumours
M.H.KIM, D.CHO, H.J.KIM, S.J.CHONG, K.H.LEE, D.S.YU, C.J.PARK, J.Y.LEE, B.K.CHO AND H.J.PARK

916 Specialist dermatology clinics for organ transplant recipients significantly improve compliance with photoprotection and levels of skin cancer awareness
F.ISMAIL, L.MITCHELL, D.CASABONNE, A.GULATI, R.NEWTON, C.M.PROBY AND C.A.HARWOOD

926 Follicular miniaturization in female pattern hair loss: clinicopathological correlations
A.G.MESSENGER AND R.SINCLAIR

931 Cytokine alterations in lichen sclerosus: an immunohistochemical study
A.M.FARRELL, D.DEAN, P.R.MILLARD, F.M.CHARNOCK AND F.WOJNAROWSKA

941 Prospective aetiological study of diaper dermatitis in the elderly
N.FOUREUR, B.VANZO, S.MEAUME AND P.SENET

947 Oedema as a risk factor for multiple episodes of cellulitis/erysipelas of the lower leg: a series with community follow-up
N.H.COX

951 Dermoscopy of facial nonpigmented actinic keratosis
I.ZALAUDEK, J.GIACOMEL, G.ARGENZIANO, R.HOFMANN-WELLENHOF, T.MICANTONIO, A.DI STEFANI, M.OLIVIERO, H.RABINOVITZ, H.P.SOYER AND K.PERIS

957 Pruritus as a leading symptom: clinical characteristics and quality of life in German and Ugandan patients
E.WEISSHAAR, C.APFELBACHER, G.JÄGER, E.ZIMMERMANN, T.BRUCKNER, T.L.DIEPGEN AND H.GOLLNICK

965 Striae gravidarum in primiparae
G.S.S.ATWAL, L.K.MANKU, C.E.M.GRIFFITHS AND D.W.POLSON

970 Cutaneous innervation before and after one treatment period of acupuncture
C.P.CARLSSON, F.SUNDLER AND J.WALLENGREN

977 Characteristics of cutaneous cytomegalovirus infection in non-acquired immune deficiency syndrome, immunocompromised patients
Y-L.CHOI, J-A.KIM, K-T.JANG, D-S.KIM, W-S.KIM, J-H.LEE, J-M.YANG, E-S.LEE AND D-Y.LEE

983 Elevated serum IgA anticardiolipin antibody levels in adult Henoch–Schönlein purpura
T.KAWAKAMI, H.WATABE, M.MIZOGUCHI AND Y.SOMA

988 Dysplastic naevi with moderate to severe histological dysplasia: a risk factor for melanoma
A.R.SHORS, S.KIM, E.WHITE, Z.ARGENYI, R.L.BARNHILL, P.DURAY, L.ERICKSON, J.GUITART, M.G.HORENSTEIN, L.LOWE, J.MESSINA, M.S.RABKIN, B.SCHMIDT, C.R.SHEA, M.J.TROTTER AND M.W.PIEPKORN

994 Prevalence of vulval lichen planus in a cohort of women with oral lichen planus: an interdisciplinary study
P.BELFIORE, O.DI FEDE, D.CABIBI, G.CAMPISI, G.S.AMARÚ, S.DE CANTIS AND E.MARESI

Dermatopathology

999 Epigenetic abnormalities in cutaneous squamous cell carcinomas: frequent inactivation of the RB1/p16 and p53 pathways
K.MURAO, Y.KUBO, N.OHTANI, E.HARA AND S.ARASE

Epidemiology and health services research

1006 Poor agreement between self-reported and dermatologists' diagnoses for five common dermatoses
M.JAGOU, S.BASTUJI-GARIN, E.BOURDON-LANOY, D.PENSO-ASSATHIANY AND J-C.ROUJEAU ON BEHALF OF THE RÉSEAV D'EPIDÉMIOLOGIE EN DERMATOLOGIE (RED)

Paediatric dermatology

1013 Evaluation of methotrexate and corticosteroids for the treatment of localized scleroderma (morphoea) in children
L.WEIBEL, M.C.SAMPAIO, M.T.VISENTIN, K.J.HOWELL, P.WOO AND J.I.HARPER

Therapeutics

1021 Multicentre, phase II trial on the safety and efficacy of topical tacrolimus ointment for the treatment of lichen sclerosus
U.R.HENGGE, W.KRAUSE, H.HOFMANN, R.STADLER, G.GROSS, M.MEURER, T.BRINKMEIER, P.FROSCH, I.MOLL, P.FRITSCH, K.MÜLLER, N.MEYKADEH, A.MARINI, T.RUZICKA AND H.GOLLNICK

1029 Intraindividual, right–left comparison of topical methyl aminolaevulinate- photodynamic therapy and cryotherapy in subjects with actinic keratoses: a multicentre, randomized controlled study
C.MORTON, S.CAMPBELL, G.GUPTA, S.KEOHANE, J.LEAR, I.ZAKI, S.WALTON, N.KERROUCHE, G.THOMAS AND P.SOTO ON BEHALF OF THE AKTION INVESTIGATORS

Concise communications

1037 FK506 increases pigmentation and migration of human melanocytes
H.Y.KANG AND Y.M.CHOI

1041 Absent/reduced glucose transporter-1 protein expression in infantile subglottic haemangiomas
D.J.PURVIS, J.J.HARPER, B.E.HARTLEY AND N.J.SEBIRE

Case reports

1045 Efalizumab-induced autoimmune pancytopenia
W.L.TOM, M.D.MILLER, M.Y.HURLEY, T.SUNEJA, G.KUDVA, C.L.LEONARDI AND J.M.OBADIAH

1048 Childhood epidermolysis bullosa acquisita with autoantibodies against the noncollagenous 1 and 2 domains of type VII collagen: case report and review of the literature
M.MAYUZUMI, M.AKIYAMA, W.NISHIE, S.UKAE, M.ABE, D.SAWAMURA, T.HASHIMOTO AND H.SHIMIZU

1053 Late lethal hepatitis B virus reactivation after rituximab treatment of low-grade cutaneous B-cell lymphoma
G.PERCEAU, N.DIRIS, O.ESTINES, C.DERANCOURT, S.LÉVY AND P.BERNARD

1057 Poikiloderma, tendon contracture and pulmonary fibrosis: a new autosomal dominant syndrome?
N.P.KHUMALO, K.PILLAY, P.BEIGHTON, H.WAINWRIGHT, B.WALKER, N.SAXE, B.M.MAYOSI AND E.D.BATEMAN

Gene corner

1062 A case of epidermolysis bullosa simplex with a newly found missense mutation and polymorphism in the highly conserved helix termination motif among type I keratins, which was previously reported as a pathogenic missense mutation
N.HATTORI, M.KOMINE, T.KANEKO, K.SHIMAZU, Y.TSUNEMI, M.KOIZUMI, J.GOTO AND T.HASHIMOTO

1064 A novel *ABCA12* mutation 3270delT causes harlequin ichthyosis
M.AKIYAMA, K.SAKAI, G.WOLFF, I.HAUSSER, J.R.MCMILLAN, D.SAWAMURA AND H.SHIMIZU

1067 A novel familial germline mutation in the initiator codon of the *BHD* gene in a patient with Birt–Hogg–Dubé syndrome
D.BESSIS, S.GIRAUD AND S.RICHARD

1070 Two novel *TSC2* mutations in Chinese patients with tuberous sclerosis complex and a literature review of 20 patients reported in China
X.Y.ZHAO, S.YANG, H.L.ZHOU, Y.G.ZHU, L.WEI, W.H.DU, Y.Q.REN, Y.H.LIANG, Y.X.HOU, J.J.CHEN AND X.J.ZHANG

Correspondence

1074 Penile argyria
M.R.GRIFFITHS, J.T.MILNE AND W.M.PORTER

1075 Fatal erosive lichen planus
N.SHETH, R.BULL, R.CERIO, C.HARWOOD, E.O'TOOLE, D.PAIGE AND P.GOLDSMITH

1077 Two cases of delayed granulomatous reactions to the cosmetic filler Dermalive®, a hyaluronic acid and acrylic hydrogel
J.E.ANGUS, A.G.AFFLECK, I.H.LEACH AND L.G.MILLARD

1079 Highly active antiretroviral therapy-induced regression of basal cell carcinomas in a patient with acquired immunodeficiency and Gorlin syndrome
S.Y.CHAN, V.MADAN, J.T.LEAR AND M.HELBERT

1080 Management of onychomycosis and awareness of guidelines among dermatologists
S.F.RAJPAR AND A.ABDULLAH

1082 Phaeohyphomycosis caused by *Exophiala salmonis*
V.MADAN, D.BISSET, P.HARRIS, S.HOWARD AND M.H.BECK

1084 Presence of herpes simplex virus DNA in erythema multiforme but not polymorphic light eruption
A.WACKERNAGEL, N.ZOCHLING, B.BACK, H.KERL AND P.WOLF

1085 Successful treatment of stucco keratosis with maxacalcitol
Y.TERAKI, Y.SATO AND S.IZAKI

1087 Eosinophilic cellulitis as a presenting feature of chronic eosinophilic leukaemia, secondary to a deletion on chromosome 4q12 creating the *FIP1L1–PDGFRA* fusion gene
R.F.DAVIS, P.DUSANJH, A.MAJID, A.FLETCHER, A.WARDLAW, R.SIEBERT, M.J.S.DYER AND K.E.HARMAN

1089 Neutrophilic dermatosis of the dorsal hands treated with indomethacin
M.R.KAUR, M.A.BAZZA AND K.S.RYATT

1090 Alopecia areata associated with basal cell carcinoma developing within a naevus sebaceus
C.W.CHOI, B.J.KIM, E.S.PARK AND C.H.HUH

1092 Low-resolution teledermatology
R.M.STRAUSS

1093 Low-resolution teledermatology: reply from authors
C.MASSONE AND H.P.SOYER

1093 Filaggrin loss-of-function variant contributes to atopic dermatitis risk in the population of Northern Germany
A.RUETHER, M.STOLL, T.SCHWARZ, S.SCHREIBER AND R.FÖLSTER-HOLST

1094 Proteus syndrome with agenesis of the rectus abdominis
E.YOSUNKAYA FENERCI, S.DEĞIRMENCI, G.YESIL AND A.YUKSEL

1096 *Ustilago* species infection in humans
L.H.Y.TEO AND Y.K.TAY

1097 *Mycobacterium chelonae* infection complicating cosmetic facial surgery
M.SAHA, B.S.AZADIAN, L.ION AND C.B.BUNKER

1099 Sweet syndrome: vasculitis or not?
G.RATZINGER, W.BURGDORF AND B.ZELGER

1101 Gefitinib-induced acute generalized exanthematous pustulosis in two patients with advanced non-small-cell lung cancer
H-C.SHIH, Y-P.HSIAO, M.F.WU AND J-H.YANG

1103 Sweet syndrome associated with intrahepatic cholangiocarcinoma producing granulocyte colony-stimulating factor
Y.SHINOJIMA, Y.TOMA AND T.TERUI

1105 Long-term infliximab for severe hidradenitis suppurativa
A-M.THIELEN, C.BARDE AND J-H.SAURAT

1107 **News and Notices**

1108 **Corrigendum**

Volume 155, Number 6, December

Snippets
Research Snippets
Clinical Snippets

Review article

1109 The role of mast cells in atopy: what can we learn from canine models? A thorough review of the biology of mast cells in canine and human systems
F.DE MORA, A.PUIGDEMONT AND R.TORRES

Meeting report

1124 Updates from the Fourth International Congress 'Psoriasis: from Gene to Clinic', The Royal College of Physicians, London, U.K., 1–3 December 2005
R.D.R.CAMP

Original articles

Cutaneous biology

1131 Infrared exposure induces an angiogenic switch in human skin that is partially mediated by heat
M-S.KIM, Y.K.KIM, K.H.CHO AND J.H.CHUNG

Clinical and laboratory investigations

1139 Case–control study in basal cell carcinoma of the skin: single nucleotide polymorphisms in three interleukin promoters pre-analysed in pooled DNA
S.WILKENING, K.HEMMINKI, P.RUDNAI, E.GURZAU, K.KOPPOVA, R.KUMAR AND A.FORSTI

1145 Effect of small interfering RNA on the expression of connective tissue growth factor and type I and III collagen in skin fibroblasts of patients with systemic sclerosis
R.XIAO, F-Y.LIU, J-Y.LUO, X-J.YANG, H-Q.WEN, Y-W.SU, K-L.YAN, Y-P.LI AND Y-S.LIANG

1154 Epigenetic silencing contributes to frequent loss of the fragile histidine triad tumour suppressor in basal cell carcinomas
M.GOLDBERG, C.RUMMELT, A.LAERM, P.HELMBOLD, L.M.HOLBACH AND W.G.BALLHAUSEN

1159 Arteriographic evaluation of vascular changes of the extremities in patients with systemic sclerosis
M.HASEGAWA, Y.NAGAI, A.TAMURA AND O.ISHIKAWA

1165 Plasma homocysteine and folate levels in patients with chronic plaque psoriasis
M.MALERBA, P.GISONDI, A.RADAELI, R.SALA, P.G.CALZAVARA PINTON AND G.GIROLOMONI

1170 Ethnic characteristics of eyelashes: a comparative analysis in Asian and Caucasian females
J.I.NA, O.S.KWON, B.J.KIM, W.S.PARK, J.K.OH, K.H.KIM, K.H.CHO AND H.C.EUN

1177 A novel imaging technique as an adjunct to the *in vivo* diagnosis of nonmelanoma skin cancer
H.TEHRANI, J.WALLS, G.PRICE, S.COTTON, E.SASSOON AND P.HALL

1184 Ectodermal dysplasia of hair and nail type: mapping of a novel locus to chromosome17p12-q21.2
M.NAEEM, M.JELANI, K.LEE, G.ALI, M.S.CHISHTI, A.WALI, A.GUL, P.JOHN, M.J.HASSAN, S.M.LEAL AND W.AHMAD

1191 Downregulation of the inhibitor of apoptosis protein survivin in keratinocytes and endothelial cells in psoriasis skin following infliximab therapy
T.MARKHAM, C.MATHEWS, S.ROGERS, R.MULLAN, B.BRESNIHAN, O.FITZGERALD, D.J.VEALE AND U.FEARON

1197 Intralesional and intravenous treatment of cutaneous B-cell lymphomas with the monoclonal anti-CD20 antibody rituximab: report and follow-up of eight cases
K.KERL, C.PRINS, J.H.SAURAT AND L.E.FRENCH

1201 Genome-wide scan identifies a susceptibility locus for familial primary cutaneous amyloidosis on chromosome 5p13.1-q11.2
D-D.LEE, M-W.LIN, I-C.CHEN, C-Y.HUANG, M-T.LIU, C-R.WANG, Y-T.CHANG, H-N.LIU, T-T.LIU, C-K.WONG AND S-F.TSAI

1209 *Trichophyton* species: use of volatile fingerprints for rapid identification and discrimination
N.SAHGAL, B.MONK, M.WASIL AND N.MAGAN

Contact dermatitis and allergy

1217 Assessment of severity of hand eczema: discrepancies between patient- and physician-rated scores
A.M.van COEVORDEN, E.van SONDEREN, J.BOUMA AND P.J.COENRAADS

Dermatopathology

1223 Association of p53 Arg72Pro polymorphism and β-catenin accumulation in mycosis fungoides
B.BELLEI, C.COTA, A.AMANTEA, L.MUSCARDIN AND M.PICARDO

Epidemiology and health services research

1230 Cochrane Skin Group systematic reviews are more methodologically rigorous than other systematic reviews in dermatology
A.COLLIER, L.HEILIG, L.SCHILLING, H.WILLIAMS AND R.P.DELLAVALLE

1236 Trade-offs between the benefits and risks of drug treatment for psoriasis: a discrete choice experiment with U.K. dermatologists
D.M.ASHCROFT, E.SESTON AND C.E.M.GRIFFITHS

1242 Nurse-led clinics reduce severity of childhood atopic eczema: a review of the literature
E.MOORE, A.WILLIAMS, E.MANIAS AND G.VARIGOS

Paediatric dermatology

1249 An audit of the impact of a consultation with a paediatric dermatology team on quality of life in infants with atopic eczema and their families: further validation of the Infants' Dermatitis Quality of Life Index and Dermatitis Family Impact score
P.E.BEATTIE AND M.S.LEWIS-JONES

1256 Prospective, randomized controlled trial on *Lactobacillus rhamnosus* in infants with moderate to severe atopic dermatitis
R.FOLSTER-HOLST, F.MULLER, N.SCHNOPP, D.ABECK, I.KREISELMAIER, T.LENZ, U.von RUDEN, J.SCHREZENMEIR, E.CHRISTOPHERS AND M.WEICHENTHAL

Photobiology

1262 Photodynamic therapy using aminolaevulinic acid for patients with nonhyperkeratotic actinic keratoses of the face and scalp: phase IV multicentre clinical trial with 12-month follow up
E.H.TSCHEN, D.S.WONG, D.M.PARISER, F.E.DUNLAP, A.HOULIHAN AND M.B.FERDON AND THE PHASE IV ALA-PDT ACTINIC KERATOSIS STUDY GROUP

Therapeutics

1270 Cellular adhesion molecules in chronic urticaria: modulation of serum levels occurs during levocetirizine treatment
M.CAPRONI, W.VOLPI, B.GIOMI, D.TORCHIA, E.DEL BIANCO AND P.FABBRI

Concise communications

1275 Changes of antimicrobial peptide mRNA expression in atopic eczema following phototherapy
T.GAMBICHLER, M.SKRYGAN, N.S.TOMI, P.ALTMEYER AND A.KREUTER

1279 Desloratadine in combination with montelukast suppresses the dermographometer challenge test papule, and is effective in the treatment of delayed pressure urticaria: a randomized, double-blind, placebo-controlled study
E.NETTIS, M.C.COLANARDI, A.L.SOCCIO, A.FERRANNINI AND A.VACCA

Case reports

1283 A child with laryngo-onychocutaneous syndrome partially responsive to treatment with thalidomide
R.M.STRAUSS, J.BATE, K.K.NISCHAL, T.CLAYTON, J.GOOI, J.C.DARLING AND J.A.NEWTON-BISHOP

1287 In situ photoimmunotherapy: a tumour-directed treatment for melanoma
M.F.NAYLOR, W.R.CHEN, T.K.TEAGUE, L.A.PERRY AND R.E.NORDQUIST

Correspondence

1293 Erlotinib-associated skin reactions – case report and proposal for classification
A.ZOLLER, S.G.SCHAD AND G.E.GROSS

1295 Cinacalcet as an adjunct in the successful treatment of calciphylaxis
A.SHARMA, E.BURKITT-WRIGHT AND R.RUSTOM

1297 Community pharmacists' role in managing common skin problems
A.HAFEJEE AND I.H.COULSON

1298 Community-acquired methicillin-resistant *Staphylococcus aureus*: different populations, different results
K.SARDANA, V.MANCHANDA AND V.K.GARG

1299 Community-acquired methicillin-resistant *Staphylococcus aureus*: different populations, different results: reply from authors
P.D.DEL GIUDICE

1299 A surgical treatment for anxiety-triggered palmar hyperhidrosis is not unlike treating tearfulness in major depression by severing the nerves to the lacrimal glands
H.S.BRACHA, S.M.LENZE AND M.T.M.CHUNG

1300 Immotile acral melanocytes?
C-C.LAN, H-S.YU, C-S.WU AND G-S.CHEN

1301 Nickel-containing coins: a health risk for nickel-sensitive individuals?
M.S.JELLESEN, L.R.HILBERT, T.MENNÉ AND P.MOLLER

1303 New mutations of KIT gene in two Chinese patients with piebaldism
Z-M.LIN, Z.XU, D-F.BU AND Y.YANG

1304 'The Scream' relocated by skin histopathology
N.H.COX, G.DAWN AND M.GANGOPADHYAY

1305 **News and Notices**

1307 **Erratum and Corrigendum**

1308 **Author Index**

1325 **Subject Index**